

# Index

- Absolute pressure 21
- Absolute streamlines 42
- Absolute system of units 7
- Acoustic intensity method 278, 290
- Adiabatic change 18
- Aerofoil 162
  - section 162
- Air bubble method 281
- Allievi's equation, valve closure 246
- Anemometer
  - hot-wire 184–5
  - interference fringe 186
  - laser Doppler 185–6
  - reference beam 185, 186
  - single-beam 186
- Angle of attack, wing 163
- Angular momentum
  - conservation 76–8
  - equation of 76–7
- Animation method 278
- Applications
  - Bernoulli's equation 62–70
  - dimensional analysis 172–4
  - equation of momentum 72–6
- Appolonius circles 208
- Archimedes 34
  - principle 34
- Area colouring manifestation method 278
- Area flowmeter 189–90
  - float-type 189–90
- Aspect ratio, wing 163
- Atmospheric pressure 20, 21
  - standard 20
- Attachment amplifier 193
- Backward difference 250
- Ball valve, loss factor 131
- Bars 20
- Base units 6–7
- Bazin equation, open channel 138
- Beam-Warming method 257
- Bellows, pressure gauges 28–9
- Bend, pipes 125–7
- Bernoulli 60
  - equation 56–70
  - applications 62–70
- Blade 162
- Body force 85
- Borda–Carnot, head loss 74
- Boundary element method 269–73
  - Green's formula 269
  - panel method 269
- Boundary layer 101–6, 148
  - development 102–4
  - displacement thickness 103
  - equation of motion 104–5
  - main flow 101
  - momentum thickness 103, 104
  - separation 105–6
  - thickness 103
  - transition zone 104
- Boundary-fitted grid, finite volume method 262
- Bourdon
  - gauge 28–9
  - tube 28
    - pressure gauges 28–9
- Boyle's–Charles' law 17
- Branch pipes 127, 128
- Buckingham's  $\pi$  Theorem 172
- Bulk modulus 16, 223
- Buoyancy 33–5
  - Archimedes' principle 34
- Bursting
  - phenomenon, Kline 274
  - process 98
- Butterfly valves 129–30
- Camber line 163
- Capillarity 14–15
  - correction 15
  - and liquid surface 15
- Cascade 166, 167
- Cauchy–Riemann equations 202
- Cavitation 167–9
  - number 169

- CCD camera 287
- Central difference 251
- Centre of pressure 31
- CGS system, units 7
- Change in flow quantity, pipe line 242–3
- Characteristic curve, pumping 133
- Chattock tilting manometer 28
- Chemical reaction tracer method 276, 283
- Chezy's formula, open channel 137
- Choke 121
  - number 121
- Choked flow 229
- Chord length 162
- Circular
  - pipes, flow 91–4
  - water channel 139–40
- Circulating flume, model testing 178
- Circulation 50–1
- Cocks 130–1
  - loss factor 130
- Coefficient
  - of contraction 67
  - of diffusion 88
  - of discharge 64, 67
  - drag 163
  - friction drag 158
  - interference 167
  - lift 163
  - moment 163
  - Pitot tube 182
  - of velocity 66, 67
  - of viscosity 9
- Colour streak method 279–83
- Complex
  - potential 201–3
  - velocity 202
- Compressibility 6, 16–17
- Compressible fluids 6, 46–7, 218–37
  - finite difference 257–9
- Compression wave, propagation 234
- Computational fluid mechanics, 249–73
- Computer tomography 278, 287
- Computer-aided
  - flow visualisation (CAFV) 274
  - visualisation 277, 286–90
- Cone
  - drag coefficient 151
  - supersonic velocity 231
- Conformal mapping 212–16
- Conjugate complex, velocity 202
- Conservation
  - of angular momentum 76–8
  - of energy 56–70
  - of mass, principle of 56
- Constant
  - discharge, water channels 142–3
  - gas 17
  - pressure, specific heat 18
  - specific energy 143, 144
  - volume, specific heat 18
  - water depth 143–4
- Contact angle 14
- Continuity equation 55–6, 88
  - viscous fluid 82–3
- Contour
  - manifestation method 278
  - presentation 288
- Contraction, coefficient of 67
- Control volume 71, 262, 263
- Convective accelerations 87
- Convergent
  - nozzle 228–9
  - pipes 125
- Convergent–divergent nozzle 229–30
- Conversion of units, pressure 21
- Correction
  - capillarity 15
  - Pitot tube 225–6
- Correlation 95
- Couette flow, viscosity 9
- Couette–Poiseuille flow 91
- Critical
  - density 229
  - depth 142
  - pressure 229
  - Reynolds number 46, 154
  - temperature 229
  - velocity 44, 46, 143, 229
- Curl 49
- Cylinder
  - drag 150–1
  - coefficient 151
  - flow around 152, 153
  - pressure distribution 152
- Cylinder-type, Pitot tube 182–4
- Cylindrical coordinates 87
  - rotational motion 36
- d'Alembert's paradox 152
- Darcy–Weisbach equation 115
- De Laval nozzle 229–30
- Density 8
  - correlation method 277
  - critical 229
- Depth, critical 142
- Depth tuft method 275
- Derived units 7
- Development
  - boundary layer 102–4
  - lift 161–2
- Diaphragm, pressure gauges 28–9
- Differential manometer 27–8
- Dimension 8
- Dimensional analysis 171–4
  - applications 172–4
- Direct simulation, turbulence 261–2
- Disc valve 131
- Discharge
  - coefficient of 67
  - pumping 133
- Discrete vortex
  - element 271
  - method 272

- Discretisation 265  
 Displacement thickness, boundary layer 103  
 Divergence 83  
 Divergent pipes 123–5  
 Division of elements, finite element method 264  
 Doppler effect 224  
 Doublet 208  
**Drag**  
 of a body 149–61  
 coefficient 149–50, 163  
 cone 151  
 cylinder 151  
 hemisphere 151  
 oblong board 151  
 passenger car 151  
 cylinder 150–1  
 flat plate 156–60  
 form 149  
 friction 149, 150  
 ideal fluid 150–3  
 pressure 149, 150  
 sphere 156  
 turbulent boundary layer 158–60  
 twin vortices 153  
 viscous fluid 153–6  
**Dynamic pressure** 60  
**Dynamic temperature** 225  
**Dynamic viscosity** 9  
**Eddying water currents** 50  
**Efficiency, propeller** 75–6  
**Ekman** 46  
**Elastic-type pressure gauges** 28–9  
**Elbow pipes** 126, 127  
**Electric-type pressure gauges** 29–30  
**Electrically controlled tracer method** 276, 283  
**Electrolytic colouring method** 276  
**Electrolytic corrosion method** 275  
**Electrolytic precipitation method** 282  
**Energy**  
 conservation of 56–70  
 internal 219  
 kinetic 56  
 law of conservation 56  
 line 62  
 potential 56  
**Enthalpy** 219  
**Entrance length, pipes** 112  
**Entrance region, pipes** 112  
**Entropy** 220  
**Equation-overlapping elements, finite element method** 267  
**Equations**  
 of angular momentum 76–7  
 of Blasius 116  
 of Itaya 116  
 of Kármán–Nikuradse 116  
 of momentum 70–1  
 application 72–6  
 of motion  
     boundary layer 104–5  
     Euler's 59  
 of Nikuradse 116  
**Equi-value area**  
     manifestation method 278  
     presentation 289  
**Equiaccelerated straight-line motion,**  
     relatively stationary state 35–6  
**Euler** 5, 59  
     equation of motion 59, 197–8  
**Eulerian method, flow** 41  
**Examples, potential flow** 203–12  
**Experimental visualisation methods** 274  
**Exterior flows** 148–70  
**Fanno flow** 235–6  
**Fanno line** 236  
**Finite difference**  
     compressible fluid 257–9  
     indication 249–51  
     method 249–62  
     turbulence 259–62  
**Finite element method** 264–9  
     division of elements 264  
     equation-overlapping elements 267  
     Galerkin method 266  
     interpolating function 266–7  
     weighted residuals 265–6  
**Finite volume method** 262–4  
     boundary-fitted grid 262  
     control volume 262, 263  
     preservative form 262  
     structured grid 262  
     unstructured grid 262, 264  
**Five-hole spherical Pitot tube** 183, 184  
**Flat plate**  
     drag 156–60  
     laminar boundary layer 157–8  
**Float-type, area flowmeter** 189–90  
**Floating sawdust method** 282  
**Floating tracer method** 276, 281  
**Flow**  
     around cylinder 152, 153  
     choked 229  
     circular pipes 91–4  
     contraction, losses 120–1  
     Couette–Poiseuille 91  
     curved pipe 72  
     discharge, measurement 186–95  
     Eulerian method 41  
     expansion, losses 119–20  
     Fanno 235–6  
     forced vortex 50  
     free vortex 50  
     irrotational 49, 199  
     Lagrangian method 41  
     laminar 44–6  
     one-dimensional 43–4, 55–81  
     parallel plates 9, 88–91  
     in pipes 110–35  
     potential 199

- Flow (*contd*)**
- Rayleigh 235–6
  - resistance, sphere 172–4
  - restrictions 187–8
    - nozzle 187, 188
    - orifice 187
    - Venturi tube 187, 188–9
  - rotational 50
  - steady 43
  - synthesising 206–12
  - three-dimensional 43
  - turbulent 44–6
  - two-dimensional 43
  - unsteady 43
  - velocity
    - coefficient, open channel 137
    - measurement 182–6
  - visualisation 274–90
    - computer-aided (CAFV) 274
- Flowmeter**
- area 189–90
  - fluidic 193–4
  - magnetic 191–2
  - positive displacement 190
  - turbine 190–1
  - ultrasonic 192–3
  - vortex-shedding 193
- Fluctuating velocities, velocity distribution**
- 95
- Fluidic**
- flowmeter 193–4
  - oscillator 193
- Fluids**
- at rest, pressure 23–6
  - compressible 6, 46–7
  - ideal 6
  - incompressible 6, 46–7, 251–7
  - Newtonian 13
  - non-Newtonian 13
  - perfect 6
- Fluorescent mini-tuft method** 280
- Force**
- body 85
  - inertial 85
  - jet 72–4
  - pressure 85
  - restoring 35
  - viscous 85–6
- Forced vortex, flow** 50
- Forces acting on a body** 149
- Form drag** 149
- Forward difference** 250
- Free vortex**
- flow 50
  - potential flow 205–6
- Friction**
- coefficient, pipes 115
  - drag 149, 150
    - coefficient 158
  - pipes 114–18
  - torque, revolving disc 160–1
  - velocity 98
- Frictional loss, pipes** 118–19
- Froude** 146
- number 145
  - law of similarity 176–7
- Function mapping** 213
- Galerkin method, finite element method**
- 266
- Ganguillet–Kutter equation, open channel**
- 137–8
- Gas**
- constant 17, 219
  - ideal 17
  - perfect 17–18
- Gases** 6
- Gate valves** 128, 129
- Gauge pressure** 21
- Gauss–Seidel sequential iteration method**
- 253
- Geometrical moment of inertia** 31
- Globe valves** 128, 129
- Göttingen University** 163
- Göttingen-type manometer** 28
- Green's formula, boundary element method**
- 269
- Gyrostatics, rotational motion** 36
- Hagen** 93
- Hagen–Poiseuille formula** 93
- Head loss, Borda–Carnot** 74
- Head pumping** 133
- Height of liquid surface** 14–15
- Helmholtz** 5
- vortex theory 88
- Hemisphere, drag coefficient** 151
- Henry's Law** 168
- Higher critical Reynolds number** 46
- Holographic Particle Imaging Velocimetry (HPIV)** 277
- Hot-wire anemometer** 184–5
- Hurricanes** 50
- Hydraulic**
- grade line 62
  - jump 144–6
  - mean depth
    - open channel 137
    - pipes 118
    - press 23
- Hydraulics** 1
- Hydrodynamics** 1
- Hydrogen bubble method** 276, 283
- Ideal fluids** 6, 197–217
- Ideal drag** 150–3
- Ideal gas** 6, 17–18
- Image**
- presentation 274
  - processing 274
- Implicit Approximate Factorisation (IAF) method** 257
- Inclined manometer** 28
- Incompressible fluids** 6, 46–7, 251–7

- Indication, finite difference 249–51  
 Inertia term 87  
 Inertial force 85  
 Injected tracer method 276  
 Injection  
     path line method 276  
     streak line method 276  
 Inlet  
     length, pipes 112  
     loss factor 121  
     region, pipes 112  
 Instantaneous valve closure 245–6  
 Interference  
     coefficient 167  
     fringes 284  
         anemometer 186  
 Internal energy 219  
 Interpolating function, finite element  
     method 266–7  
 Irrotational flow 49, 199  
 Isaac Newton 10  
 Isentropic  
     flow 226–30  
     index 18, 219  
 Isobaric change 18  
 Isochoric change 18  
 Isothermal change 18
- Jet  
     force of 72–4  
     plane 231  
     pump 75  
 Joukowski's hypothesis 166  
 Journal bearing, theory of lubrication  
     108  
 Junction pipes 127, 128
- k*-*e* model 260  
 Kármán 101  
     vortex 153  
 Kinematic  
     viscosity 11  
         turbulent flow 96  
 Kinetic energy 56  
 Kline, bursting phenomenon 274  
 Kutta condition 166  
 Kutta–Joukowski equation 162  
 Kutta condition 215
- La Système International d'Unités, *see* SI  
     units  
 Lagrangian method, flow 41  
 Laminar  
     boundary layer, flat plate 157–8  
     flow 44–6  
         pipes 115  
             velocity distribution 88–94  
         frictional resistance 239–40  
         sublayer 98  
 Laplace's equation 199  
 Large Eddy Simulation (LES), turbulence  
     261
- Laser Doppler  
     anemometer 185–6  
     velocimeter, three-dimensional 290  
 Laser holographic interferometer method  
     277, 285, 287  
 Laser light sheet method 277  
 Laser Speckle Method (LSM) 277  
 Law of conservation of energy 56  
 Law of similarity 175–80  
     Froude number 176–7  
     Mach number 177  
     non-dimensional groups 175–7  
     Weber number 177  
 Law of viscosity, Newton 10  
 Leading edge 162  
 Length, chord 162  
 Leonardo da Vinci 3–4  
 Lift 161–7  
     coefficient 163  
     development 161–2  
     stall 164  
     stalling angle 164  
     wing 162–7  
 Lift–drag  
     polar, wing 165  
     ratio 165  
 Liquids 6  
     column, U-tube 238–40  
     rotation and spinning 47–50  
     surface  
         and capillarity 15  
         height of 14–15  
 Logarithmic velocity distribution 100–1  
 Loss factor  
     ball valve 131  
     cocks 130  
     disc valve 131  
     needle valve 131  
     relief valves 131  
     spool valve 131  
 Loss of head 62, 112  
 Losses  
     flow contraction 120–1  
     flow expansion 119–20  
     inlet loss factor 121  
     in pipe lines 119–32  
 Lower critical Reynolds number 46  
 Lubrication, theory of 106–9  
 Luminescent mini-tuft method 275
- MacCormack method 257  
 Mach 178  
     angle 224  
     cone 224  
     number 223–4  
         law of similarity 177  
         sonic flow 177  
         subsonic flow 177  
         supersonic flow 177  
         transonic flow 177  
     wave 224
- Mach–Zehnder interferometer method 277

- Magnetic flowmeter 191–2
- Main flow, boundary layer 101
- Manning equation, open channel 138
- Manometer 26–8
  - Chattock tilting 28
  - differential 27–8
  - Göttingen-type 28
  - inclined 28
  - U-tube 26
- Mapping
  - conformal 212–16
  - function 213
- Marker and Cell (MAC) method 254
- Mass
  - flow rate 56
  - transfer method 275
- Maximum thickness, wing 163
- Mean free path 6
- Measured data visualisation 289–90
  - method 278
- Measurement
  - flow discharge 186–95
  - flow velocity 182–6
  - pressure 26–30
- Mercury, surface tension 13
- Metacentre 35
- Metacentric height 35
- Method of characteristics 257–9
- Methyl alcohol, surface tension 13
- Metres of water column, pressure 20
- Micromanometers 28
- Mixing length
  - Prandtl's hypothesis 97
  - turbulent flow 97
- MKS system, units 7
- Model testing 177–9
  - circulating flume 178
  - towing tank 178
  - wind tunnel 178, 179
- Moiré method 284
- Moment
  - coefficient 163
  - of inertia 40
  - geometrical 31
- Momentum
  - equations 70–1
  - law of conservation 70–6
  - thickness, boundary layer 103, 104
- Moody diagram 117
- Nabla 49
- National Advisory Committee for Aeronautics (NACA) 163
- National Aeronautics and Space Administration (NASA) 163
- Navier 5, 87
- Navier–Stokes equation, viscous fluid 83–8
- Needle valve, loss factor 131
- Newton, law of viscosity 10
- Newtonian fluids 13
- Non-dimensional groups
  - law of similarity 175–7
- Reynolds number 175–6
- Non-electrolytic reaction method 276
- Non-Newtonian fluids 13
- Normal shock wave 234
- Nozzle, flow restrictions 187, 188
- Numerical
  - data visualisation method 278, 287–9
  - viscosity 262
- Numerical fluid mechanics 249–73
- Oblique shock wave 234
- Oblong board, drag coefficient 151
- Oil-dots method 275
- Oil-film method 275
- One-dimensional flow 43–4, 55–81
  - compressible flow 224–6
- One-equation model 260
- Open channel 136–8
  - Bazin equation 138
  - Chezy's formula 137
  - flow velocity coefficient 137
  - Ganguillet–Kutter equation 137–8
  - hydraulic mean depth 137
  - Manning equation 138
  - shape of 138, 141
  - specific energy 141–2
  - wetted perimeter 137
- Optical
  - method 276
  - visualisation method 284–5
- Orifice 66
  - flow restrictions 187
  - plate 187
- Oval gear type, positive displacement flowmeter 190
- Panel method, boundary element method 269
- Parallel
  - flow 203–4
  - plates, flow 9, 88–91
- Particle Imaging Velocimetry (PIV) 277, 286
- Particle Tracking Velocimetry (PTV) 286
- Pascal 20, 23
  - law 23
- Passenger car, drag coefficient 151
- Path line 41, 42
- Perfect fluids 6, 197–217
- Perfect gas 6, 17–18
- Pipe lines
  - change in flow quantity 242–3
  - losses in 119–32
  - pressure propagation 240–1
  - pressure wave velocity 243–4
  - total loss 131–2
- Pipes 110–35
  - bend 125–7
  - branch 127, 128
  - convergent 125
  - divergent 123–5
  - elbow 126, 127
  - entrance length 112

- entrance region 112
- friction 114–18
  - coefficient 115
  - pressure loss 174–5
- frictional loss 118–19
- hydraulic mean depth 118
- inlet length 112
- inlet region 112
- junction 127, 128
- laminar flow 115
- suddenly expanding 74
- turbulent flow 115–18
- wetted perimeter 118
- Pitot 64
  - tube 64–6, 182–4
  - coefficient 182
  - correction 225–6
  - cylinder-type 182–4
  - five-hole spherical 183, 184
  - surface 184
  - total pressure 184
- Point vortex 206
- Poiseuille 93, 94
- Polytropic change 18
- Polytropic exponent 18
- Positive displacement
  - flowmeter 190
  - oval gear type 190
  - roots-type 190
- Potential energy 56
- Potential flow 197, 199
  - examples 203–12
  - free vortex 205–6
  - source 205–6
- Potential head 60
- Power
  - pump 78
  - water wheel 78
- Prandtl–Meyer expansion 233
- Prandtl 96
  - hypothesis on mixing length 97
- Preservative form, finite volume method 262
- Pressure
  - absolute 21
  - atmospheric 20, 21
  - bars 20
  - centre of 31
  - conversion of units 21
  - critical 229
  - distribution, cylinder 152
  - drag 149, 150
  - dynamic 60
  - fluid at rest 23–6
  - force 20, 85
  - gauges 21, 28–30
    - bellows 28–9
    - Bourdon tube 28–9
    - diaphragm 28–9
    - elastic-type 28–9
    - electric-type 29–30
  - head 60
- loss, pipe friction 174–5
- measurement 26–30
- metres of water column 20
- Pascal (Pa) 20
- propagation, pipe line 240–1
- recovery efficiency 125
- stagnation 60
- static 60
- total 60
- units of 20–1
- and velocity 254
- wave velocity, pipe line 243–4
- Pressure force 20, 85
- Pressure-sensitive-paint method 275
- Pressure-sensitive-paper method 275
- Principle of conservation of mass 56
- Propagation, compression wave 234
- Propeller, efficiency 75–6
- Pump
  - discharge 133
  - jet 75
  - power 78
- Pumping 132–3
  - characteristic curve 133
  - discharge 133
  - head 133
  - resistance curve 133
  - shaft horsepower 133
  - total head 132
  - water horsepower 133
- Rankine–Hugoniot equations 233
- Ratio, specific heat 18, 219
- Rayleigh
  - flow 235–6
  - line 236
- Recovery efficiency, pressure 125
- Rectangular water channel 140–1
- Reference beam, anemometer 185, 186
- Regular function 202
- Relative streamlines 42
- Relatively stationary state 35–7
  - equiaxcelerated straight-line motion 35–6
  - rotational motion 36–7
- Relief valves, loss factor 131
- Remote sensing 278
- Residuals 265
- Resistance curve, pumping 133
- Restoring force 35
- Revolving disc, friction torque 160–1
- Reynolds 46, 47
  - experiment 45
  - number 46
    - critical 46, 154
    - higher critical 46
    - lower critical 46
    - non-dimensional groups 175–6
  - stress 95
- Rheological diagram 13
- Rheology 13
- Roots type, positive displacement flowmeter 190

- Rotational flow 50
- Rotational motion
  - cylindrical coordinates 36
  - gyrostatics 36
  - relatively stationary state 36–7
- Rough circular pipe, turbulent flow 116–18
- Royal Aircraft Establishment 163
- Schiller 46
- Schlieren
  - method 284, 285
  - photograph method 277
- Section, aerofoil 162
- Semiconductor strain gauge 29–30
- Separation
  - boundary layer 105–6
  - point 105, 153
- Shadowgraph method 276
- Shaft horsepower, pumping 133
- Shape
  - open channel 138, 141
  - streamline 3
- Shear flow 10
- Shock waves 230–5
  - normal 234
  - oblique 234
- SI units 7
- Single-beam anemometer 186
- Sink
  - and source 207–9
  - strength of 205
- Smoke method 281
- Smoke wire method 276, 283, 284
- Smooth circular pipes, turbulent flow 115–16
- Sommerfeld 108
- Sonic flow, Mach number 177
- Sonic velocity 221–3
- Source
  - potential flow 205–6
  - and sink 207–9
  - strength of 205
- Spark tracing method 276, 283, 284
- Specific energy
  - constant 143, 144
  - open channel 141–2
- Specific gravity 8
- Specific heat
  - constant pressure 18, 219
  - constant volume 18, 219
  - ratio 18, 219
- Specific volume 8
- Speckle method 277
- Sphere
  - drag 156
  - flow resistance 172–4
- Spool valve, loss factor 131
- Spread of aqua 37
- Stagnation point 64, 148
- Stagnation pressure 60
- Stall, lift 164
- Stalling angle, lift 164
- Standard atmospheric pressure 20
- Starting vortex 166, 167
- Static pressure 60
- Static temperature 225
- Steady flow 43
- Stereophotography method 284
- Stokes 5
  - theorem 51
- Streak line 41, 42
- Stream
  - function 200–1
  - and vorticity 251–4
- Stream tube 42, 43
- Streamlines 41–2
  - absolute 42
  - relative 42
  - shape 3, 155
- Strength
  - of sink 205
  - of source 205
  - vortex 206
- Strouhal number 155
- Structured grid, finite volume method 262
- Sublayer
  - laminar 98
  - viscous 98
- Subsonic flow 227
  - Mach number 177
- Successive over-relaxation (SOR) method 253
- Sudden expansion 251
  - pipe 74
- Supercavitation 168
- Supersonic
  - flow 227, 230
  - Mach number 177
  - velocity
    - cone 231
    - jet plane 231
- Surface floating tracer method 276, 281
- Surface tension 13–15
  - mercury 13
  - methyl alcohol 13
  - water 13
- Surface tuft method 280
- Suspension method 276
- Synthesising flows 206–12
- Temperature
  - critical 229
  - dynamic 225
  - static 225
  - total 225
- Temperature-sensitive-film method 275
- Theory of lubrication 106–9
  - journal bearing 108
  - thrust bearing 107
- Thermodynamics, second law 221
- Thermographical method 278
- Thickness, boundary layer 103
- Three-dimensional flow 43

- Three-dimensional laser Doppler velocimeter 290
- Throttle 121
- Thrust 75–6
- Thrust bearing, theory of lubrication 107
- Time line method 276
- Tornadoes 50
- Torricelli's theorem 67
- Total head 60  
  pumping 132
- Total loss, pipe line 131–2
- Total pressure 60  
  Pitot tube 184
- Total temperature 225
- Towing tank, model testing 178
- Trailing edge 162
- Transition zone, boundary layer 104
- Transonic flow, Mach number 177
- Transport equation, vorticity 88
- Tuft grid method 280
- Tuft method 275
- Tuft stick method 275
- Turbine flowmeter 190–1
- Turbulence 44–6  
  direct simulation 261–2  
  finite difference 259–62  
  large eddy simulation 261  
  model 259–60
- Turbulent boundary layer, drag 158–60
- Turbulent flow  
  kinematic viscosity 96  
  mixing length 97  
  pipes 115–18  
  rough circular pipes 116–18  
  smooth circular pipes 115–16  
  velocity distribution 94–101
- Twin vortices, drag 153
- Two-dimensional flow 43
- Two-equation model 260
- U-tube  
  liquid column 238–40  
  manometer 26
- Ultrasonic flowmeter 192–3
- Units 6–8  
  absolute system 7  
  base 6–7  
  CGS system 7  
  derived 7  
  MKS system 7  
  of pressure 20–1  
  SI 7
- Universal gas constant 219
- Unsteady flow 43, 238–48
- Unstructured grid, finite volume method 262, 264
- Upwind difference method 254
- Valves 128–30  
  butterfly 129–30
- closure 246–7  
  Allievi's equation 246  
  instantaneous 245–6  
gate 128, 129  
globe 128, 129
- Variational principle 265
- Vector manifestation method 278
- Vector presentation 289
- Velocity  
  absolute 78  
  coefficient of 67  
  complex 202  
  conjugate complex 202  
  critical 44, 46, 143, 229  
  distribution  
    fluctuating velocities 95  
    laminar flow 88–94  
    logarithmic 100–1  
    turbulent flow 94–101  
  friction 98  
  head 60  
  peripheral 78  
  potential 198–200  
  and pressure 254  
  relative 78
- Vena contracta 67
- Venturi 63  
  tube 62, 63–4  
    flow restrictions 187, 188–9
- Viscosity 6, 9–13  
  coefficient of 9  
  Couette flow 9  
  dynamic 9  
  index 13  
  kinematic 11  
  Newton's law of 10
- Viscous  
  fluid 82–110  
    continuity equation 82–3  
    drag 153–6  
    Navier–Stokes equation 83–8  
  force 85–6  
  sublayer 98
- Visualisation methods 274–86
- Visualised image analysis 277, 286–7
- Volume rendering method 278
- Volumetric flow rate 56
- Vortex  
  free 205–6  
  Kármán 153  
  point 206  
  starting 166, 167  
  strength of 206  
  theory, Helmholtz 88  
  wing-bound 166
- Vortex-shedding flowmeter 193
- Vorticity 49  
  and stream function 251–4  
  transport equation 88
- Wake 102, 148

- Wall  
attachment phenomenon 123  
effect, *see* wall attachment  
phenomenon
- Wall-tracing method 274, 275, 279
- Water  
channels 136–47  
constant discharge 142–3  
depth, constant 143–4  
horsepower, pumping 133  
surface tension 13
- Water clock 69
- Water hammer 244–7
- Water wheel, power 78
- Wave resistance 176
- Weber number, law of similarity 177
- Weighted residuals, finite element method 265–6
- Weighting function 265
- Weirs 69–70, 194–5
- Wetted perimeter  
open channel 137  
pipes 118
- Whirl, and rotation 47–50
- Wind tunnel, model testing 178, 179
- Wing  
angle of attack 163  
aspect ratio 163  
lift 162–7  
lift–drag polar 165  
maximum thickness 163
- Wing-bound vortex 166
- Wire strain gauge 29–30
- Zero-equation model 259–60