

Python code for Artificial Intelligence: Foundations of Computational Agents

David L. Poole and Alan K. Mackworth

Version 0.9.5 of August 13, 2022.

<http://aipython.org> <http://artint.info>

©David L Poole and Alan K Mackworth 2017-2022.

All code is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License. See: http://creativecommons.org/licenses/by-nc-sa/4.0/deed.en_US

This document and all the code can be downloaded from
<http://artint.info/AIPython/> or from <http://aipython.org>

The authors and publisher of this book have used their best efforts in preparing this book. These efforts include the development, research and testing of the theories and programs to determine their effectiveness. The authors and publisher make no warranty of any kind, expressed or implied, with regard to these programs or the documentation contained in this book. The author and publisher shall not be liable in any event for incidental or consequential damages in connection with, or arising out of, the furnishing, performance, or use of these programs.

Contents

Contents	3
1 Python for Artificial Intelligence	9
1.1 Why Python?	9
1.2 Getting Python	9
1.3 Running Python	10
1.4 Pitfalls	11
1.5 Features of Python	11
1.5.1 Lists, Tuples, Sets, Dictionaries and Comprehensions	11
1.5.2 Functions as first-class objects	12
1.5.3 Generators and Coroutines	14
1.6 Useful Libraries	15
1.6.1 Timing Code	15
1.6.2 Plotting: Matplotlib	16
1.7 Utilities	16
1.7.1 Display	16
1.7.2 Argmax	18
1.7.3 Probability	19
1.7.4 Dictionary Union	19
1.8 Testing Code	19
2 Agent Architectures and Hierarchical Control	21
2.1 Representing Agents and Environments	21
2.2 Paper buying agent and environment	22
2.2.1 The Environment	22
2.2.2 The Agent	24

2.2.3	Plotting	25
2.3	Hierarchical Controller	25
2.3.1	Environment	25
2.3.2	Body	26
2.3.3	Middle Layer	28
2.3.4	Top Layer	29
2.3.5	Plotting	30
3	Searching for Solutions	33
3.1	Representing Search Problems	33
3.1.1	Explicit Representation of Search Graph	34
3.1.2	Paths	36
3.1.3	Example Search Problems	37
3.2	Generic Searcher and Variants	41
3.2.1	Searcher	41
3.2.2	Frontier as a Priority Queue	42
3.2.3	A^* Search	44
3.2.4	Multiple Path Pruning	45
3.3	Branch-and-bound Search	47
4	Reasoning with Constraints	51
4.1	Constraint Satisfaction Problems	51
4.1.1	Variables	51
4.1.2	Constraints	52
4.1.3	CSPs	53
4.1.4	Examples	55
4.2	A Simple Depth-first Solver	64
4.3	Converting CSPs to Search Problems	65
4.4	Consistency Algorithms	67
4.4.1	Direct Implementation of Domain Splitting	70
4.4.2	Domain Splitting as an interface to graph searching	72
4.5	Solving CSPs using Stochastic Local Search	73
4.5.1	Any-conflict	76
4.5.2	Two-Stage Choice	77
4.5.3	Updatable Priority Queues	79
4.5.4	Plotting Runtime Distributions	81
4.5.5	Testing	81
4.6	Discrete Optimization	82
4.6.1	Branch-and-bound Search	84
5	Propositions and Inference	87
5.1	Representing Knowledge Bases	87
5.2	Bottom-up Proofs (with askables)	90
5.3	Top-down Proofs (with askables)	92
5.4	Debugging and Explanation	93

5.5	Assumables	97
6	Deterministic Planning	101
6.1	Representing Actions and Planning Problems	101
6.1.1	Robot Delivery Domain	102
6.1.2	Blocks World	104
6.2	Forward Planning	106
6.2.1	Defining Heuristics for a Planner	109
6.3	Regression Planning	111
6.3.1	Defining Heuristics for a Regression Planner	113
6.4	Planning as a CSP	114
6.5	Partial-Order Planning	117
7	Supervised Machine Learning	125
7.1	Representations of Data and Predictions	126
7.1.1	Creating Boolean Conditions from Features	129
7.1.2	Evaluating Predictions	131
7.1.3	Creating Test and Training Sets	132
7.1.4	Importing Data From File	133
7.1.5	Augmented Features	136
7.2	Generic Learner Interface	138
7.3	Learning With No Input Features	139
7.3.1	Evaluation	141
7.4	Decision Tree Learning	143
7.5	Cross Validation and Parameter Tuning	147
7.6	Linear Regression and Classification	150
7.6.1	Batched Stochastic Gradient Descent	156
7.7	Boosting	157
7.7.1	Gradient Tree Boosting	160
8	Neural Networks and Deep Learning	163
8.1	Layers	163
8.2	Feedforward Networks	166
8.3	Improved Optimization	168
8.3.1	Momentum	168
8.3.2	RMS-Prop	169
8.4	Dropout	170
8.4.1	Examples	171
9	Reasoning with Uncertainty	177
9.1	Representing Probabilistic Models	177
9.2	Representing Factors	178
9.3	Conditional Probability Distributions	179
9.3.1	Logistic Regression	180
9.3.2	Noisy-or	181

9.3.3	Tabular Factors	181
9.4	Graphical Models	182
9.4.1	Example Belief Networks	184
9.5	Inference Methods	189
9.6	Recursive Conditioning	190
9.7	Variable Elimination	195
9.8	Stochastic Simulation	199
9.8.1	Sampling from a discrete distribution	199
9.8.2	Sampling Methods for Belief Network Inference	200
9.8.3	Rejection Sampling	201
9.8.4	Likelihood Weighting	202
9.8.5	Particle Filtering	203
9.8.6	Examples	204
9.8.7	Gibbs Sampling	206
9.8.8	Plotting Behaviour of Stochastic Simulators	207
9.9	Hidden Markov Models	209
9.9.1	Exact Filtering for HMMs	211
9.9.2	Localization	213
9.9.3	Particle Filtering for HMMs	215
9.9.4	Generating Examples	217
9.10	Dynamic Belief Networks	218
9.10.1	Representing Dynamic Belief Networks	218
9.10.2	Unrolling DBNs	222
9.10.3	DBN Filtering	222
10	Learning with Uncertainty	225
10.1	K-means	225
10.2	EM	229
11	Causality	235
11.1	Do Questions	235
12	Planning with Uncertainty	237
12.1	Decision Networks	237
12.1.1	Example Decision Networks	239
12.1.2	Recursive Conditioning for decision networks	244
12.1.3	Variable elimination for decision networks	248
12.2	Markov Decision Processes	250
12.2.1	Value Iteration	253
12.2.2	Showing Grid MDPs	254
12.2.3	Asynchronous Value Iteration	257
13	Reinforcement Learning	261
13.1	Representing Agents and Environments	261
13.1.1	Simulating an environment from an MDP	262

13.1.2 Monster Game	263
13.1.3 Evaluation and Plotting	265
13.2 Q Learning	267
13.2.1 Testing Q-learning	269
13.3 Q-leaning with Experience Replay	270
13.4 Model-based Reinforcement Learner	272
13.5 Reinforcement Learning with Features	275
13.5.1 Representing Features	275
13.5.2 Feature-based RL learner	278
13.5.3 Experience Replay	281
14 Multiagent Systems	283
14.1 Minimax	283
14.1.1 Creating a two-player game	283
14.1.2 Minimax and α - β Pruning	286
14.2 Multiagent Learning	288
15 Relational Learning	295
15.1 Collaborative Filtering	295
15.1.1 Alternative Formulation	298
15.1.2 Plotting	298
15.1.3 Creating Rating Sets	299
16 Version History	303
Bibliography	305
Index	307

Chapter 1

Python for Artificial Intelligence

1.1 Why Python?

We use Python because Python programs can be close to pseudo-code. It is designed for humans to read.

Python is reasonably efficient. Efficiency is usually not a problem for small examples. If your Python code is not efficient enough, a general procedure to improve it is to find out what is taking most the time, and implement just that part more efficiently in some lower-level language. Most of these lower-level languages interoperate with Python nicely. This will result in much less programming and more efficient code (because you will have more time to optimize) than writing everything in a low-level language. You will not have to do that for the code here if you are using it for course projects.

1.2 Getting Python

You need Python 3 (<http://python.org/>) and matplotlib (<http://matplotlib.org/>) that runs with Python 3. This code is *not* compatible with Python 2 (e.g., with Python 2.7).

Download and install the latest Python 3 release from <http://python.org/>. This should also install *pip3*. You can install matplotlib using

```
pip3 install matplotlib
```

in a terminal shell (not in Python). That should “just work”. If not, try using *pip* instead of *pip3*.

The command *python* or *python3* should then start the interactive python shell. You can quit Python with a control-D or with *quit()*.

To upgrade matplotlib to the latest version (which you should do if you install a new version of Python) do:

```
pip3 install --upgrade matplotlib
```

We recommend using the enhanced interactive python **ipython** (<http://ipython.org/>). To install ipython after you have installed python do:

```
pip3 install ipython
```

1.3 Running Python

We assume that everything is done with an interactive Python shell. You can either do this with an IDE, such as IDLE that comes with standard Python distributions, or just running ipython3 (or perhaps just ipython) from a shell.

Here we describe the most simple version that uses no IDE. If you download the zip file, and cd to the “aipython” folder where the .py files are, you should be able to do the following, with user input following : . The first ipython3 command is in the operating system shell (note that the -i is important to enter interactive mode), with user input in bold:

```
ipython -i searchGeneric.py
Python 3.6.5 (v3.6.5:f59c0932b4, Mar 28 2018, 05:52:31)
Type 'copyright', 'credits' or 'license' for more information
IPython 6.2.1 -- An enhanced Interactive Python. Type '?' for help.
Testing problem 1:
7 paths have been expanded and 4 paths remain in the frontier
Path found: a --> b --> c --> d --> g
Passed unit test
```

```
In [1]: searcher2 = AStarSearcher(searchProblem.acyclic_delivery_problem) #A*
```

```
In [2]: searcher2.search() # find first path
16 paths have been expanded and 5 paths remain in the frontier
Out[2]: o103 --> o109 --> o119 --> o123 --> r123
```

```
In [3]: searcher2.search() # find next path
21 paths have been expanded and 6 paths remain in the frontier
Out[3]: o103 --> b3 --> b4 --> o109 --> o119 --> o123 --> r123
```

```
In [4]: searcher2.search() # find next path
28 paths have been expanded and 5 paths remain in the frontier
Out[4]: o103 --> b3 --> b1 --> b2 --> b4 --> o109 --> o119 --> o123 --> r123
```

```
In [5]: searcher2.search() # find next path
No (more) solutions. Total of 33 paths expanded.
```

In [6]:

You can then interact at the last prompt.

There are many textbooks for Python. The best source of information about python is <https://www.python.org/>. We will be using Python 3; please download the latest release. The documentation is at <https://docs.python.org/3/>.

The rest of this chapter is about what is special about the code for AI tools. We will only use the Standard Python Library and matplotlib. All of the exercises can be done (and should be done) without using other libraries; the aim is for you to spend your time thinking about how to solve the problem rather than searching for pre-existing solutions.

1.4 Pitfalls

It is important to know when side effects occur. Often AI programs consider what would happen or what may have happened. In many such cases, we don't want side effects. When an agent acts in the world, side effects are appropriate.

In Python, you need to be careful to understand side effects. For example, the inexpensive function to add an element to a list, namely *append*, changes the list. In a functional language like Haskell or Lisp, adding a new element to a list, without changing the original list, is a cheap operation. For example if *x* is a list containing *n* elements, adding an extra element to the list in Python (using *append*) is fast, but it has the side effect of changing the list *x*. To construct a new list that contains the elements of *x* plus a new element, without changing the value of *x*, entails copying the list, or using a different representation for lists. In the searching code, we will use a different representation for lists for this reason.

1.5 Features of Python

1.5.1 Lists, Tuples, Sets, Dictionaries and Comprehensions

We make extensive uses of lists, tuples, sets and dictionaries (dicts). See <https://docs.python.org/3/library/stdtypes.html>

One of the nice features of Python is the use of list comprehensions (and also tuple, set and dictionary comprehensions).

(fe for e in iter if cond)

enumerates the values *fe* for each *e* in *iter* for which *cond* is true. The “if *cond*” part is optional, but the “for” and “in” are not optional. Here *e* has to be a variable, *iter* is an iterator, which can generate a stream of data, such as a list, a set, a range object (to enumerate integers between ranges) or a file. *cond*

is an expression that evaluates to either True or False for each e , and fe is an expression that will be evaluated for each value of e for which $cond$ returns *True*.

The result can go in a list or used in another iteration, or can be called directly using *next*. The procedure *next* takes an iterator returns the next element (advancing the iterator) and raises a *StopIteration* exception if there is no next element. The following shows a simple example, where user input is prepended with >>>

```
>>> [e*e for e in range(20) if e%2==0]
[0, 4, 16, 36, 64, 100, 144, 196, 256, 324]
>>> a = (e*e for e in range(20) if e%2==0)
>>> next(a)
0
>>> next(a)
4
>>> next(a)
16
>>> list(a)
[36, 64, 100, 144, 196, 256, 324]
>>> next(a)
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
StopIteration
```

Notice how *list(a)* continued on the enumeration, and got to the end of it.

Comprehensions can also be used for dictionaries. The following code creates an index for list *a*:

```
>>> a = ["a", "f", "bar", "b", "a", "aaaaa"]
>>> ind = {a[i]: i for i in range(len(a))}
>>> ind
{'a': 4, 'f': 1, 'bar': 2, 'b': 3, 'aaaaa': 5}
>>> ind['b']
3
```

which means that 'b' is the 3rd element of the list.

The assignment of *ind* could have also be written as:

```
>>> ind = {val:i for (i,val) in enumerate(a)}
```

where *enumerate* returns an iterator of (*index, value*) pairs.

1.5.2 Functions as first-class objects

Python can create lists and other data structures that contain functions. There is an issue that tricks many newcomers to Python. For a local variable in a function, the function uses the last value of the variable when the function is

called, not the value of the variable when the function was defined (this is called “late binding”). This means if you want to use the value a variable has when the function is created, you need to save the current value of that variable. Whereas Python uses “late binding” by default, the alternative that newcomers often expect is “early binding”, where a function uses the value a variable had when the function was defined, can be easily implemented.

Consider the following programs designed to create a list of 5 functions, where the *i*th function in the list is meant to add *i* to its argument:¹

```
pythonDemo.py — Some tricky examples .
11 fun_list1 = []
12 for i in range(5):
13     def fun1(e):
14         return e+i
15     fun_list1.append(fun1)
16
17 fun_list2 = []
18 for i in range(5):
19     def fun2(e,iv=i):
20         return e+iv
21     fun_list2.append(fun2)
22
23 fun_list3 = [lambda e: e+i for i in range(5)]
24
25 fun_list4 = [lambda e,iv=i: e+iv for i in range(5)]
26
27 i=56
```

Try to predict, and then test to see the output, of the output of the following calls, remembering that the function uses the latest value of any variable that is not bound in the function call:

```
pythonDemo.py — (continued)
29 # in Shell do
30 ## ipython -i pythonDemo.py
31 # Try these (copy text after the comment symbol and paste in the Python
32 # prompt):
33 # print([f(10) for f in fun_list1])
34 # print([f(10) for f in fun_list2])
35 # print([f(10) for f in fun_list3])
36 # print([f(10) for f in fun_list4])
```

In the first for-loop, the function *fun* uses *i*, whose value is the last value it was assigned. In the second loop, the function *fun2* uses *iv*. There is a separate *iv* variable for each function, and its value is the value of *i* when the function was defined. Thus *fun1* uses late binding, and *fun2* uses early binding. *fun_list3*

¹Numbered lines are Python code available in the code-directory, aipython. The name of the file is given in the gray text above the listing. The numbers correspond to the line numbers in that file.

and *fun_list4* are equivalent to the first two (except *fun_list4* uses a different *i* variable).

One of the advantages of using the embedded definitions (as in *fun1* and *fun2* above) over the lambda is that it is possible to add a `__doc__` string, which is the standard for documenting functions in Python, to the embedded definitions.

1.5.3 Generators and Coroutines

Python has generators which can be used for a form of coroutines.

The `yield` command returns a value that is obtained with `next`. It is typically used to enumerate the values for a `for` loop or in generators. (The `yield` command can also be used for coroutines, but we only use it for generators in AIPython.)

A version of the built-in *range*, with 2 or 3 arguments (and positive steps) can be implemented as:

pythonDemo.py — (continued)

```

37 def myrange(start, stop, step=1):
38     """enumerates the values from start in steps of size step that are
39     less than stop.
40     """
41     assert step>0, "only positive steps implemented in myrange"
42     i = start
43     while i<stop:
44         yield i
45         i += step
46
47 print("list(myrange(2,30,3)):",list(myrange(2,30,3)))

```

Note that the built-in *range* is unconventional in how it handles a single argument, as the single argument acts as the second argument of the function. Note also that the built-in *range* also allows for indexing (e.g., *range(2,30,3)[2]* returns 8), which the above implementation does not. However *myrange* also works for floats, which the built-in *range* does not.

Exercise 1.1 Implement a version of *myrange* that acts like the built-in version when there is a single argument. (Hint: make the second argument have a default value that can be recognized in the function.)

Yield can be used to generate the same sequence of values as in the example of Section 1.5.1:

pythonDemo.py — (continued)

```

49 def ga(n):
50     """generates square of even nonnegative integers less than n"""
51     for e in range(n):
52         if e%2==0:
53             yield e*e
54
55 a = ga(20)

```

The sequence of `next(a)`, and `list(a)` gives exactly the same results as the comprehension in Section 1.5.1.

It is straightforward to write a version of the built-in `enumerate`. Let's call it `myenumerate`:

pythonDemo.py — (continued)

```

56 | def myenumerate(enum):
57 |     for i in range(len(enum)):
58 |         yield i, enum[i]
```

Exercise 1.2 Write a version of `enumerate` where the only iteration is “for `val` in `enum`”. Hint: keep track of the index.

1.6 Useful Libraries

1.6.1 Timing Code

In order to compare algorithms, we often want to compute how long a program takes; this is called the **runtime** of the program. The most straightforward way to compute runtime is to use `time.perf_counter()`, as in:

```

import time
start_time = time.perf_counter()
compute_for_a_while()
end_time = time.perf_counter()
print("Time:", end_time - start_time, "seconds")
```

Note that `time.perf_counter()` measures clock time; so this should be done without user interaction between the calls. On the console, you should do:

```
start_time = time.perf_counter(); compute_for_a_while(); end_time = time.perf_counter()
```

If this time is very small (say less than 0.2 second), it is probably very inaccurate, and it may be better to run your code many times to get a more accurate count. For this you can use `timeit` (<https://docs.python.org/3/library/timeit.html>). To use `timeit` to time the call to `foo.bar(aaa)` use:

```

import timeit
time = timeit.timeit("foo.bar(aaa)",
                     setup="from __main__ import foo,aaa", number=100)
```

The `setup` is needed so that Python can find the meaning of the names in the string that is called. This returns the number of seconds to execute `foo.bar(aaa)` 100 times. The variable `number` should be set so that the runtime is at least 0.2 seconds.

You should not trust a single measurement as that can be confounded by interference from other processes. `timeit.repeat` can be used for running `timeit` a few (say 3) times. Usually the minimum time is the one to report, but you should be explicit and explain what you are reporting.

1.6.2 Plotting: Matplotlib

The standard plotting for Python is matplotlib (<http://matplotlib.org/>). We will use the most basic plotting using the pyplot interface.

Here is a simple example that uses everything we will use.

```
pythonDemo.py — (continued)
```

```

60 import matplotlib.pyplot as plt
61
62 def myplot(minv,maxv,step,fun1,fun2):
63     plt.ion() # make it interactive
64     plt.xlabel("The x axis")
65     plt.ylabel("The y axis")
66     plt.xscale('linear') # Makes a 'log' or 'linear' scale
67     xvalues = range(minv,maxv,step)
68     plt.plot(xvalues,[fun1(x) for x in xvalues],
69               label="The first fun")
70     plt.plot(xvalues,[fun2(x) for x in xvalues], linestyle='--',color='k',
71               label=fun2.__doc__) # use the doc string of the function
72     plt.legend(loc="upper right") # display the legend
73
74 def slin(x):
75     """y=2x+7"""
76     return 2*x+7
77 def sqfun(x):
78     """y=(x-40)^2/10-20"""
79     return (x-40)**2/10-20
80
81 # Try the following:
82 # from pythonDemo import myplot, slin, sqfun
83 # import matplotlib.pyplot as plt
84 # myplot(0,100,1,slin,sqfun)
85 # plt.legend(loc="best")
86 # import math
87 # plt.plot([41+40*math.cos(th/10) for th in range(50)],
88 #           [100+100*math.sin(th/10) for th in range(50)])
89 # plt.text(40,100,"ellipse?")
90 # plt.xscale('log')
```

At the end of the code are some commented-out commands you should try in interactive mode. Cut from the file and paste into Python (and remember to remove the comments symbol and leading space).

1.7 Utilities

1.7.1 Display

In this distribution, to keep things simple and to only use standard Python, we use a text-oriented tracing of the code. A graphical depiction of the code could

override the definition of *display* (but we leave it as a project).

The method *self.display* is used to trace the program. Any call

self.display(level, to_print ...)

where the level is less than or equal to the value for *max_display_level* will be printed. The *to_print ...* can be anything that is accepted by the built-in *print* (including any keyword arguments).

The definition of *display* is:

```
display.py — A simple way to trace the intermediate steps of algorithms.
```

```

11 | class Displayable(object):
12 |     """Class that uses 'display'.
13 |     The amount of detail is controlled by max_display_level
14 |     """
15 |     max_display_level = 1 # can be overridden in subclasses
16 |
17 |     def display(self,level,*args,**nargs):
18 |         """print the arguments if level is less than or equal to the
19 |         current max_display_level.
20 |         level is an integer.
21 |         the other arguments are whatever arguments print can take.
22 |         """
23 |         if level <= self.max_display_level:
24 |             print(*args, **nargs) ##if error you are using Python2 not
                           Python3

```

Note that *args* gets a tuple of the positional arguments, and *nargs* gets a dictionary of the keyword arguments). This will not work in Python 2, and will give an error.

Any class that wants to use *display* can be made a subclass of *Displayable*.

To change the maximum display level to say 3, for a class do:

Classname.max_display_level = 3

which will make calls to *display* in that class print when the value of *level* is less than-or-equal to 3. The default display level is 1. It can also be changed for individual objects (the object value overrides the class value).

The value of *max_display_level* by convention is:

0 display nothing

1 display solutions (nothing that happens repeatedly)

2 also display the values as they change (little detail through a loop)

3 also display more details

4 and above even more detail

In order to implement more sophisticated visualizations of the algorithm, we add a **visualize** “decorator” to the methods to be visualized. The following code ignores the decorator:

_display.py — (continued)

```

26 def visualize(func):
27     """A decorator for algorithms that do interactive visualization.
28     Ignored here.
29     """
30     return func

```

1.7.2 Argmax

Python has a built-in *max* function that takes a generator (or a list or set) and returns the maximum value. The *argmax* method returns the index of an element that has the maximum value. If there are multiple elements with the maximum value, one of the indexes to that value is returned at random. *argmaxe* assumes an enumeration; a generator of (*element, value*) pairs, as for example is generated by the built-in *enumerate(list)* for lists or *dict.items()* for dicts.

utilities.py — AI Python useful utilities

```

11 import random
12 import math
13
14 def argmaxall(gen):
15     """gen is a generator of (element,value) pairs, where value is a real.
16     argmaxall returns a list of all of the elements with maximal value.
17     """
18     maxv = -math.inf      # negative infinity
19     maxvals = []          # list of maximal elements
20     for (e,v) in gen:
21         if v>maxv:
22             maxvals,maxv = [e], v
23         elif v==maxv:
24             maxvals.append(e)
25     return maxvals
26
27 def argmaxe(gen):
28     """gen is a generator of (element,value) pairs, where value is a real.
29     argmaxe returns an element with maximal value.
30     If there are multiple elements with the max value, one is returned at
31     random.
32     """
33     return random.choice(argmaxall(gen))
34
35 def argmax(lst):
36     """returns maximum index in a list"""
37     return argmaxe(enumerate(lst))
38 # Try:

```

```

38 # argmax([1,6,3,77,3,55,23])
39
40 def argmaxd(dct):
41     """returns the arg max of a dictionary dct"""
42     return argmaxe(dct.items())
43
44 # Try:
45 # argmaxd({2:5,5:9,7:7})

```

Exercise 1.3 Change argmax to have an optional argument that specifies whether you want the “first”, “last” or a “random” index of the maximum value returned. If you want the first or the last, you don’t need to keep a list of the maximum elements.

1.7.3 Probability

For many of the simulations, we want to make a variable True with some probability. *flip(p)* returns True with probability *p*, and otherwise returns False.

utilities.py — (continued)

```

45 def flip(prob):
46     """return true with probability prob"""
47     return random.random() < prob

```

1.7.4 Dictionary Union

This is now | in Python 3.9, so will be replaced.

The function *dict_union(d1,d2)* returns the union of dictionaries *d1* and *d2*. If the values for the keys conflict, the values in *d2* are used. This is similar to *dict(d1,**d2)*, but that only works when the keys of *d2* are strings.

utilities.py — (continued)

```

49 def dict_union(d1,d2):
50     """returns a dictionary that contains the keys of d1 and d2.
51     The value for each key that is in d2 is the value from d2,
52     otherwise it is the value from d1.
53     This does not have side effects.
54     """
55     d = dict(d1)  # copy d1
56     d.update(d2)
57     return d

```

1.8 Testing Code

It is important to test code early and test it often. We include a simple form of **unit test**. The value of the current module is in `__name__` and if the module is run at the top-level, its value is `"__main__"`. See https://docs.python.org/3/library/_main_.html.

The following code tests argmax and dict_union, but only when if utilities is loaded in the top-level. If it is loaded in a module the test code is not run.

In your code you should do more substantial testing than we do here, in particular testing the boundary cases.

utilities.py — (continued)

```
59 def test():
60     """Test part of utilities"""
61     assert argmax(enumerate([1,6,55,3,55,23])) in [2,4]
62     assert dict_union({1:4, 2:5, 3:4},{5:7, 2:9}) == {1:4, 2:9, 3:4, 5:7}
63     print("Passed unit test in utilities")
64
65 if __name__ == "__main__":
66     test()
```

Chapter 2

Agent Architectures and Hierarchical Control

This implements the controllers described in Chapter 2.

In this version the higher-levels call the lower-levels. A more sophisticated version may have them run concurrently (either as coroutines or in parallel). The higher-levels calling the lower-level works in simulated environments when there is a single agent, and where the lower-level are written to make sure they return (and don't go on forever), and the higher level doesn't take too long (as the lower-levels will wait until called again).

2.1 Representing Agents and Environments

An agent observes the world, and carries out actions in the environment, it also has an internal state that it updates. The environment takes in actions of the agents, updates its internal state and returns the percepts.

In this implementation, the state of the agent and the state of the environment are represented using standard Python variables, which are updated as the state changes. The percepts and the actions are represented as variable-value dictionaries.

An agent implements the `go(n)` method, where n is an integer. This means that the agent should run for n time steps.

In the following code `raise NotImplementedError()` is a way to specify an abstract method that needs to be overridden in any implemented agent or environment.

```
agents.py — Agent and Controllers  
11 | import random  
12 |
```

```

13 | class Agent(object):
14 |     def __init__(self, env):
15 |         """set up the agent"""
16 |         self.env=env
17 |
18 |     def go(self, n):
19 |         """acts for n time steps"""
20 |         raise NotImplementedError("go") # abstract method

```

The environment implements a *do(action)* method where *action* is a variable-value dictionary. This returns a percept, which is also a variable-value dictionary. The use of dictionaries allows for structured actions and percepts.

Note that *Environment* is a subclass of *Displayable* so that it can use the *display* method described in Section 1.7.1.

agents.py — (continued)

```

22 | from display import Displayable
23 | class Environment(Displayable):
24 |     def initial_percepts(self):
25 |         """returns the initial percepts for the agent"""
26 |         raise NotImplementedError("initial_percepts") # abstract method
27 |
28 |     def do(self, action):
29 |         """does the action in the environment
30 |         returns the next percept """
31 |         raise NotImplementedError("do") # abstract method

```

2.2 Paper buying agent and environment

To run the demo, in folder "aipython", load "agents.py", using e.g.,
`ipython -i agents.py`, and copy and paste the commented-out
 commands at the bottom of that file. This requires Python 3 with
`matplotlib`.

This is an implementation of the paper buying example.

2.2.1 The Environment

The environment state is given in terms of the *time* and the amount of paper in *stock*. It also remembers the in-stock history and the price history. The percepts are the price and the amount of paper in stock. The action of the agent is the number to buy.

Here we assume that the prices are obtained from the *prices* list plus a random integer in range $[0, \max_price_addon]$ plus a linear "inflation". The agent cannot access the price model; it just observes the prices and the amount in stock.

agents.py — (continued)

```

33 | class TP_env(Environment):
34 |     prices = [234, 234, 234, 234, 255, 255, 275, 275, 211, 211, 211,
35 |                 234, 234, 234, 234, 199, 199, 275, 275, 234, 234, 234, 255,
36 |                 255, 260, 260, 265, 265, 265, 270, 270, 255, 255, 260, 260,
37 |                 265, 265, 150, 150, 265, 265, 270, 270, 255, 255, 260, 260, 265,
38 |                 265, 265, 265, 270, 270, 211, 211, 255, 255, 260, 260, 265, 265,
39 |                 260, 265, 270, 270, 205, 255, 255, 260, 260, 265, 265, 265,
40 |                 270, 270]
41 |     max_priceAddon = 20 # maximum of random value added to get price
42 |
43 | def __init__(self):
44 |     """paper buying agent"""
45 |     self.time=0
46 |     self.stock=20
47 |     self.stock_history = [] # memory of the stock history
48 |     self.price_history = [] # memory of the price history
49 |
50 | def initial_percepts(self):
51 |     """return initial percepts"""
52 |     self.stock_history.append(self.stock)
53 |     price = self.prices[0]+random.randrange(self.max_priceAddon)
54 |     self.price_history.append(price)
55 |     return {'price': price,
56 |             'instock': self.stock}
57 |
58 | def do(self, action):
59 |     """does action (buy) and returns percepts (price and instock)"""
60 |     used = pick_from_dist({6:0.1, 5:0.1, 4:0.2, 3:0.3, 2:0.2, 1:0.1})
61 |     bought = action['buy']
62 |     self.stock = self.stock+bought-used
63 |     self.stock_history.append(self.stock)
64 |     self.time += 1
65 |     price = (self.prices[self.time%len(self.prices)] # repeating pattern
66 |             +random.randrange(self.max_priceAddon) # plus randomness
67 |             +self.time//2) # plus inflation
68 |     self.price_history.append(price)
69 |     return {'price': price,
70 |             'instock': self.stock}

```

The `pick_from_dist` method takes in a `item : probability` dictionary, and returns one of the items in proportion to its probability.

agents.py — (continued)

```

72 | def pick_from_dist(item_prob_dist):
73 |     """ returns a value from a distribution.
74 |     item_prob_dist is an item:probability dictionary, where the
75 |         probabilities sum to 1.
76 |     returns an item chosen in proportion to its probability
77 |     """
78 |     ranreal = random.random()

```

```

79     for (it,prob) in item_prob_dist.items():
80         if ranreal < prob:
81             return it
82         else:
83             ranreal -= prob
84     raise RuntimeError(str(item_prob_dist)+" is not a probability
distribution")

```

2.2.2 The Agent

The agent does not have access to the price model but can only observe the current price and the amount in stock. It has to decide how much to buy.

The belief state of the agent is an estimate of the average price of the paper, and the total amount of money the agent has spent.

agents.py — (continued)

```

86 class TP_agent(Agent):
87     def __init__(self, env):
88         self.env = env
89         self.spent = 0
90         percepts = env.initial_percepts()
91         self.ave = self.last_price = percepts['price']
92         self.instock = percepts['instock']
93
94     def go(self, n):
95         """go for n time steps
96
97         for i in range(n):
98             if self.last_price < 0.9*self.ave and self.instock < 60:
99                 tobuy = 48
100            elif self.instock < 12:
101                tobuy = 12
102            else:
103                tobuy = 0
104            self.spent += tobuy*self.last_price
105            percepts = env.do({'buy': tobuy})
106            self.last_price = percepts['price']
107            self.ave = self.ave+(self.last_price-self.ave)*0.05
108            self.instock = percepts['instock']

```

Set up an environment and an agent. Uncomment the last lines to run the agent for 90 steps, and determine the average amount spent.

agents.py — (continued)

```

110 env = TP_env()
111 ag = TP_agent(env)
112 #ag.go(90)
113 #ag.spent/env.time ## average spent per time period

```

2.2.3 Plotting

The following plots the price and number in stock history:

```
agents.py — (continued)
115 import matplotlib.pyplot as plt
116
117 class Plot_prices(object):
118     """Set up the plot for history of price and number in stock"""
119     def __init__(self, ag, env):
120         self.ag = ag
121         self.env = env
122         plt.ion()
123         plt.xlabel("Time")
124         plt.ylabel("Number in stock.
125             Price.")
126
127     def plot_run(self):
128         """plot history of price and instock"""
129         num = len(env.stock_history)
130         plt.plot(range(num), env.stock_history, label="In stock")
131         plt.plot(range(num), env.price_history, label="Price")
132         #plt.legend(loc="upper left")
133         plt.draw()
134
135 # pl = Plot_prices(ag,env)
136 # ag.go(90); pl.plot_run()
```

2.3 Hierarchical Controller

To run the hierarchical controller, in folder "aipython", load "agentTop.py", using e.g., ipython -i agentTop.py, and copy and paste the commands near the bottom of that file. This requires Python 3 with matplotlib.

In this implementation, each layer, including the top layer, implements the environment class, because each layer is seen as an environment from the layer above.

We arbitrarily divide the environment and the body, so that the environment just defines the walls, and the body includes everything to do with the agent. Note that the named locations are part of the (top-level of the) agent, not part of the environment, although they could have been.

2.3.1 Environment

The environment defines the walls.

agentEnv.py — Agent environment

```

11 import math
12 from agents import Environment
13
14 class Rob_env(Environment):
15     def __init__(self, walls = {}):
16         """walls is a set of line segments
17             where each line segment is of the form ((x0,y0),(x1,y1))
18         """
19         self.walls = walls

```

2.3.2 Body

The body defines everything about the agent body.

agentEnv.py — (continued)

```

21 import math
22 from agents import Environment
23 import matplotlib.pyplot as plt
24 import time
25
26 class Rob_body(Environment):
27     def __init__(self, env, init_pos=(0,0,90)):
28         """ env is the current environment
29             init_pos is a triple of (x-position, y-position, direction)
30                 direction is in degrees; 0 is to right, 90 is straight-up, etc
31         """
32         self.env = env
33         self.rob_x, self.rob_y, self.rob_dir = init_pos
34         self.turning_angle = 18 # degrees that a left makes
35         self.whisker_length = 6 # length of the whisker
36         self.whisker_angle = 30 # angle of whisker relative to robot
37         self.crashed = False
38         # The following control how it is plotted
39         self.plotting = True    # whether the trace is being plotted
40         self.sleep_time = 0.05  # time between actions (for real-time
41                         # plotting)
42         # The following are data structures maintained:
43         self.history = [(self.rob_x, self.rob_y)] # history of (x,y)
44                         # positions
45         self.wall_history = [] # history of hitting the wall
46
47     def percepts(self):
48         return {'rob_x_pos':self.rob_x, 'rob_y_pos':self.rob_y,
49                 'rob_dir':self.rob_dir, 'whisker':self.whisker(),
50                 'crashed':self.crashed}
51     initial_percepts = percepts # use percept function for initial percepts
52                         # too
53
54     def do(self,action):
55         """ action is {'steer':direction}

```

```

52     direction is 'left', 'right' or 'straight'
53     """
54     if self.crashed:
55         return self.percepts()
56     direction = action['steer']
57     compass_deriv =
58         {'left':1,'straight':0,'right':-1}[direction]*self.turning_angle
59     self.rob_dir = (self.rob_dir + compass_deriv +360)%360 # make in
60         range [0,360)
61     rob_x_new = self.rob_x + math.cos(self.rob_dir*math.pi/180)
62     rob_y_new = self.rob_y + math.sin(self.rob_dir*math.pi/180)
63     path = ((self.rob_x,self.rob_y),(rob_x_new,rob_y_new))
64     if any(line_segments_intersect(path,wall) for wall in
65             self.env.walls):
66         self.crashed = True
67     if self.plotting:
68         plt.plot([self.rob_x],[self.rob_y],"r*",markersize=20.0)
69         plt.draw()
70     self.rob_x, self.rob_y = rob_x_new, rob_y_new
71     self.history.append((self.rob_x, self.rob_y))
72     if self.plotting and not self.crashed:
73         plt.plot([self.rob_x],[self.rob_y],"go")
74         plt.draw()
75         plt.pause(self.sleep_time)
76     return self.percepts()

```

This detects if the whisker and the wall intersect. It's value is returned as a percept.

agentEnv.py — (continued)

```

75 def whisker(self):
76     """returns true whenever the whisker sensor intersects with a wall
77     """
78     whisk_ang_world = (self.rob_dir-self.whisker_angle)*math.pi/180
79         # angle in radians in world coordinates
80     wx = self.rob_x + self.whisker_length * math.cos(whisk_ang_world)
81     wy = self.rob_y + self.whisker_length * math.sin(whisk_ang_world)
82     whisker_line = ((self.rob_x,self.rob_y),(wx,wy))
83     hit = any(line_segments_intersect(whisker_line,wall)
84             for wall in self.env.walls)
85     if hit:
86         self.wall_history.append((self.rob_x, self.rob_y))
87     if self.plotting:
88         plt.plot([self.rob_x],[self.rob_y],"ro")
89         plt.draw()
90     return hit
91
92 def line_segments_intersect(linea,lineb):
93     """returns true if the line segments, linea and lineb intersect.
94     A line segment is represented as a pair of points.
95     A point is represented as a (x,y) pair.

```

```

96     """
97     ((x0a,y0a),(x1a,y1a)) = linea
98     ((x0b,y0b),(x1b,y1b)) = lineb
99     da, db = x1a-x0a, x1b-x0b
100    ea, eb = y1a-y0a, y1b-y0b
101    denom = db*ea-eb*da
102    if denom==0: # line segments are parallel
103        return False
104    cb = (da*(y0b-y0a)-ea*(x0b-x0a))/denom # position along line b
105    if cb<0 or cb>1:
106        return False
107    ca = (db*(y0b-y0a)-eb*(x0b-x0a))/denom # position along line a
108    return 0<=ca<=1
109
110 # Test cases:
111 # assert line_segments_intersect(((0,0),(1,1)),((1,0),(0,1)))
112 # assert not line_segments_intersect(((0,0),(1,1)),((1,0),(0.6,0.4)))
113 # assert line_segments_intersect(((0,0),(1,1)),((1,0),(0.4,0.6)))

```

2.3.3 Middle Layer

The middle layer acts like both a controller (for the environment layer) and an environment for the upper layer. It has to tell the environment how to steer. Thus it calls *env.do(·)*. It also is told the position to go to and the timeout. Thus it also has to implement *do(·)*.

```

agentMiddle.py — Middle Layer
_____
11 from agents import Environment
12 import math
13
14 class Rob_middle_layer(Environment):
15     def __init__(self, env):
16         self.env=env
17         self.percepts = env.initial_percepts()
18         self.straight_angle = 11 # angle that is close enough to straight
19             ahead
20         self.close_threshold = 2 # distance that is close enough to arrived
21         self.close_threshold_squared = self.close_threshold**2 # just
22             compute it once
23
24     def initial_percepts(self):
25         return {}
26
27     def do(self, action):
28         """action is {'go_to':target_pos,'timeout':timeout}
29         target_pos is (x,y) pair
30         timeout is the number of steps to try
31         returns {'arrived':True} when arrived is true
32             or {'arrived':False} if it reached the timeout

```

```

31     """
32     if 'timeout' in action:
33         remaining = action['timeout']
34     else:
35         remaining = -1 # will never reach 0
36         target_pos = action['go_to']
37         arrived = self.close_enough(target_pos)
38         while not arrived and remaining != 0:
39             self.percepts = self.env.do({"steer":self.steer(target_pos)})
40             remaining -= 1
41             arrived = self.close_enough(target_pos)
42     return {'arrived':arrived}

```

This determines how to steer depending on whether the goal is to the right or the left of where the robot is facing.

agentMiddle.py — (continued)

```

44 def steer(self,target_pos):
45     if self.percepts['whisker']:
46         self.display(3,'whisker on', self.percepts)
47         return "left"
48     else:
49         gx,gy = target_pos
50         rx,ry = self.percepts['rob_x_pos'],self.percepts['rob_y_pos']
51         goal_dir = math.acos((gx-rx)/math.sqrt((gx-rx)*(gx-rx)
52                                     +(gy-ry)*(gy-ry)))*180/math.pi
53         if ry>gy:
54             goal_dir = -goal_dir
55             goal_from_rob = (goal_dir -
56                               self.percepts['rob_dir']+540)%360-180
57             assert -180 < goal_from_rob <= 180
58             if goal_from_rob > self.straight_angle:
59                 return "left"
60             elif goal_from_rob < -self.straight_angle:
61                 return "right"
62             else:
63                 return "straight"
64
65 def close_enough(self,target_pos):
66     gx,gy = target_pos
67     rx,ry = self.percepts['rob_x_pos'],self.percepts['rob_y_pos']
68     return (gx-rx)**2 + (gy-ry)**2 <= self.close_threshold_squared

```

2.3.4 Top Layer

The top layer treats the middle layer as its environment. Note that the top layer is an environment for us to tell it what to visit.

agentTop.py — Top Layer

```

11 | from agentMiddle import Rob_middle_layer

```

```

12 | from agents import Environment
13 |
14 | class Rob_top_layer(Environment):
15 |     def __init__(self, middle, timeout=200, locations = {'mail':(-5,10),
16 |                                         'o103':(50,10), 'o109':(100,10),'storage':(101,51)}
17 |                                         ):
18 |         """middle is the middle layer
19 |             timeout is the number of steps the middle layer goes before giving
20 |                 up
21 |             locations is a loc:pos dictionary
22 |                 where loc is a named location, and pos is an (x,y) position.
23 | """
24 |         self.middle = middle
25 |         self.timeout = timeout # number of steps before the middle layer
26 |             should give up
27 |         self.locations = locations
28 |
29 |
30 |
31 |     def do(self,plan):
32 |         """carry out actions.
33 |             actions is of the form {'visit':list_of_locations}
34 |             It visits the locations in turn.
35 | """
36 |
37 |         to_do = plan['visit']
38 |         for loc in to_do:
39 |             position = self.locations[loc]
40 |             arrived = self.middle.do({'go_to':position,
41 |                                         'timeout':self.timeout})
42 |             self.display(1,"Arrived at",loc,arrived)

```

2.3.5 Plotting

The following is used to plot the locations, the walls and (eventually) the movement of the robot. It can either plot the movement if the robot as it is going (with the default *env.plotting = True*), or not plot it as it is going (setting *env.plotting = False*; in this case the trace can be plotted using *pl.plot_run()*).

agentTop.py — (continued)

```

37 | import matplotlib.pyplot as plt
38 |
39 | class Plot_env(object):
40 |     def __init__(self, body,top):
41 |         """sets up the plot
42 |         """
43 |         self.body = body
44 |         plt.ion()
45 |         plt.clf()
46 |         plt.axes().set_aspect('equal')
47 |         for wall in body.env.walls:
48 |             ((x0,y0),(x1,y1)) = wall

```

```

49     plt.plot([x0,x1],[y0,y1],"-k",linewidth=3)
50     for loc in top.locations:
51         (x,y) = top.locations[loc]
52         plt.plot([x],[y],"k<")
53         plt.text(x+1.0,y+0.5,loc) # print the label above and to the
54         right
55     plt.plot([body.rob_x],[body.rob_y],"go")
56     plt.draw()
57
58     def plot_run(self):
59         """plots the history after the agent has finished.
60         This is typically only used if body.plotting==False
61         """
62         xs,ys = zip(*self.body.history)
63         plt.plot(xs,ys,"go")
64         wxs,wys = zip(*self.body.wall_history)
65         plt.plot(wxs,wys,"ro")
66         #plt.draw()

```

The following code plots the agent as it acts in the world:

```

agentTop.py — (continued)

67 from agentEnv import Rob_body, Rob_env
68
69 env = Rob_env({((20,0),(30,20)), ((70,-5),(70,25))})
70 body = Rob_body(env)
71 middle = Rob_middle_layer(body)
72 top = Rob_top_layer(middle)
73
74 # try:
75 # pl=Plot_env(body,top)
76 # top.do({'visit':['o109','storage','o109','o103']})
77 # You can directly control the middle layer:
78 # middle.do({'go_to':(30,-10), 'timeout':200})
79 # Can you make it crash?

```

Exercise 2.1 The following code implements a robot trap. Write a controller that can escape the “trap” and get to the goal. See textbook for hints.

```

agentTop.py — (continued)

81 # Robot Trap for which the current controller cannot escape:
82 trap_env = Rob_env({((10,-21),(10,0)), ((10,10),(10,31)),
83                     ((30,-10),(30,0)),
84                     ((30,10),(30,20)), ((50,-21),(50,31)),
85                     ((10,-21),(50,-21)),
86                     ((10,0),(30,0)), ((10,10),(30,10)), ((10,31),(50,31))})
87 trap_body = Rob_body(trap_env,init_pos=(-1,0,90))
88 trap_middle = Rob_middle_layer(trap_body)
89 trap_top = Rob_top_layer(trap_middle,locations={'goal':(71,0)})
90
91 # Robot trap exercise:

```

```
90 | # pl=Plot_env(trap_body,trap_top)
91 | # trap_top.do({'visit':['goal']})
```

Chapter 3

Searching for Solutions

3.1 Representing Search Problems

A search problem consists of:

- a start node
- a neighbors function that given a node, returns an enumeration of the arcs from the node
- a specification of a goal in terms of a Boolean function that takes a node and returns true if the node is a goal
- a (optional) heuristic function that, given a node, returns a non-negative real number. The heuristic function defaults to zero.

As far as the searcher is concerned a node can be anything. If multiple-path pruning is used, a node must be hashable. In the simple examples, it is a string, but in more complicated examples (in later chapters) it can be a tuple, a frozen set, or a Python object.

In the following code `raise NotImplementedError()` is a way to specify that this is an abstract method that needs to be overridden to define an actual search problem.

```
_____searchProblem.py — representations of search problems _____  
11 | class Search_problem(object):  
12 |     """A search problem consists of:  
13 |     * a start node  
14 |     * a neighbors function that gives the neighbors of a node  
15 |     * a specification of a goal  
16 |     * a (optional) heuristic function.  
17 | """
```

```

17     The methods must be overridden to define a search problem."""
18
19     def start_node(self):
20         """returns start node"""
21         raise NotImplementedError("start_node") # abstract method
22
23     def is_goal(self,node):
24         """is True if node is a goal"""
25         raise NotImplementedError("is_goal") # abstract method
26
27     def neighbors(self,node):
28         """returns a list of the arcs for the neighbors of node"""
29         raise NotImplementedError("neighbors") # abstract method
30
31     def heuristic(self,n):
32         """Gives the heuristic value of node n.
33         Returns 0 if not overridden."""
34         return 0

```

The `neighbors` is a list of arcs. A (directed) arc consists of a `from_node` node and a `to_node` node. The arc is the pair $\langle \text{from_node}, \text{to_node} \rangle$, but can also contain a non-negative `cost` (which defaults to 1) and can be labeled with an `action`.

```

searchProblem.py — (continued)
36 class Arc(object):
37     """An arc has a from_node and a to_node node and a (non-negative)
38     cost"""
39     def __init__(self, from_node, to_node, cost=1, action=None):
40         assert cost >= 0, ("Cost cannot be negative for"+
41                           str(from_node)+"->"+str(to_node)+", cost:
42                           "+str(cost))
43         self.from_node = from_node
44         self.to_node = to_node
45         self.action = action
46         self.cost=cost
47
48     def __repr__(self):
49         """string representation of an arc"""
50         if self.action:
51             return str(self.from_node)+" --"+str(self.action)+"-->
52                     "+str(self.to_node)
53         else:
54             return str(self.from_node)+" --> "+str(self.to_node)

```

3.1.1 Explicit Representation of Search Graph

The first representation of a search problem is from an explicit graph (as opposed to one that is generated as needed).

An **explicit graph** consists of

- a list or set of nodes
- a list or set of arcs
- a start node
- a list or set of goal nodes
- (optionally) a dictionary that maps a node to a heuristic value for that node

To define a search problem, we need to define the start node, the goal predicate, the neighbors function and the heuristic function.

```
-----searchProblem.py — (continued) -----
53 class Search_problem_from_explicit_graph(Search_problem):
54     """A search problem consists of:
55     * a list or set of nodes
56     * a list or set of arcs
57     * a start node
58     * a list or set of goal nodes
59     * a dictionary that maps each node into its heuristic value.
60     * a dictionary that maps each node into its (x,y) position
61     """
62
63     def __init__(self, nodes, arcs, start=None, goals=set(), hmap={}, 
64                 positions={}):
64         self.neighs = {}
65         self.nodes = nodes
66         for node in nodes:
67             self.neighs[node] = []
68         self.arcs = arcs
69         for arc in arcs:
70             self.neighs[arc.from_node].append(arc)
71         self.start = start
72         self.goals = goals
73         self.hmap = hmap
74         self.positions = positions
75
76     def start_node(self):
77         """returns start node"""
78         return self.start
79
80     def is_goal(self, node):
81         """is True if node is a goal"""
82         return node in self.goals
83
84     def neighbors(self, node):
85         """returns the neighbors of node"""
86         return self.neighs[node]
87
```

```

88     def heuristic(self, node):
89         """Gives the heuristic value of node n.
90         Returns 0 if not overridden in the hmap."""
91         if node in self.hmap:
92             return self.hmap[node]
93         else:
94             return 0
95
96     def __repr__(self):
97         """returns a string representation of the search problem"""
98         res=""
99         for arc in self.arcs:
100            res += str(arc)+". "
101
102
103
104
105
106
107
108
109
110
111
112
113

```

The following is used for the depth-first search implementation below.

searchProblem.py — (continued)

```

103     def neighbor_nodes(self, node):
104         """returns an iterator over the neighbors of node"""
105         return (path.to_node for path in self.neighs[node])

```

3.1.2 Paths

A searcher will return a path from the start node to a goal node. A Python list is not a suitable representation for a path, as many search algorithms consider multiple paths at once, and these paths should share initial parts of the path. If we wanted to do this with Python lists, we would need to keep copying the list, which can be expensive if the list is long. An alternative representation is used here in terms of a recursive data structure that can share subparts.

A path is either:

- a node (representing a path of length 0) or
- a path, *initial* and an arc, where the *from_node* of the arc is the node at the end of *initial*.

These cases are distinguished in the following code by having *arc* = *None* if the path has length 0, in which case *initial* is the node of the path. Python *yield* is used for enumerations only

searchProblem.py — (continued)

```

107     class Path(object):
108         """A path is either a node or a path followed by an arc"""
109
110         def __init__(self, initial, arc=None):
111             """initial is either a node (in which case arc is None) or
112             a path (in which case arc is an object of type Arc)"""
113             self.initial = initial

```

```

114     self.arc=arc
115     if arc is None:
116         self.cost=0
117     else:
118         self.cost = initial.cost+arc.cost
119
120 def end(self):
121     """returns the node at the end of the path"""
122     if self.arc is None:
123         return self.initial
124     else:
125         return self.arc.to_node
126
127 def nodes(self):
128     """enumerates the nodes for the path.
129     This starts at the end and enumerates nodes in the path
130     backwards."""
131     current = self
132     while current.arc is not None:
133         yield current.arc.to_node
134         current = current.initial
135     yield current.initial
136
137 def initial_nodes(self):
138     """enumerates the nodes for the path before the end node.
139     This starts at the end and enumerates nodes in the path
140     backwards."""
141     if self.arc is not None:
142         yield from self.initial.nodes()
143
144 def __repr__(self):
145     """returns a string representation of a path"""
146     if self.arc is None:
147         return str(self.initial)
148     elif self.arc.action:
149         return (str(self.initial)+"\n --"+str(self.arc.action)
150                 +"--> "+str(self.arc.to_node))
151     else:
152         return str(self.initial)+" --> "+str(self.arc.to_node)

```

3.1.3 Example Search Problems

The first search problem is one with 5 nodes where the least-cost path is one with many arcs. See Figure 3.1. Note that this example is used for the unit tests, so the test (in `searchGeneric`) will need to be changed if this is changed.

searchProblem.py — (continued)

```

152 problem1 = Search_problem_from_explicit_graph(
153     {'a','b','c','d','g'},
154     [Arc('a','c',1), Arc('a','b',3), Arc('c','d',3), Arc('c','b',1),

```




Figure 3.1: problem1




Figure 3.2: problem2

```

155     Arc('b', 'd', 1), Arc('b', 'g', 3), Arc('d', 'g', 1)],
156     start = 'a',
157     goals = {'g'},
158     positions={'a': (0, 0), 'b': (1, 1), 'c': (0,1), 'd': (1,2), 'g':
      (2,2)})
  
```

The second search problem is one with 8 nodes where many paths do not lead to the goal. See Figure 3.2.

```

searchProblem.py — (continued)
  
```

```

159 problem2 = Search_problem_from_explicit_graph(
160     {'a','b','c','d','e','g','h','j'},
161     [Arc('a','b',1), Arc('b','c',3), Arc('b','d',1), Arc('d','e',3),
162      Arc('d','g',1), Arc('a','h',3), Arc('h','j',1)],
163     start = 'a',
164     goals = {'g'},
165     positions={'a': (0, 0), 'b': (0, 1), 'c': (0,4), 'd': (1,1), 'e': (1,4),
      'g': (2,1), 'h': (3,0), 'j': (3,1)})
  
```

The third search problem is a disconnected graph (contains no arcs), where the start node is a goal node. This is a boundary case to make sure that weird cases work.

```
searchProblem.py — (continued)
```

```

168 problem3 = Search_problem_from_explicit_graph(
169     {'a', 'b', 'c', 'd', 'e', 'g', 'h', 'j'},
170     [],
171     start = 'g',
172     goals = {'k', 'g'})

```

The acyclic_delivery_problem is the delivery problem described in Example 3.4 and shown in Figure 3.2 of the textbook.

```
searchProblem.py — (continued)
```

```

174 acyclic_delivery_problem = Search_problem_from_explicit_graph(
175     {'mail', 'ts', 'o103', 'o109', 'o111', 'b1', 'b2', 'b3', 'b4', 'c1', 'c2', 'c3',
176     'o125', 'o123', 'o119', 'r123', 'storage'},
177     [Arc('ts', 'mail', 6),
178      Arc('o103', 'ts', 8),
179      Arc('o103', 'b3', 4),
180      Arc('o103', 'o109', 12),
181      Arc('o109', 'o119', 16),
182      Arc('o109', 'o111', 4),
183      Arc('b1', 'c2', 3),
184      Arc('b1', 'b2', 6),
185      Arc('b2', 'b4', 3),
186      Arc('b3', 'b1', 4),
187      Arc('b3', 'b4', 7),
188      Arc('b4', 'o109', 7),
189      Arc('c1', 'c3', 8),
190      Arc('c2', 'c3', 6),
191      Arc('c2', 'c1', 4),
192      Arc('o123', 'o125', 4),
193      Arc('o123', 'r123', 4),
194      Arc('o119', 'o123', 9),
195      Arc('o119', 'storage', 7)],
196     start = 'o103',
197     goals = {'r123'},
198     hmap = {
199         'mail' : 26,
200         'ts' : 23,
201         'o103' : 21,
202         'o109' : 24,
203         'o111' : 27,
204         'o119' : 11,
205         'o123' : 4,
206         'o125' : 6,
207         'r123' : 0,
208         'b1' : 13,
209         'b2' : 15,
210         'b3' : 17,
211         'b4' : 18,
212         'c1' : 6,
213         'c2' : 10,

```

```

214     'c3' : 12,
215     'storage' : 12
216   }
217 )

```

The `cyclic_delivery_problem` is the delivery problem described in Example 3.8 and shown in Figure 3.6 of the textbook. This is the same as `acyclic_delivery_problem`, but almost every arc also has its inverse.

```

searchProblem.py — (continued)

219 cyclic_delivery_problem = Search_problem_from_explicit_graph(
220     {'mail','ts','o103','o109','o111','b1','b2','b3','b4','c1','c2','c3',
221     'o125','o123','o119','r123','storage'},
222     [ Arc('ts','mail',6), Arc('mail','ts',6),
223       Arc('o103','ts',8), Arc('ts','o103',8),
224       Arc('o103','b3',4),
225       Arc('o103','o109',12), Arc('o109','o103',12),
226       Arc('o109','o119',16), Arc('o119','o109',16),
227       Arc('o109','o111',4), Arc('o111','o109',4),
228       Arc('b1','c2',3),
229       Arc('b1','b2',6), Arc('b2','b1',6),
230       Arc('b2','b4',3), Arc('b4','b2',3),
231       Arc('b3','b1',4), Arc('b1','b3',4),
232       Arc('b3','b4',7), Arc('b4','b3',7),
233       Arc('b4','o109',7),
234       Arc('c1','c3',8), Arc('c3','c1',8),
235       Arc('c2','c3',6), Arc('c3','c2',6),
236       Arc('c2','c1',4), Arc('c1','c2',4),
237       Arc('o123','o125',4), Arc('o125','o123',4),
238       Arc('o123','r123',4), Arc('r123','o123',4),
239       Arc('o119','o123',9), Arc('o123','o119',9),
240       Arc('o119','storage',7), Arc('storage','o119',7)],
241     start = 'o103',
242     goals = {'r123'},
243     hmap = {
244       'mail' : 26,
245       'ts' : 23,
246       'o103' : 21,
247       'o109' : 24,
248       'o111' : 27,
249       'o119' : 11,
250       'o123' : 4,
251       'o125' : 6,
252       'r123' : 0,
253       'b1' : 13,
254       'b2' : 15,
255       'b3' : 17,
256       'b4' : 18,
257       'c1' : 6,
258       'c2' : 10,
259       'c3' : 12,

```

```

260     'storage' : 12
261 }
262 )

```

3.2 Generic Searcher and Variants

To run the search demos, in folder “aipython”, load “searchGeneric.py”, using e.g., ipython -i searchGeneric.py, and copy and paste the example queries at the bottom of that file. This requires Python 3.

3.2.1 Searcher

A *Searcher* for a problem can be asked repeatedly for the next path. To solve a problem, we can construct a *Searcher* object for the problem and then repeatedly ask for the next path using *search*. If there are no more paths, *None* is returned.

```

----- searchGeneric.py — Generic Searcher, including depth-first and A* -----
11 from display import Displayable, visualize
12
13 class Searcher(Displayable):
14     """returns a searcher for a problem.
15     Paths can be found by repeatedly calling search().
16     This does depth-first search unless overridden
17     """
18     def __init__(self, problem):
19         """creates a searcher from a problem
20         """
21         self.problem = problem
22         self.initialize_frontier()
23         self.num_expanded = 0
24         self.add_to_frontier(Path(problem.start_node()))
25         super(self). __init__()
26
27     def initialize_frontier(self):
28         self.frontier = []
29
30     def empty_frontier(self):
31         return self.frontier == []
32
33     def add_to_frontier(self,path):
34         self.frontier.append(path)
35
36     @visualize
37     def search(self):
38         """returns (next) path from the problem's start node
39         to a goal node.

```

```

40     Returns None if no path exists.
41     """
42     while not self.empty_frontier():
43         path = self.frontier.pop()
44         self.display(2, "Expanding:", path, "(cost:", path.cost, ")")
45         self.num_expanded += 1
46         if self.problem.is_goal(path.end()): # solution found
47             self.display(1, self.num_expanded, "paths have been expanded
48                         and",
49                         len(self.frontier), "paths remain in the
50                         frontier")
51         self.solution = path # store the solution found
52         return path
53     else:
54         neigs = self.problem.neighbors(path.end())
55         self.display(3,"Neighbors are", neigs)
56         for arc in reversed(list(neigs)):
57             self.add_to_frontier(Path(path,arc))
58         self.display(3,"Frontier:",self.frontier)
59         self.display(1,"No (more) solutions. Total of",
60                     self.num_expanded,"paths expanded.")

```

Note that this reverses the neighbours so that it implements depth-first search in an intuitive manner (expanding the first neighbor first), and *list* is needed if the neighbours are generated. Reversing the neighbours might not be required for other methods. The calls to *reversed* and *list* can be removed, and the algorithm still implements depth-first search.

Exercise 3.1 When it returns a path, the algorithm can be used to find another path by calling *search()* again. However, it does not find other paths that go through one goal node to another. Explain why, and change the code so that it can find such paths when *search()* is called again.

3.2.2 Frontier as a Priority Queue

In many of the search algorithms, such as *A** and other best-first searchers, the frontier is implemented as a priority queue. Here we use the Python's built-in priority queue implementations, *heapq*.

Following the lead of the Python documentation, <http://docs.python.org/3.3/library/heappq.html>, a frontier is a list of triples. The first element of each triple is the value to be minimized. The second element is a unique index which specifies the order when the first elements are the same, and the third element is the path that is on the queue. The use of the unique index ensures that the priority queue implementation does not compare paths; whether one path is less than another is not defined. It also lets us control what sort of search (e.g., depth-first or breadth-first) occurs when the value to be minimized does not give a unique next path.

The variable `frontier_index` is the total number of elements of the frontier that have been created. As well as being used as a unique index, it is useful for statistics, particularly in conjunction with the current size of the frontier.

searchGeneric.py — (continued)

```

60 import heapq      # part of the Python standard library
61 from searchProblem import Path
62
63 class FrontierPQ(object):
64     """A frontier consists of a priority queue (heap), frontierpq, of
65         (value, index, path) triples, where
66         * value is the value we want to minimize (e.g., path cost + h).
67         * index is a unique index for each element
68         * path is the path on the queue
69         Note that the priority queue always returns the smallest element.
70     """
71
72     def __init__(self):
73         """constructs the frontier, initially an empty priority queue
74         """
75         self.frontier_index = 0 # the number of items ever added to the
76             frontier
76         self.frontierpq = [] # the frontier priority queue
77
78     def empty(self):
79         """is True if the priority queue is empty"""
80         return self.frontierpq == []
81
82     def add(self, path, value):
83         """add a path to the priority queue
84             value is the value to be minimized"""
85         self.frontier_index += 1 # get a new unique index
86         heapq.heappush(self.frontierpq,(value, -self.frontier_index, path))
87
88     def pop(self):
89         """returns and removes the path of the frontier with minimum value.
90         """
91         (_,_,path) = heapq.heappop(self.frontierpq)
92         return path

```

The following methods are used for finding and printing information about the frontier.

searchGeneric.py — (continued)

```

94     def count(self,val):
95         """returns the number of elements of the frontier with value=val"""
96         return sum(1 for e in self.frontierpq if e[0]==val)
97
98     def __repr__(self):
99         """string representation of the frontier"""
100        return str([(n,c,str(p)) for (n,c,p) in self.frontierpq])

```

```

101
102     def __len__(self):
103         """length of the frontier"""
104         return len(self.frontierpq)
105
106     def __iter__(self):
107         """iterate through the paths in the frontier"""
108         for (_,_,path) in self.frontierpq:
109             yield path

```

3.2.3 A^* Search

For an A^* Search the frontier is implemented using the FrontierPQ class.

```

searchGeneric.py — (continued)

111 class AStarSearcher(Searcher):
112     """returns a searcher for a problem.
113     Paths can be found by repeatedly calling search().
114     """
115
116     def __init__(self, problem):
117         super().__init__(problem)
118
119     def initialize_frontier(self):
120         self.frontier = FrontierPQ()
121
122     def empty_frontier(self):
123         return self.frontier.empty()
124
125     def add_to_frontier(self,path):
126         """add path to the frontier with the appropriate cost"""
127         value = path.cost+self.problem.heuristic(path.end())
128         self.frontier.add(path, value)

```

Code should always be tested. The following provides a simple **unit test**, using problem1 as the the default problem.

```

searchGeneric.py — (continued)

130 import searchProblem as searchProblem
131
132 def test(SearchClass, problem=searchProblem.problem1,
133         solutions=[['g','d','b','c','a']] ):
134     """Unit test for aipython searching algorithms.
135     SearchClass is a class that takes a problemm and implements search()
136     problem is a search problem
137     solutions is a list of optimal solutions
138     """
139     print("Testing problem 1:")
140     schr1 = SearchClass(problem)
141     path1 = schr1.search()

```

```

141     print("Path found:",path1)
142     assert path1 is not None, "No path is found in problem1"
143     assert list(path1.nodes()) in solutions, "Shortest path not found in
144         problem1"
145     print("Passed unit test")
146
146 if __name__ == "__main__":
147     #test(Searcher)
148     test(AStarSearcher)
149
150 # example queries:
151 # searcher1 = Searcher(searchProblem.acyclic_delivery_problem) # DFS
152 # searcher1.search() # find first path
153 # searcher1.search() # find next path
154 # searcher2 = AStarSearcher(searchProblem.acyclic_delivery_problem) # A*
155 # searcher2.search() # find first path
156 # searcher2.search() # find next path
157 # searcher3 = Searcher(searchProblem.cyclic_delivery_problem) # DFS
158 # searcher3.search() # find first path with DFS. What do you expect to
159     happen?
160 # searcher4 = AStarSearcher(searchProblem.cyclic_delivery_problem) # A*
160 # searcher4.search() # find first path

```

Exercise 3.2 Change the code so that it implements (i) best-first search and (ii) lowest-cost-first search. For each of these methods compare it to A^* in terms of the number of paths expanded, and the path found.

Exercise 3.3 In the *add* method in *FrontierPQ* what does the “-” in front of *frontier_index* do? When there are multiple paths with the same *f*-value, which search method does this act like? What happens if the “-” is removed? When there are multiple paths with the same value, which search method does this act like? Does it work better with or without the “-”? What evidence did you base your conclusion on?

Exercise 3.4 The searcher acts like a Python iterator, in that it returns one value (here a path) and then returns other values (paths) on demand, but does not implement the iterator interface. Change the code so it implements the iterator interface. What does this enable us to do?

3.2.4 Multiple Path Pruning

To run the multiple-path pruning demo, in folder “aipython”, load “searchMPP.py”, using e.g., ipython -i searchMPP.py, and copy and paste the example queries at the bottom of that file.

The following implements A^* with multiple-path pruning. It overrides *search()* in *Searcher*.

```

11  _____searchMPP.py — Searcher with multiple-path pruning_____
12  from searchGeneric import AStarSearcher, visualize
12  from searchProblem import Path

```

```

13
14 class SearcherMPP(AStarSearcher):
15     """returns a searcher for a problem.
16     Paths can be found by repeatedly calling search().
17     """
18     def __init__(self, problem):
19         super().__init__(problem)
20         self.explored = set()
21
22     @visualize
23     def search(self):
24         """returns next path from an element of problem's start nodes
25         to a goal node.
26         Returns None if no path exists.
27         """
28         while not self.empty_frontier():
29             path = self.frontier.pop()
30             if path.end() not in self.explored:
31                 self.display(2, "Expanding:",path,"(cost:",path.cost,")")
32                 self.explored.add(path.end())
33                 self.num_expanded += 1
34                 if self.problem.is_goal(path.end()):
35                     self.display(1, self.num_expanded, "paths have been
36                         expanded and",
37                         len(self.frontier), "paths remain in the
38                         frontier")
39                     self.solution = path # store the solution found
40                     return path
41                 else:
42                     neigs = self.problem.neighbors(path.end())
43                     self.display(3,"Neighbors are", neigs)
44                     for arc in neigs:
45                         self.add_to_frontier(Path(path,arc))
46                         self.display(3,"Frontier:",self.frontier)
47                     self.display(1,"No (more) solutions. Total of",
48                         self.num_expanded,"paths expanded.")
49
50
51
52     from searchGeneric import test
53     if __name__ == "__main__":
54         test(SearcherMPP)
55
56
57     import searchProblem
58     # searcherMPPcdp = SearcherMPP(searchProblem.cyclic_delivery_problem)
59     # print(searcherMPPcdp.search()) # find first path

```

Exercise 3.5 Implement a searcher that implements cycle pruning instead of multiple-path pruning. You need to decide whether to check for cycles when paths are added to the frontier or when they are removed. (Hint: either method can be implemented by only changing one or two lines in SearcherMPP. Hint: there is a cycle if path.end() in path.initial_nodes()) Compare no pruning, multiple path

pruning and cycle pruning for the cyclic delivery problem. Which works better in terms of number of paths expanded, computational time or space?

3.3 Branch-and-bound Search

To run the demo, in folder “aipython”, load “searchBranchAndBound.py”, and copy and paste the example queries at the bottom of that file.

Depth-first search methods do not need an a priority queue, but can use a list as a stack. In this implementation of branch-and-bound search, we call *search* to find an optimal solution with cost less than bound. This uses depth-first search to find a path to a goal that extends *path* with cost less than the bound. Once a path to a goal has been found, that path is remembered as the *best_path*, the bound is reduced, and the search continues.

```
-----searchBranchAndBound.py — Branch and Bound Search -----
11  from searchProblem import Path
12  from searchGeneric import Searcher
13  from display import Displayable, visualize
14
15  class DF_branch_and_bound(Searcher):
16      """returns a branch and bound searcher for a problem.
17      An optimal path with cost less than bound can be found by calling
18          search()
19      """
20
21      def __init__(self, problem, bound=float("inf")):
22          """creates a searcher than can be used with search() to find an
23              optimal path.
24          bound gives the initial bound. By default this is infinite -
25              meaning there
26          is no initial pruning due to depth bound
27          """
28
29          super().__init__(problem)
30          self.best_path = None
31          self.bound = bound
32
33
34          @visualize
35          def search(self):
36              """returns an optimal solution to a problem with cost less than
37                  bound.
38              returns None if there is no solution with cost less than bound."""
39              self.frontier = [Path(self.problem.start_node())]
40              self.num_expanded = 0
41              while self.frontier:
42                  path = self.frontier.pop()
43                  if path.cost+self.problem.heuristic(path.end()) < self.bound:
44                      # if path.end() not in path.initial_nodes(): # for cycle
45                      pruning
```

```

38         self.display(3, "Expanding:", path, "cost:", path.cost)
39         self.num_expanded += 1
40         if self.problem.is_goal(path.end()):
41             self.best_path = path
42             self.bound = path.cost
43             self.display(2, "New best path:", path, " cost:", path.cost)
44         else:
45             neigs = self.problem.neighbors(path.end())
46             self.display(3, "Neighbors are", neigs)
47             for arc in reversed(list(neigs)):
48                 self.add_to_frontier(Path(path, arc))
49             self.display(1, "Number of paths expanded:", self.num_expanded,
50                         "(optimal" if self.best_path else "(no", " solution
51                         found)")
52             self.solution = self.best_path
53     return self.best_path

```

Note that this code used `reversed` in order to expand the neighbors of a node in the left-to-right order one might expect. It does this because `pop()` removes the rightmost element of the list. The call to `list` is there because `reversed` only works on lists and tuples, but the neighbours can be generated.

Here is a unit test and some queries:

searchBranchAndBound.py — (continued)

```

54 from searchGeneric import test
55 if __name__ == "__main__":
56     test(DF_branch_and_bound)
57
58 # Example queries:
59 import searchProblem
60 # searcherb1 = DF_branch_and_bound(searchProblem.acyclic_delivery_problem)
61 # print(searcherb1.search())    # find optimal path
62 # searcherb2 = DF_branch_and_bound(searchProblem.cyclic_delivery_problem,
63 #                                 bound=100)
64 # print(searcherb2.search())    # find optimal path

```

Exercise 3.6 Implement a branch-and-bound search uses recursion. Hint: you don't need an explicit frontier, but can do a recursive call for the children.

Exercise 3.7 After the branch-and-bound search found a solution, Sam ran search again, and noticed a different count. Sam hypothesized that this count was related to the number of nodes that an A^* search would use (either expand or be added to the frontier). Or maybe, Sam thought, the count for a number of nodes when the bound is slightly above the optimal path case is related to how A^* would work. Is there relationship between these counts? Are there different things that it could count so they are related? Try to find the most specific statement that is true, and explain why it is true.

To test the hypothesis, Sam wrote the following code, but isn't sure it is helpful:

searchTest.py — code that may be useful to compare A^* and branch-and-bound

```

11 from searchGeneric import Searcher, AStarSearcher
12 from searchBranchAndBound import DF_branch_and_bound
13 from searchMPP import SearcherMPP
14
15 DF_branch_and_bound.max_display_level = 1
16 Searcher.max_display_level = 1
17
18 def run(problem,name):
19     print("\n\n*****",name)
20
21     print("\nA*:")
22     asearcher = AStarSearcher(problem)
23     print("Path found:", asearcher.search()," cost=", asearcher.solution.cost)
24     print("there are", asearcher.frontier.count(asearcher.solution.cost),
25           "elements remaining on the queue with
26           f-value=", asearcher.solution.cost)
27
28     print("\nA* with MPP:"), 
29     msearcher = SearcherMPP(problem)
30     print("Path found:", msearcher.search()," cost=", msearcher.solution.cost)
31     print("there are", msearcher.frontier.count(msearcher.solution.cost),
32           "elements remaining on the queue with
33           f-value=", msearcher.solution.cost)
34
35     bound = asearcher.solution.cost+0.01
36     print("\nBranch and bound (with too-good initial bound of", bound,")")
37     tbb = DF_branch_and_bound(problem, bound) # cheating!!!!
38     print("Path found:", tbb.search()," cost=", tbb.solution.cost)
39     print("Rerunning B&B")
40     print("Path found:", tbb.search())
41
42     bbound = asearcher.solution.cost*2+10
43     print("\nBranch and bound (with not-very-good initial bound of",
44           bbound, ")")
45     tbb2 = DF_branch_and_bound(problem, bbound) # cheating!!!!
46     print("Path found:", tbb2.search()," cost=", tbb2.solution.cost)
47     print("Rerunning B&B")
48     print("Path found:", tbb2.search())
49
50
51
52 import searchProblem
53 from searchTest import run
54 if __name__ == "__main__":
55     run(searchProblem.problem1,"Problem 1")
56 #    run(searchProblem.acyclic_delivery_problem,"Acyclic Delivery")
57 #    run(searchProblem.cyclic_delivery_problem,"Cyclic Delivery")

```

```
58 | # also test some graphs with cycles, and some with multiple least-cost  
|     paths
```

Chapter 4

Reasoning with Constraints

4.1 Constraint Satisfaction Problems

4.1.1 Variables

A **variable** consists of a name, a domain and an optional (x,y) position (for displaying). The domain of a variable is a list or a tuple, as the ordering will matter in the representation of constraints.

```
_____cspProblem.py — Representations of a Constraint Satisfaction Problem _____
11 import random
12 import matplotlib.pyplot as plt
13
14 class Variable(object):
15     """A random variable.
16     name (string) - name of the variable
17     domain (list) - a list of the values for the variable.
18     Variables are ordered according to their name.
19     """
20
21     def __init__(self, name, domain, position=None):
22         """Variable
23         name a string
24         domain a list of printable values
25         position of form (x,y)
26         """
27         self.name = name # string
28         self.domain = domain # list of values
29         self.position = position if position else (random.random(),
29                                         random.random())
30         self.size = len(domain)
31
```

```

32     def __str__(self):
33         return self.name
34
35     def __repr__(self):
36         return self.name # f"Variable({self.name})"

```

4.1.2 Constraints

A **constraint** consists of:

- A tuple (or list) of variables is called the **scope**.
- A **condition** is a Boolean function that takes the same number of arguments as there are variables in the scope. The condition must have a `__name__` property that gives a printable name of the function; built-in functions and functions that are defined using `def` have such a property; for other functions you may need to define this property.
- An optional name
- An optional (x, y) position

cspProblem.py — (continued)

```

38 class Constraint(object):
39     """A Constraint consists of
40     * scope: a tuple of variables
41     * condition: a Boolean function that can applied to a tuple of values
42         for variables in scope
43     * string: a string for printing the constraints. All of the strings
44         must be unique.
45     for the variables
46     """
47
48     def __init__(self, scope, condition, string=None, position=None):
49         self.scope = scope
50         self.condition = condition
51         if string is None:
52             self.string = self.condition.__name__ + str(self.scope)
53         else:
54             self.string = string
55         self.position = position
56
57     def __repr__(self):
58         return self.string

```

An **assignment** is a *variable:value* dictionary.

If `con` is a constraint, `con.holds(assignment)` returns True or False depending on whether the condition is true or false for that assignment. The assignment `assignment` must assigns a value to every variable in the scope of the constraint `con` (and could also assign values other variables); `con.holds` gives an error if

not all variables in the scope of *con* are assigned in the assignment. It ignores variables in *assignment* that are not in the scope of the constraint.

In Python, the * notation is used for unpacking a tuple. For example, $F(*(1, 2, 3))$ is the same as $F(1, 2, 3)$. So if *t* has value $(1, 2, 3)$, then $F(*t)$ is the same as $F(1, 2, 3)$.

```
cspProblem.py — (continued)
```

```

57 def can_evaluate(self, assignment):
58     """
59         assignment is a variable:value dictionary
60         returns True if the constraint can be evaluated given assignment
61     """
62     return all(v in assignment for v in self.scope)
63
64 def holds(self, assignment):
65     """returns the value of Constraint con evaluated in assignment.
66
67     precondition: all variables are assigned in assignment, ie
68         self.can_evaluate(assignment) is true
69     """
70     return self.condition(*tuple(assignment[v] for v in self.scope))

```

4.1.3 CSPs

A constraint satisfaction problem (CSP) requires:

- *variables*: a list or set of variables
- *constraints*: a set or list of constraints.

Other properties are inferred from these:

- *variables* is the set of variables.
- *var_to_const* is a mapping from variables to set of constraints, such that *var_to_const*[*var*] is the set of constraints with *var* in the scope.

```
cspProblem.py — (continued)
```

```

71 class CSP(object):
72     """A CSP consists of
73         * a title (a string)
74         * variables, a set of variables
75         * constraints, a list of constraints
76         * var_to_const, a variable to set of constraints dictionary
77     """
78     def __init__(self, title, variables, constraints):
79         """title is a string
80             variables is set of variables
81             constraints is a list of constraints

```

```

82     """
83     self.title = title
84     self.variables = variables
85     self.constraints = constraints
86     self.var_to_const = {var:set() for var in self.variables}
87     for con in constraints:
88         for var in con.scope:
89             self.var_to_const[var].add(con)
90
91     def __str__(self):
92         """string representation of CSP"""
93         return str(self.title)
94
95     def __repr__(self):
96         """more detailed string representation of CSP"""
97         return f"CSP({self.title}, {self.variables}, {[str(c) for c in
98             self.constraints]})"

```

csp.consistent(assignment) returns true if the assignment is consistent with each of the constraints in *csp* (i.e., all of the constraints that can be evaluated evaluate to true). Note that this is a local consistency with each constraint; it does *not* imply the CSP is consistent or has a solution.

cspProblem.py — (continued)

```

99     def consistent(self,assignment):
100         """assignment is a variable:value dictionary
101         returns True if all of the constraints that can be evaluated
102             evaluate to True given assignment.
103             """
104         return all(con.holds(assignment)
105                 for con in self.constraints
106                 if con.can_evaluate(assignment))

```

The **show** method uses matplotlib to show the graphical structure of a constraint network.

cspProblem.py — (continued)

```

108     def show(self):
109         plt.ion() # interactive
110         ax = plt.figure().gca()
111         ax.set_axis_off()
112         plt.title(self.title)
113         var_bbox = dict(boxstyle="round4,pad=1.0,rounding_size=0.5")
114         con_bbox = dict(boxstyle="square,pad=1.0",color="green")
115         for var in self.variables:
116             if var.position is None:
117                 var.position = (random.random(), random.random())
118         for con in self.constraints:
119             if con.position is None:
120                 con.position = tuple(sum(var.position[i] for var in
121                     con.scope)/len(con.scope))

```

```

121         for i in range(2))
122     bbox = dict(boxstyle="square",pad=1.0,color="green")
123     for var in con.scope:
124         ax.annotate(con.string, var.position, xytext=con.position,
125                     arrowprops={'arrowstyle': '-'},bbox=con_bbox,
126                     ha='center')
127     for var in self.variables:
128         x,y = var.position
129         plt.text(x,y,var.name,bbox=var_bbox,ha='center')
```

4.1.4 Examples

In the following code `ne_`, when given a number, returns a function that is true when its argument is not that number. For example, if $f = ne_(3)$, then $f(2)$ is True and $f(3)$ is False. That is, $ne_(x)(y)$ is true when $x \neq y$. Allowing a function of multiple arguments to use its arguments one at a time is called **currying**, after the logician Haskell Curry. Functions used as conditions in constraints require names (so they can be printed).

```

cspExamples.py — Example CSPs
11 | from cspProblem import Variable, CSP, Constraint
12 | from operator import lt,ne,eq,gt
13 |
14 | def ne_(val):
15 |     """not equal value"""
16 |     # nev = lambda x: x != val # alternative definition
17 |     # nev = partial(neq,val) # another alternative definition
18 |     def nev(x):
19 |         return val != x
20 |     nev.__name__ = str(val)+"!=" # name of the function
21 |     return nev
```

Similarly `is_(x)(y)` is true when $x = y$.


```

cspExamples.py — (continued)
23 | def is_(val):
24 |     """is a value"""
25 |     # isv = lambda x: x == val # alternative definition
26 |     # isv = partial(eq,val) # another alternative definition
27 |     def isv(x):
28 |         return val == x
29 |     isv.__name__ = str(val)+"=="
30 |     return isv
```

The CSP, `csp0` has variables X , Y and Z , each with domain $\{1,2,3\}$. The constraints are $X < Y$ and $Y < Z$.

```

cspExamples.py — (continued)
32 | X = Variable('X', {1,2,3})
33 | Y = Variable('Y', {1,2,3})
```

Figure 4.1: *csp1.show()*

```

34 | Z = Variable('Z', {1,2,3})
35 | csp0 = CSP("csp0", {X,Y,Z},
36 |     [ Constraint([X,Y],lt),
37 |         Constraint([Y,Z],lt)])

```

The CSP, *csp1* has variables *A*, *B* and *C*, each with domain $\{1,2,3,4\}$. The constraints are $A < B$, $B \neq 2$ and $B < C$. This is slightly more interesting than *csp0* as it has more solutions. This example is used in the unit tests, and so if it is changed, the unit tests need to be changed.

cspExamples.py — (continued)

```

39 | A = Variable('A', {1,2,3,4}, position=(0.2,0.9))
40 | B = Variable('B', {1,2,3,4}, position=(0.8,0.9))
41 | C = Variable('C', {1,2,3,4}, position=(1,0.4))
42 | C0 = Constraint([A,B], lt, "A < B", position=(0.4,0.3))
43 | C1 = Constraint([B], ne_(2), "B != 2", position=(1,0.9))
44 | C2 = Constraint([B,C], lt, "B < C", position=(0.6,0.1))
45 | csp1 = CSP("csp1", {A, B, C},
46 |             [C0, C1, C2])

```

The next CSP, *csp2* is Example 4.9 of the textbook; the domain consistent network (after applying the unary constraints) is shown in Figure ???. Note that we use the same variables as the previous example and add two more.

cspExamples.py — (continued)

```

48 | D = Variable('D', {1,2,3,4}, position=(0,0.4))
49 | E = Variable('E', {1,2,3,4}, position=(0.5,0))
50 | csp2 = CSP("csp2", {A,B,C,D,E},
51 |             [ Constraint([B], ne_(3), "B != 3", position=(1,0.9)),
52 |                 Constraint([C], ne_(2), "C != 2", position=(1,0.2)),

```




Figure 4.2: csp2.show()

```

53     Constraint([A,B], ne, "A != B"),
54     Constraint([B,C], ne, "A != C"),
55     Constraint([C,D], lt, "C < D"),
56     Constraint([A,D], eq, "A = D"),
57     Constraint([A,E], gt, "A > E"),
58     Constraint([B,E], gt, "B > E"),
59     Constraint([C,E], gt, "C > E"),
60     Constraint([D,E], gt, "D > E"),
61     Constraint([B,D], ne, "B != D"))
  
```

The following example is another scheduling problem (but with multiple answers). This is the same a scheduling 2 in the original Alspace.org consistency app.

```

cspExamples.py — (continued)
63 csp3 = CSP("csp3", {A,B,C,D,E},
64     [Constraint([A,B], ne, "A != B"),
65      Constraint([A,D], lt, "A < D"),
66      Constraint([A,E], lambda a,e: (a-e)%2 == 1, "A-E is odd"), #
67      A-E is odd
67      Constraint([B,E], lt, "B < E"),
68      Constraint([D,C], lt, "D < C"),
69      Constraint([C,E], ne, "C != E"),
70      Constraint([D,E], ne, "D != E")])
  
```




Figure 4.3: csp3.show()

The following example is another abstract scheduling problem. What are the solutions?

cspExamples.py — (continued)

```

72 def adjacent(x,y):
73     """True when x and y are adjacent numbers"""
74     return abs(x-y) == 1
75
76 csp4 = CSP("csp4", {A,B,C,D,E},
77             [Constraint([A,B], adjacent, "adjacent(A,B)"),
78              Constraint([B,C], adjacent, "adjacent(B,C)"),
79              Constraint([C,D], adjacent, "adjacent(C,D)"),
80              Constraint([D,E], adjacent, "adjacent(D,E)"),
81              Constraint([A,C], ne, "A != C"),
82              Constraint([B,D], ne, "B != D"),
83              Constraint([C,E], ne, "C != E")])
  
```

The following examples represent the crossword shown in Figure 4.5.

In the first representation, the variables represent words. The constraint imposed by the crossword is that where two words intersect, the letter at the intersection must be the same. The method `meet_at` is used to test whether two words intersect with the same letter. For example, the constraint `meet_at(2,0)`





Figure 4.4: csp4.show()

**Words:**

ant, big, bus, car, has,
book, buys, hold, lane,
year, ginger, search,
symbol, syntax.

Figure 4.5: crossword1: a crossword puzzle to be solved




Figure 4.6: crossword1.show()

means that the third letter (at position 2) of the first argument is the same as the first letter of the second argument. This is shown in Figure 4.6.

cspExamples.py — (continued)

```

85 def meet_at(p1,p2):
86     """returns a function of two words that is true
87         when the words intersect at postions p1, p2.
88         The positions are relative to the words; starting at position 0.
89         meet_at(p1,p2)(w1,w2) is true if the same letter is at position p1 of
90             word w1
91             and at position p2 of word w2.
92 """
93     def meets(w1,w2):
94         return w1[p1] == w2[p2]
95     meets.__name__ = "meet_at("+str(p1)+','+str(p2)+')"
96     return meets
97
98 one_across = Variable('one_across', {'ant', 'big', 'bus', 'car', 'has'}, position=(0.3,0.9))
99 one_down = Variable('one_down', {'book', 'buys', 'hold', 'lane', 'year'}, position=(0.1,0.7))
100 two_down = Variable('two_down', {'ginger', 'search', 'symbol', 'syntax'}, position=(0.9,0.8))
101 three_across = Variable('three_across', {'book', 'buys', 'hold', 'land', 'year'}, position=(0.1,0.3))
102 four_across = Variable('four_across', {'ant', 'big', 'bus', 'car', 'has'}, position=(0.7,0.0))
  
```




Figure 4.7: crossword1d.show()

```

102 crossword1 = CSP("crossword1",
103     {one_across, one_down, two_down, three_across,
104      four_across},
105     [Constraint([one_across,one_down], meet_at(0,0)),
106      Constraint([one_across,two_down], meet_at(2,0)),
107      Constraint([three_across,two_down], meet_at(2,2)),
108      Constraint([three_across,one_down], meet_at(0,2)),
109      Constraint([four_across,two_down], meet_at(0,4))])

```

In an alternative representation of a crossword (the “dual” representation), the variables represent letters, and the constraints are that adjacent sequences of letters form words. This is shown in Figure 4.7.

```

cspExamples.py — (continued)
110 words = {'ant', 'big', 'bus', 'car', 'has', 'book', 'buys', 'hold',
111     'lane', 'year', 'ginger', 'search', 'symbol', 'syntax'}
112
113 def is_word(*letters, words=words):
114     """is true if the letters concatenated form a word in words"""
115     return ''.join(letters) in words
116
117 letters = {"a", "b", "c", "d", "e", "f", "g", "h", "i", "j", "k", "l",
118     "m", "n", "o", "p", "q", "r", "s", "t", "u", "v", "w", "x", "y",

```

```

119     "z"}
120
121 # pij is the variable representing the letter i from the left and j down
122 # (starting from 0)
123 p00 = Variable('p00', letters, position=(0.1,0.85))
124 p10 = Variable('p10', letters, position=(0.3,0.85))
125 p20 = Variable('p20', letters, position=(0.5,0.85))
126 p01 = Variable('p01', letters, position=(0.1,0.7))
127 p21 = Variable('p21', letters, position=(0.5,0.7))
128 p02 = Variable('p02', letters, position=(0.1,0.55))
129 p12 = Variable('p12', letters, position=(0.3,0.55))
130 p22 = Variable('p22', letters, position=(0.5,0.55))
131 p32 = Variable('p32', letters, position=(0.7,0.55))
132 p03 = Variable('p03', letters, position=(0.1,0.4))
133 p23 = Variable('p23', letters, position=(0.5,0.4))
134 p24 = Variable('p24', letters, position=(0.5,0.25))
135 p34 = Variable('p34', letters, position=(0.7,0.25))
136 p44 = Variable('p44', letters, position=(0.9,0.25))
137 p25 = Variable('p25', letters, position=(0.5,0.1))
138
139 crossword1d = CSP("crossword1d",
140                 {p00, p10, p20, # first row
141                  p01, p21, # second row
142                  p02, p12, p22, p32, # third row
143                  p03, p23, #fourth row
144                  p24, p34, p44, # fifth row
145                  p25 # sixth row
146                  },
147                 [Constraint([p00, p10, p20], is_word,
148                           position=(0.3,0.95)), #1-across
149                           Constraint([p00, p01, p02, p03], is_word,
150                                     position=(0,0.625)), # 1-down
151                           Constraint([p02, p12, p22, p32], is_word,
152                                     position=(0.3,0.625)), # 3-across
153                           Constraint([p20, p21, p22, p23, p24, p25], is_word,
154                                     position=(0.45,0.475)), # 2-down
155                           Constraint([p24, p34, p44], is_word,
156                                     position=(0.7,0.325)) # 4-across
157                         ])

```

Exercise 4.1 How many assignments of a value to each variable are there for each of the representations of the above crossword? Do you think an exhaustive enumeration will work for either one?

The queens problem is a puzzle on a chess board, where the idea is to place a queen on each column so the queens cannot take each other: there are no two queens on the same row, column or diagonal. The **n-queens problem** is a generalization where the size of the board is an $n \times n$, and n queens have to be placed.

Here is a representation of the n-queens problem, where the variables are the columns and the values are the rows in which the queen is placed. The original queens problem on a standard (8×8) chess board is `n_queens(8)`

cspExamples.py — (continued)

```

153 def queens(ri,rj):
154     """ri and rj are different rows, return the condition that the queens
        cannot take each other"""
155     def no_take(ci,cj):
156         """is true if queen at (ri,ci) cannot take a queen at (rj,cj)"""
157         return ci != cj and abs(ri-ci) != abs(rj-cj)
158     return no_take
159
160 def n_queens(n):
161     """returns a CSP for n-queens"""
162     columns = list(range(n))
163     variables = [Variable(f"R{i}",columns) for i in range(n)]
164     return CSP("n-queens",
165                 variables,
166                 [Constraint([variables[i], variables[j]), queens(i,j))
167                  for i in range(n) for j in range(n) if i != j])
168
169 # try the CSP n_queens(8) in one of the solvers.
170 # What is the smallest n for which there is a solution?

```

Exercise 4.2 How many constraints does this representation of the n-queens problem produce? Can it be done with fewer constraints? Either explain why it can't be done with fewer constraints, or give a solution using fewer constraints.

Unit tests

The following defines a **unit test** for csp solvers, by default using example `csp1`.

cspExamples.py — (continued)

```

172 def test_csp(CSP_solver, csp=csp1,
173             solutions=[{A: 1, B: 3, C: 4}, {A: 2, B: 3, C: 4}]):
174     """CSP_solver is a solver that takes a csp and returns a solution
175     csp is a constraint satisfaction problem
176     solutions is the list of all solutions to csp
177     This tests whether the solution returned by CSP_solver is a solution.
178     """
179     print("Testing csp with",CSP_solver.__doc__)
180     sol0 = CSP_solver(csp)
181     print("Solution found:",sol0)
182     assert sol0 in solutions, "Solution not correct for "+str(csp)
183     print("Passed unit test")

```

Exercise 4.3 Modify `test` so that instead of taking in a list of solutions, it checks whether the returned solution actually is a solution.

Exercise 4.4 Propose a test that is appropriate for CSPs with no solutions. Assume that the test designer knows there are no solutions. Consider what a CSP solver should return if there are no solutions to the CSP.

Exercise 4.5 Write a unit test that checks whether all solutions (e.g., for the search algorithms that can return multiple solutions) are correct, and whether all solutions can be found.

4.2 A Simple Depth-first Solver

The first solver searches through the space of partial assignments. This takes in a CSP problem and an optional variable ordering, which is a list of the variables in the CSP. It returns a generator of the solutions (see Python documentation on `yield` for enumerations).

```
_____cspDFS.py — Solving a CSP using depth-first search._____
11  from cspExamples import csp1,csp2,test_csp, crossword1, crossword1d
12
13  def dfs_solver(constraints, context, var_order):
14      """generator for all solutions to csp.
15      context is an assignment of values to some of the variables.
16      var_order is a list of the variables in csp that are not in context.
17      """
18      to_eval = {c for c in constraints if c.can_evaluate(context)}
19      if all(c.holds(context) for c in to_eval):
20          if var_order == []:
21              yield context
22          else:
23              rem_cons = [c for c in constraints if c not in to_eval]
24              var = var_order[0]
25              for val in var.domain:
26                  yield from dfs_solver(rem_cons, context|{var:val},
27                                      var_order[1:])
28
29  def dfs_solve_all(csp, var_order=None):
30      """depth-first CSP solver to return a list of all solutions to csp.
31      """
32      if var_order == None: # use an arbitrary variable order
33          var_order = list(csp.variables)
34      return list( dfs_solver(csp.constraints, {}, var_order))
35
36  def dfs_solve1(csp, var_order=None):
37      """depth-first CSP solver to find single solution or None if there are
38          no solutions.
39      """
40      if var_order == None: # use an arbitrary variable order
41          var_order = list(csp.variables)
42      gen = dfs_solver(csp.constraints, {}, var_order)
43      try:    # Python generators raise an exception if there are no more
44          elements.
```

```

42     return next(gen)
43 except StopIteration:
44     return None
45
46 if __name__ == "__main__":
47     test_csp(dfs_solve1)
48
49 #Try:
50 # dfs_solve_all(csp1)
51 # dfs_solve_all(csp2)
52 # dfs_solve_all(crossword1)
53 # dfs_solve_all(crossword1d) # warning: may take a *very* long time!

```

Exercise 4.6 Instead of testing all constraints at every node, change it so each constraint is only tested when all of its variables are assigned. Given an elimination ordering, it is possible to determine when each constraint needs to be tested. Implement this. Hint: create a parallel list of sets of constraints, where at each position i in the list, the constraints at position i can be evaluated when the variable at position i has been assigned.

Exercise 4.7 Estimate how long `dfs_solve_all(crossword1d)` will take on your computer. To do this, reduce the number of variables that need to be assigned, so that the simplified problem can be solved in a reasonable time (between 0.1 second and 10 seconds). This can be done by reducing the number of variables in `var_order`, as the program only splits on these. How much more time will it take if the number of variables is increased by 1? (Try it!) Then extrapolate to all of the variables. See Section 1.6.1 for how to time your code. Would making the code 100 times faster or using a computer 100 times faster help?

4.3 Converting CSPs to Search Problems

To run the demo, in folder "aipython", load "cspSearch.py", and copy and paste the example queries at the bottom of that file.

The next solver constructs a search space that can be solved using the search methods of the previous chapter. This takes in a CSP problem and an optional variable ordering, which is a list of the variables in the CSP. In this search space:

- A node is a $variable : value$ dictionary which does not violate any constraints (so that dictionaries that violate any constraints are not added).
- An arc corresponds to an assignment of a value to the next variable. This assumes a static ordering; the next variable chosen to split does not depend on the context. If no variable ordering is given, this makes no attempt to choose a good ordering.

cspSearch.py — Representations of a Search Problem from a CSP.

```

11  from cspProblem import CSP, Constraint
12  from searchProblem import Arc, Search_problem
13  from utilities import dict_union
14
15  class Search_from_CSP(Search_problem):
16      """A search problem directly from the CSP.
17
18      A node is a variable:value dictionary"""
19      def __init__(self, csp, variable_order=None):
20          self.csp=csp
21          if variable_order:
22              assert set(variable_order) == set(csp.variables)
23              assert len(variable_order) == len(csp.variables)
24              self.variables = variable_order
25          else:
26              self.variables = list(csp.variables)
27
28      def is_goal(self, node):
29          """returns whether the current node is a goal for the search
30          """
31          return len(node)==len(self.csp.variables)
32
33      def start_node(self):
34          """returns the start node for the search
35          """
36          return {}

```

The *neighbors(node)* method uses the fact that the length of the node, which is the number of variables already assigned, is the index of the next variable to split on. Note that we do no need to check whether there are no more variables to split on, as the nodes are all consistent, by construction, and so when there are no more variables we have a solution, and so don't need the neighbours.

cspSearch.py — (continued)

```

38  def neighbors(self, node):
39      """returns a list of the neighboring nodes of node.
40      """
41      var = self.variables[len(node)] # the next variable
42      res = []
43      for val in var.domain:
44          new_env = dict_union(node,{var:val}) #dictionary union
45          if self.csp.consistent(new_env):
46              res.append(Arc(node,new_env))
47      return res

```

The unit tests relies on a solver. The following procedure creates a solver using search that can be tested.

cspSearch.py — (continued)

```

49 | from cspExamples import csp1,csp2,test_csp, crossword1, crossword1d

```

```

50 | from searchGeneric import Searcher
51 |
52 | def solver_from_searcher(csp):
53 |     """depth-first search solver"""
54 |     path = Searcher(Search_from_CSP(csp)).search()
55 |     if path is not None:
56 |         return path.end()
57 |     else:
58 |         return None
59 |
60 | if __name__ == "__main__":
61 |     test_csp(solver_from_searcher)
62 |
63 | ## Test Solving CSPs with Search:
64 | searcher1 = Searcher(Search_from_CSP(csp1))
65 | #print(searcher1.search()) # get next solution
66 | searcher2 = Searcher(Search_from_CSP(csp2))
67 | #print(searcher2.search()) # get next solution
68 | searcher3 = Searcher(Search_from_CSP(crossword1))
69 | #print(searcher3.search()) # get next solution
70 | searcher4 = Searcher(Search_from_CSP(crossword1d))
71 | #print(searcher4.search()) # get next solution (warning: slow)

```

Exercise 4.8 What would happen if we constructed the new assignment by assigning $node[var] = val$ (with side effects) instead of using dictionary union? Give an example of where this could give a wrong answer. How could the algorithm be changed to work with side effects? (Hint: think about what information needs to be in a node).

Exercise 4.9 Change neighbors so that it returns an iterator of values rather than a list. (Hint: use *yield*.)

4.4 Consistency Algorithms

To run the demo, in folder "aipython", load "cspConsistency.py", and copy and paste the commented-out example queries at the bottom of that file.

A *Con_solver* is used to simplify a CSP using arc consistency.

```

cspConsistency.py — Arc Consistency and Domain splitting for solving a CSP
_____
11 | from display import Displayable
12 |
13 | class Con_solver(Displayable):
14 |     """Solves a CSP with arc consistency and domain splitting
15 |     """
16 |     def __init__(self, csp, **kwargs):
17 |         """a CSP solver that uses arc consistency
18 |         * csp is the CSP to be solved

```

```

19     * kwargs is the keyword arguments for Displayable superclass
20     """
21     self.csp = csp
22     super().__init__(**kwargs) # Or Displayable.__init__(self,**kwargs)

```

The following implementation of arc consistency maintains the set *to_do* of (variable, constraint) pairs that are to be checked. It takes in a domain dictionary and returns a new domain dictionary. It needs to be careful to avoid side effects (by copying the *domains* dictionary and the *to_do* set).

cspConsistency.py — (continued)

```

24 def make_arc_consistent(self, orig_domains=None, to_do=None):
25     """Makes this CSP arc-consistent using generalized arc consistency
26     orig_domains is the original domains
27     to_do is a set of (variable,constraint) pairs
28     returns the reduced domains (an arc-consistent variable:domain
29     dictionary)
30     """
31     if orig_domains is None:
32         orig_domains = {var:var.domain for var in self.csp.variables}
33     if to_do is None:
34         to_do = {(var, const) for const in self.csp.constraints
35                   for var in const.scope}
36     else:
37         to_do = to_do.copy() # use a copy of to_do
38     domains = orig_domains.copy()
39     self.display(2,"Performing AC with domains", domains)
40     while to_do:
41         var, const = self.select_arc(to_do)
42         self.display(3, "Processing arc (", var, ", ", const, ")")
43         other_vars = [ov for ov in const.scope if ov != var]
44         new_domain = {val for val in domains[var]
45                       if self.any_holds(domains, const, {var: val},
46                                         other_vars)}
46         if new_domain != domains[var]:
47             self.display(4, "Arc: (", var, ", ", const, ") is
48                         inconsistent")
49             self.display(3, "Domain pruned", "dom(", var, ") =", new_domain,
50                         " due to ", const)
51             domains[var] = new_domain
52             add_to_do = self.new_to_do(var, const) - to_do
53             to_do |= add_to_do # set union
54             self.display(3, " adding", add_to_do if add_to_do else
55                         "nothing", "to to_do.")
56             self.display(4, "Arc: (", var, ", ", const, ") now consistent")
57             self.display(2, "AC done. Reduced domains", domains)
58             return domains
59
60     def new_to_do(self, var, const):
61         """returns new elements to be added to to_do after assigning

```

```

59     variable var in constraint const.
60     """
61     return {(nvar, nconst) for nconst in self.csp.var_to_const[var]
62             if nconst != const
63             for nvar in nconst.scope
64             if nvar != var}

```

The following selects an arc. Any element of *to_do* can be selected. The selected element needs to be removed from *to_do*. The default implementation just selects which ever element *pop* method for sets returns. A user interface could allow the user to select an arc. Alternatively a more sophisticated selection could be employed (or just a stack or a queue).

cspConsistency.py — (continued)

```

66 def select_arc(self, to_do):
67     """Selects the arc to be taken from to_do .
68     * to_do is a set of arcs, where an arc is a (variable,constraint)
69     pair
70     the element selected must be removed from to_do.
71     """
72     return to_do.pop()

```

The value of *new_domain* is the subset of the domain of *var* that is consistent with the assignment to the other variables. It might be easier to understand the following code, which treats unary (with no other variables in the constraint) and binary (with one other variables in the constraint) constraints as special cases (this can replace the assignment to *new_domain* in the above code):

```

if len(other_vars)==0:          # unary constraint
    new_domain = {val for val in domains[var]
                  if const.holds({var:val})}
elif len(other_vars)==1:         # binary constraint
    other = other_vars[0]
    new_domain = {val for val in domains[var]
                  if any(const.holds({var: val, other:other_val})
                        for other_val in domains[other])}
else:                          # general case
    new_domain = {val for val in domains[var]
                  if self.any_holds(domains, const, {var: val}, other_vars)}

```

any_holds is a recursive function that tries to finds an assignment of values to the other variables (*other_vars*) that satisfies constraint *const* given the assignment in *env*. The integer variable *ind* specifies which index to *other_vars* needs to be checked next. As soon as one assignment returns *True*, the algorithm returns *True*. Note that it has side effects with respect to *env*; it changes the values of the variables in *other_vars*. It should only be called when the side effects have no ill effects.

cspConsistency.py — (continued)

```

73     def any_holds(self, domains, const, env, other_vars, ind=0):
74         """returns True if Constraint const holds for an assignment
75         that extends env with the variables in other_vars[ind:]
76         env is a dictionary
77         Warning: this has side effects and changes the elements of env
78         """
79         if ind == len(other_vars):
80             return const.holds(env)
81         else:
82             var = other_vars[ind]
83             for val in domains[var]:
84                 # env = dict_union(env,{var:val}) # no side effects!
85                 env[var] = val
86                 if self.any_holds(domains, const, env, other_vars, ind + 1):
87                     return True
88             return False

```

4.4.1 Direct Implementation of Domain Splitting

The following is a direct implementation of domain splitting with arc consistency that uses recursion. It finds one solution if one exists or returns False if there are no solutions.

cspConsistency.py — (continued)

```

90     def solve_one(self, domains=None, to_do=None):
91         """return a solution to the current CSP or False if there are no
92             solutions
93             to_do is the list of arcs to check
94             """
95         new_domains = self.make_arc_consistent(domains, to_do)
96         if any(len(new_domains[var]) == 0 for var in new_domains):
97             return False
98         elif all(len(new_domains[var]) == 1 for var in new_domains):
99             self.display(2, "solution:", {var: select(
100                 new_domains[var]) for var in new_domains})
101             return {var: select(new_domains[var]) for var in new_domains}
102         else:
103             var = self.select_var(x for x in self.csp.variables if
104                 len(new_domains[x]) > 1)
105             if var:
106                 dom1, dom2 = partition_domain(new_domains[var])
107                 self.display(3, "...splitting", var, "into", dom1, "and",
108                             dom2)
109                 new_doms1 = copy_with_assign(new_domains, var, dom1)
110                 new_doms2 = copy_with_assign(new_domains, var, dom2)
111                 to_do = self.new_to_do(var, None)
112                 self.display(3, " adding", to_do if to_do else "nothing",
113                             "to to_do.")
114                 return self.solve_one(new_doms1, to_do) or
115                     self.solve_one(new_doms2, to_do)

```

```

111
112     def select_var(self, iter_vars):
113         """return the next variable to split"""
114         return select(iter_vars)
115
116     def partition_domain(dom):
117         """partitions domain dom into two.
118         """
119         split = len(dom) // 2
120         dom1 = set(list(dom)[:split])
121         dom2 = dom - dom1
122         return dom1, dom2

```

The domains are implemented as a dictionary that maps each variables to its domain. Assigning a value in Python has side effects which we want to avoid. *copy_with_assign* takes a copy of the domains dictionary, perhaps allowing for a new domain for a variable. It creates a copy of the CSP with an (optional) assignment of a new domain to a variable. Only the domains are copied.

```

cspConsistency.py — (continued)

124     def copy_with_assign(domains, var=None, new_domain={True, False}):
125         """create a copy of the domains with an assignment var=new_domain
126         if var==None then it is just a copy.
127         """
128         newdoms = domains.copy()
129         if var is not None:
130             newdoms[var] = new_domain
131         return newdoms

```

```

cspConsistency.py — (continued)

133     def select(iterable):
134         """select an element of iterable. Returns None if there is no such
135             element.
136
137             This implementation just picks the first element.
138             For many of the uses, which element is selected does not affect
139                 correctness,
140                 but may affect efficiency.
141
142             for e in iterable:
143                 return e # returns first element found

```

Exercise 4.10 Implement of *solve_all* that is like *solve_one* but returns the set of all solutions.

Exercise 4.11 Implement *solve_enum* that enumerates the solutions. It should use Python's *yield* (and perhaps *yield from*).

Unit test:

```

143 from cspExamples import test_csp
144 def ac_solver(csp):
145     "arc consistency (solve_one)"
146     return Con_solver(csp).solve_one()
147
148 if __name__ == "__main__":
149     test_csp(ac_solver)

```

4.4.2 Domain Splitting as an interface to graph searching

An alternative implementation is to implement domain splitting in terms of the search abstraction of Chapter 3.

A node is domains dictionary.

```

151 from searchProblem import Arc, Search_problem
152
153 class Search_with_AC_from_CSP(Search_problem, Displayable):
154     """A search problem with arc consistency and domain splitting
155
156     A node is a CSP """
157     def __init__(self, csp):
158         self.cons = Con_solver(csp) #copy of the CSP
159         self.domains = self.cons.make_arc_consistent()
160
161     def is_goal(self, node):
162         """node is a goal if all domains have 1 element"""
163         return all(len(node[var])==1 for var in node)
164
165     def start_node(self):
166         return self.domains
167
168     def neighbors(self, node):
169         """returns the neighboring nodes of node.
170
171         neighs = []
172         var = select(x for x in node if len(node[x])>1)
173         if var:
174             dom1, dom2 = partition_domain(node[var])
175             self.display(2,"Splitting", var, "into", dom1, "and", dom2)
176             to_do = self.cons.new_to_do(var,None)
177             for dom in [dom1,dom2]:
178                 newdoms = copy_with_assign(node,var,dom)
179                 cons_doms = self.cons.make_arc_consistent(newdoms,to_do)
180                 if all(len(cons_doms[v])>0 for v in cons_doms):
181                     # all domains are non-empty
182                     neighs.append(Arc(node,cons_doms))
183             else:

```

```

184     self.display(2, "...", var, "in", dom, "has no solution")
185     return neighs

```

Exercise 4.12 When splitting a domain, this code splits the domain into half, approximately in half (without any effort to make a sensible choice). Does it work better to split one element from a domain?

Unit test:

```

cspConsistency.py — (continued)

187 from cspExamples import test_csp
188 from searchGeneric import Searcher
189
190 def ac_search_solver(csp):
191     """arc consistency (search interface)"""
192     sol = Searcher(Search_with_AC_from_CSP(csp)).search()
193     if sol:
194         return {v:select(d) for (v,d) in sol.end().items()}
195
196 if __name__ == "__main__":
197     test_csp(ac_search_solver)

```

Testing:

```

cspConsistency.py — (continued)

199 from cspExamples import csp1, csp2, csp3, csp4, crossword1, crossword1d
200
201 ## Test Solving CSPs with Arc consistency and domain splitting:
202 #Con_solver.max_display_level = 4 # display details of AC (0 turns off)
203 #Con_solver(csp1).solve_one()
204 #searcher1d = Searcher(Search_with_AC_from_CSP(csp1))
205 #print(searcher1d.search())
206 #Searcher.max_display_level = 2 # display search trace (0 turns off)
207 #searcher2c = Searcher(Search_with_AC_from_CSP(csp2))
208 #print(searcher2c.search())
209 #searcher3c = Searcher(Search_with_AC_from_CSP(crossword1))
210 #print(searcher3c.search())
211 #searcher4c = Searcher(Search_with_AC_from_CSP(crossword1d))
212 #print(searcher4c.search())

```

4.5 Solving CSPs using Stochastic Local Search

To run the demo, in folder “aipython”, load “cspSLS.py”, and copy and paste the commented-out example queries at the bottom of that file. This assumes Python 3. Some of the queries require matplotlib.

This implements both the two-stage choice, the any-conflict algorithm and a random choice of variable (and a probabilistic mix of the three).

Given a CSP, the stochastic local searcher (*SLSearcher*) creates the data structures:

- *variables_to_select* is the set of all of the variables with domain-size greater than one. For a variable not in this set, we cannot pick another value from that variable.
- *var_to_constraints* maps from a variable into the set of constraints it is involved in. Note that the inverse mapping from constraints into variables is part of the definition of a constraint.

```
-----cspSLS.py — Stochastic Local Search for Solving CSPs -----
11 from cspProblem import CSP, Constraint
12 from searchProblem import Arc, Search_problem
13 from display import Displayable
14 import random
15 import heapq
16
17 class SLSearcher(Displayable):
18     """A search problem directly from the CSP..
19
20     A node is a variable:value dictionary"""
21     def __init__(self, csp):
22         self.csp = csp
23         self.variables_to_select = {var for var in self.csp.variables
24                                     if len(var.domain) > 1}
25         # Create assignment and conflicts set
26         self.current_assignment = None # this will trigger a random restart
27         self.number_of_steps = 0 #number of steps after the initialization
```

restart creates a new total assignment, and constructs the set of conflicts (the constraints that are false in this assignment).

```
-----cspSLS.py — (continued) -----
29 def restart(self):
30     """creates a new total assignment and the conflict set
31     """
32     self.current_assignment = {var:random_choice(var.domain) for
33                               var in self.csp.variables}
34     self.display(2,"Initial assignment",self.current_assignment)
35     self.conflicts = set()
36     for con in self.csp.constraints:
37         if not con.holds(self.current_assignment):
38             self.conflicts.add(con)
39     self.display(2,"Number of conflicts",len(self.conflicts))
40     self.variable_pq = None
```

The *search* method is the top-level searching algorithm. It can either be used to start the search or to continue searching. If there is no current assignment,

it must create one. Note that, when counting steps, a restart is counted as one step.

This method selects one of two implementations. The argument *prob_best* is the probability of selecting a best variable (one involving the most conflicts). When the value of *prob_best* is positive, the algorithm needs to maintain a priority queue of variables and the number of conflicts (using *search_with_var_pq*). If the probability of selecting a best variable is zero, it does not need to maintain this priority queue (as implemented in *search_with_any_conflict*).

The argument *prob_anycon* is the probability that the any-conflict strategy is used (which selects a variable at random that is in a conflict), assuming that it is not picking a best variable. Note that for the probability parameters, any value less than zero acts like probability zero and any value greater than 1 acts like probability 1. This means that when *prob_anycon* = 1.0, a best variable is chosen with probability *prob_best*, otherwise a variable in any conflict is chosen. A variable is chosen at random with probability $1 - prob_anycon - prob_best$ as long as that is positive.

This returns the number of steps needed to find a solution, or *None* if no solution is found. If there is a solution, it is in *self.current_assignment*.

```
cspSLS.py — (continued)
```

```

42     def search(self, max_steps, prob_best=0, prob_anycon=1.0):
43         """
44             returns the number of steps or None if there is no solution.
45             If there is a solution, it can be found in self.current_assignment
46
47             max_steps is the maximum number of steps it will try before giving
48                 up
49             prob_best is the probability that a best variable (one in most
50                 conflict) is selected
51             prob_anycon is the probability that a variable in any conflict is
52                 selected
53                 (otherwise a variable is chosen at random)
54             """
55
56         if self.current_assignment is None:
57             self.restart()
58             self.number_of_steps += 1
59             if not self.conflicts:
60                 self.display(1, "Solution found:", self.current_assignment,
61                             "after restart")
62             return self.number_of_steps
63         if prob_best > 0: # we need to maintain a variable priority queue
64             return self.search_with_var_pq(max_steps, prob_best,
65                                             prob_anycon)
66         else:
67             return self.search_with_any_conflict(max_steps, prob_anycon)

```

Exercise 4.13 This does an initial random assignment but does not do any random restarts. Implement a searcher that takes in the maximum number of walk

steps (corresponding to existing *max_steps*) and the maximum number of restarts, and returns the total number of steps for the first solution found. (As in *search*, the solution found can be extracted from the variable *self.current_assignment*).

4.5.1 Any-conflict

If the probability of picking a best variable is zero, the implementation need to keeps track of which variables are in conflicts.

```
cspSLS.py — (continued)
```

```

63     def search_with_any_conflict(self, max_steps, prob_anycon=1.0):
64         """Searches with the any_conflict heuristic.
65         This relies on just maintaining the set of conflicts;
66         it does not maintain a priority queue
67         """
68         self.variable_pq = None # we are not maintaining the priority queue.
69                         # This ensures it is regenerated if
70                         # we call search_with_var_pq.
71         for i in range(max_steps):
72             self.number_of_steps +=1
73             if random.random() < prob_anycon:
74                 con = random_choice(self.conflicts) # pick random conflict
75                 var = random_choice(con.scope) # pick variable in conflict
76             else:
77                 var = random_choice(self.variables_to_select)
78             if len(var.domain) > 1:
79                 val = random_choice([val for val in var.domain
80                                     if val is not
81                                         self.current_assignment[var]])
82                 self.display(2,self.number_of_steps,":"
83                             " Assigning",var,"=",val)
84                 self.current_assignment[var]=val
85                 for varcon in self.csp.var_to_const[var]:
86                     if varcon.holds(self.current_assignment):
87                         if varcon in self.conflicts:
88                             self.conflicts.remove(varcon)
89                         else:
90                             if varcon not in self.conflicts:
91                                 self.conflicts.add(varcon)
92                             self.display(2," Number of conflicts",len(self.conflicts))
93             if not self.conflicts:
94                 self.display(1,"Solution found:", self.current_assignment,
95                             "in", self.number_of_steps,"steps")
96             return self.number_of_steps
97             self.display(1,"No solution in",self.number_of_steps,"steps",
98                         len(self.conflicts),"conflicts remain")
99         return None

```

Exercise 4.14 This makes no attempt to find the best alternative value for a variable. Modify the code so that after selecting a variable it selects a value the reduces

the number of conflicts by the most. Have a parameter that specifies the probability that the best value is chosen.

4.5.2 Two-Stage Choice

This is the top-level searching algorithm that maintains a priority queue of variables ordered by (the negative of) the number of conflicts, so that the variable with the most conflicts is selected first. If there is no current priority queue of variables, one is created.

The main complexity here is to maintain the priority queue. This uses the dictionary *var_differential* which specifies how much the values of variables should change. This is used with the updatable queue (page 79) to find a variable with the most conflicts.

cspSLS.py — (continued)

```

99  def search_with_var_pq(self,max_steps, prob_best=1.0, prob_anycon=1.0):
100     """search with a priority queue of variables.
101     This is used to select a variable with the most conflicts.
102     """
103     if not self.variable_pq:
104         self.create_pq()
105     pick_best_or_con = prob_best + prob_anycon
106     for i in range(max_steps):
107         self.number_of_steps +=1
108         randnum = random.random()
109         ## Pick a variable
110         if randnum < prob_best: # pick best variable
111             var,oldval = self.variable_pq.top()
112         elif randnum < pick_best_or_con: # pick a variable in a conflict
113             con = random_choice(self.conflicts)
114             var = random_choice(con.scope)
115         else: #pick any variable that can be selected
116             var = random_choice(self.variables_to_select)
117         if len(var.domain) > 1: # var has other values
118             ## Pick a value
119             val = random_choice([val for val in var.domain if val is not
120                                 self.current_assignment[var]])
121             self.display(2,"Assigning",var,val)
122             ## Update the priority queue
123             var_differential = {}
124             self.current_assignment[var]=val
125             for varcon in self.csp.var_to_const[var]:
126                 self.display(3,"Checking",varcon)
127                 if varcon.holds(self.current_assignment):
128                     if varcon in self.conflicts: #was incons, now consis
129                         self.display(3,"Became consistent",varcon)
130                         self.conflicts.remove(varcon)
131                         for v in varcon.scope: # v is in one fewer
132                             conflicts

```

```

132             var_differential[v] =
133                 var_differential.get(v,0)-1
134         else:
135             if varcon not in self.conflicts: # was consis, not now
136                 self.display(3,"Became inconsistent",varcon)
137                 self.conflicts.add(varcon)
138                 for v in varcon.scope: # v is in one more
139                     conflicts
140                     var_differential[v] =
141                         var_differential.get(v,0)+1
142                     self.variable_pq.update_each_priority(var_differential)
143                     self.display(2,"Number of conflicts",len(self.conflicts))
144             if not self.conflicts: # no conflicts, so solution found
145                 self.display(1,"Solution found:",
146                             self.current_assignment,"in",
147                             self.number_of_steps,"steps")
148             return self.number_of_steps
149             self.display(1,"No solution in",self.number_of_steps,"steps",
150                         len(self.conflicts),"conflicts remain")
151         return None

```

create_pq creates an updatable priority queue of the variables, ordered by the number of conflicts they participate in. The priority queue only includes variables in conflicts and the value of a variable is the *negative* of the number of conflicts the variable is in. This ensures that the priority queue, which picks the minimum value, picks a variable with the most conflicts.

_cspSLS.py — (continued)

```

149     def create_pq(self):
150         """Create the variable to number-of-conflicts priority queue.
151         This is needed to select the variable in the most conflicts.
152
153         The value of a variable in the priority queue is the negative of the
154         number of conflicts the variable appears in.
155         """
156         self.variable_pq = Updatable_priority_queue()
157         var_to_number_conflicts = {}
158         for con in self.conflicts:
159             for var in con.scope:
160                 var_to_number_conflicts[var] =
161                     var_to_number_conflicts.get(var,0)+1
162         for var,num in var_to_number_conflicts.items():
163             if num>0:
164                 self.variable_pq.add(var,-num)

```

_cspSLS.py — (continued)

```

165     def random_choice(st):
166         """selects a random element from set st.
167         It will be more efficient to convert to a tuple or list only once."""
168         return random.choice(tuple(st))

```

Exercise 4.15 This makes no attempt to find the best alternative value for a variable. Modify the code so that after selecting a variable it selects a value that reduces the number of conflicts by the most. Have a parameter that specifies the probability that the best value is chosen.

Exercise 4.16 These implementations always select a value for the variable selected that is different from its current value (if that is possible). Change the code so that it does not have this restriction (so it can leave the value the same). Would you expect this code to be faster? Does it work worse (or better)?

4.5.3 Updatable Priority Queues

An **updatable priority queue** is a priority queue, where key-value pairs can be stored, and the pair with the smallest key can be found and removed quickly, and where the values can be updated. This implementation follows the idea of <http://docs.python.org/3.5/library/heappq.html>, where the updated elements are marked as removed. This means that the priority queue can be used unmodified. However, this might be expensive if changes are more common than popping (as might happen if the probability of choosing the best is close to zero).

In this implementation, the equal values are sorted randomly. This is achieved by having the elements of the heap being $[val, rand, elt]$ triples, where the second element is a random number. Note that Python requires this to be a list, not a tuple, as the tuple cannot be modified.

cspSLS.py — (continued)

```

170 class Updatable_priority_queue(object):
171     """A priority queue where the values can be updated.
172     Elements with the same value are ordered randomly.
173
174     This code is based on the ideas described in
175     http://docs.python.org/3.3/library/heappq.html
176     It could probably be done more efficiently by
177     shuffling the modified element in the heap.
178     """
179
180     def __init__(self):
181         self.pq = [] # priority queue of [val,rand,elt] triples
182         self_elt_map = {} # map from elt to [val,rand,elt] triple in pq
183         self.REMOVED = "*removed*" # a string that won't be a legal element
184         self.max_size=0
185
186     def add(self,elt,val):
187         """adds elt to the priority queue with priority=val.
188         """
189         assert val <= 0, val
190         assert elt not in self_elt_map, elt
191         new_triple = [val, random.random(),elt]
192         heappush(self.pq, new_triple)
193         self_elt_map[elt] = new_triple

```

```

193
194     def remove(self,elt):
195         """remove the element from the priority queue"""
196         if elt in self_elt_map:
197             self_elt_map[elt][2] = self.REMOVED
198             del self_elt_map[elt]
199
200     def update_each_priority(self,update_dict):
201         """update values in the priority queue by subtracting the values in
202         update_dict from the priority of those elements in priority queue.
203         """
204         for elt,incr in update_dict.items():
205             if incr != 0:
206                 newval = self_elt_map.get(elt,[0])[0] - incr
207                 assert newval <= 0,
208                 str(elt)+":"+str(newval+incr)+"-"+str(incr)
209                 self.remove(elt)
210                 if newval != 0:
211                     self.add(elt,newval)
212
213     def pop(self):
214         """Removes and returns the (elt,value) pair with minimal value.
215         If the priority queue is empty, IndexError is raised.
216         """
217         self.max_size = max(self.max_size, len(self.pq)) # keep statistics
218         triple = heapq.heappop(self.pq)
219         while triple[2] == self.REMOVED:
220             triple = heapq.heappop(self.pq)
221         del self_elt_map[triple[2]]
222         return triple[2], triple[0] # elt, value
223
224     def top(self):
225         """Returns the (elt,value) pair with minimal value, without
226         removing it.
227         If the priority queue is empty, IndexError is raised.
228         """
229         self.max_size = max(self.max_size, len(self.pq)) # keep statistics
230         triple = self.pq[0]
231         while triple[2] == self.REMOVED:
232             heapq.heappop(self.pq)
233             triple = self.pq[0]
234         return triple[2], triple[0] # elt, value
235
236     def empty(self):
237         """returns True iff the priority queue is empty"""
238         return all(triple[2] == self.REMOVED for triple in self.pq)

```

4.5.4 Plotting Runtime Distributions

Runtime_distribution uses matplotlib to plot runtime distributions. Here the runtime is a misnomer as we are only plotting the number of steps, not the time. Computing the runtime is non-trivial as many of the runs have a very short runtime. To compute the time accurately would require running the same code, with the same random seed, multiple times to get a good estimate of the runtime. This is left as an exercise.

cspSLS.py — (continued)

```

238 import matplotlib.pyplot as plt
239
240 class Runtime_distribution(object):
241     def __init__(self, csp, xscale='log'):
242         """Sets up plotting for csp
243         xscale is either 'linear' or 'log'
244         """
245         self.csp = csp
246         plt.ion()
247         plt.xlabel("Number of Steps")
248         plt.ylabel("Cumulative Number of Runs")
249         plt.xscale(xscale) # Makes a 'log' or 'linear' scale
250
251     def plot_runs(self, num_runs=100, max_steps=1000, prob_best=1.0,
252                  prob_anycon=1.0):
253         """Plots num_runs of SLS for the given settings.
254         """
255         stats = []
256         SLSearcher.max_display_level, temp_mdl = 0,
257             SLSearcher.max_display_level # no display
258         for i in range(num_runs):
259             searcher = SLSearcher(self.csp)
260             num_steps = searcher.search(max_steps, prob_best, prob_anycon)
261             if num_steps:
262                 stats.append(num_steps)
263             stats.sort()
264             if prob_best >= 1.0:
265                 label = "P(best)=1.0"
266             else:
267                 p_ac = min(prob_anycon, 1-prob_best)
268                 label = "P(best)=%.2f, P(ac)=%.2f" % (prob_best, p_ac)
269             plt.plot(stats, range(len(stats)), label=label)
270             plt.legend(loc="upper left")
271             #plt.draw()
272             SLSearcher.max_display_level= temp_mdl #restore display

```

4.5.5 Testing

cspSLS.py — (continued)

```

272 from cspExamples import test_csp
273 def sls_solver(csp, prob_best=0.7):
274     """stochastic local searcher (prob_best=0.7)"""
275     se0 = SLSearcher(csp)
276     se0.search(1000, prob_best)
277     return se0.current_assignment
278 def any_conflict_solver(csp):
279     """stochastic local searcher (any-conflict)"""
280     return sls_solver(csp, 0)
281
282 if __name__ == "__main__":
283     test_csp(sls_solver)
284     test_csp(any_conflict_solver)
285
286 from cspExamples import csp1, csp2, crossword1, crossword1d
287
288 ## Test Solving CSPs with Search:
289 #se1 = SLSearcher(csp1); print(se1.search(100))
290 #se2 = SLSearcher(csp2); print(se2.search(1000, 1.0)) # greedy
291 #se2 = SLSearcher(csp2); print(se2.search(1000, 0)) # any_conflict
292 #se2 = SLSearcher(csp2); print(se2.search(1000, 0.7)) # 70% greedy; 30%
#    any_conflict
293 #SLSearcher.max_display_level=2 #more detailed display
294 #se3 = SLSearcher(crossword1); print(se3.search(100), 0.7)
295 #p = Runtime_distribution(csp2)
296 #p.plot_runs(1000, 1000, 0) # any_conflict
297 #p.plot_runs(1000, 1000, 1.0) # greedy
298 #p.plot_runs(1000, 1000, 0.7) # 70% greedy; 30% any_conflict

```

Exercise 4.17 Modify this to plot the runtime, instead of the number of steps. To measure runtime use `timeit` (<https://docs.python.org/3.5/library/timeit.html>). Small runtimes are inaccurate, so `timeit` can run the same code multiple times. Stochastic local algorithms give different runtimes each time called. To make the timing meaningful, you need to make sure the random seed is the same for each repeated call (see `random.getstate` and `random.setstate` in <https://docs.python.org/3.5/library/random.html>). Because the runtime for different seeds can vary a great deal, for each seed, you should start with 1 iteration and multiplying it by, say 10, until the time is greater than 0.2 seconds. Make sure you plot the average time for each run. Before you start, try to estimate the total runtime, so you will be able to tell if there is a problem with the algorithm stopping.

4.6 Discrete Optimization

A `SoftConstraint` is a constraint, but where the condition is a real-valued function. Because we did not force the condition to be Boolean, we can make just reuse the `Constraint` class.

cspSoft.py — Representations of Soft Constraints

11 | `from cspProblem import Variable, Constraint, CSP`

```

12 | class SoftConstraint(Constraint):
13 |     """A Constraint consists of
14 |     * scope: a tuple of variables
15 |     * function: a real-valued function that can applied to a tuple of values
16 |     * string: a string for printing the constraints. All of the strings
17 |         must be unique.
18 |     for the variables
19 |     """
20 |
21 |     def __init__(self, scope, function, string=None, position=None):
22 |         Constraint.__init__(self, scope, function, string, position)
23 |
24 |     def value(self, assignment):
25 |         return self.holds(assignment)

```

cspSoft.py — (continued)

```

25 | A = Variable('A', {1,2}, position=(0.2,0.9))
26 | B = Variable('B', {1,2,3}, position=(0.8,0.9))
27 | C = Variable('C', {1,2}, position=(0.5,0.5))
28 | D = Variable('D', {1,2}, position=(0.8,0.1))
29 |
30 | def c1fun(a,b):
31 |     if a==1: return (5 if b==1 else 2)
32 |     else: return (0 if b==1 else 4 if b==2 else 3)
33 | c1 = SoftConstraint([A,B],c1fun,"c1")
34 | def c2fun(b,c):
35 |     if b==1: return (5 if c==1 else 2)
36 |     elif b==2: return (0 if c==1 else 4)
37 |     else: return (2 if c==1 else 0)
38 | c2 = SoftConstraint([B,C],c2fun,"c2")
39 | def c3fun(b,d):
40 |     if b==1: return (3 if d==1 else 0)
41 |     elif b==2: return 2
42 |     else: return (2 if d==1 else 4)
43 | c3 = SoftConstraint([B,D],c3fun,"c3")
44 |
45 | def penalty_if_same(pen):
46 |     "returns a function that gives a penalty of pen if the arguments are
47 |      the same"
48 |     return lambda x,y: (pen if (x==y) else 0)
49 |
50 | c4 = SoftConstraint([C,A],penalty_if_same(3),"c4")
51 |
52 | scsp1 = CSP("scsp1", {A,B,C,D}, [c1,c2,c3,c4])
53 |
54 | ### The second soft CSP has an extra variable, and 2 constraints
55 | E = Variable('E', {1,2}, position=(0.1,0.1))
56 |
57 | c5 = SoftConstraint([C,E],penalty_if_same(3),"c5")
58 | c6 = SoftConstraint([D,E],penalty_if_same(2),"c6")
59 | scsp2 = CSP("scsp1", {A,B,C,D,E}, [c1,c2,c3,c4,c5,c6])

```

4.6.1 Branch-and-bound Search

Here we specialize the branch-and-bound algorithm (Section 3.3 on page 47).

```
_____cspSoft.py — (continued) _____
```

```

60  from display import Displayable, visualize
61  import math
62
63  class DF_branch_and_bound_opt(Displayable):
64      """returns a branch and bound searcher for a problem.
65      An optimal assignment with cost less than bound can be found by calling
66          search()
67      """
68      def __init__(self, csp, bound=math.inf):
69          """creates a searcher than can be used with search() to find an
70              optimal path.
71          bound gives the initial bound. By default this is infinite -
72              meaning there
73          is no initial pruning due to depth bound
74          """
75          super().__init__()
76          self.csp = csp
77          self.best_asst = None
78          self.bound = bound
79
80      def optimize(self):
81          """returns an optimal solution to a problem with cost less than
82              bound.
83          returns None if there is no solution with cost less than bound."""
84          self.num_expanded=0
85          self.cbssearch([], 0, self.csp.constraints)
86          self.display(1,"Number of paths expanded:",self.num_expanded)
87          return self.best_asst, self.bound
88
89      def cbssearch(self, asst, cost, constraints):
90          """finds the optimal solution that extends path and is less the
91              bound"""
92          self.display(2,"cbssearch:",asst,cost,constraints)
93          can_eval = [c for c in constraints if c.can_evaluate(asst)]
94          rem_cons = [c for c in constraints if c not in can_eval]
95          newcost = cost + sum(c.value(asst) for c in can_eval)
96          self.display(2,"Evaluating:",can_eval,"cost:",newcost)
97          if newcost < self.bound:
98              self.num_expanded += 1
99              if rem_cons==[]:
100                  self.best_asst = asst
101                  self.bound = newcost
102                  self.display(1,"New best assignment:",asst," cost:",newcost)
103              else:
104                  var = next(var for var in self.csp.variables if var not in
105                            asst)

```

```
100     for val in var.domain:  
101         self.cbscsearch({var:val}|asst, newcost, rem_cons)  
102  
103 # bnb = DF_branch_and_bound_opt(scsp1)  
104 # bnb.max_display_level=3 # show more detail  
105 # bnb.optimize()
```


Chapter 5

Propositions and Inference

5.1 Representing Knowledge Bases

A clause consists of a head (an atom) and a body. A body is represented as a list of atoms. Atoms are represented as strings.

```
logicProblem.py — Representations Logics
11 | class Clause(object):
12 |     """A definite clause"""
13 |
14 |     def __init__(self,head,body=[]):
15 |         """clause with atom head and list of atoms body"""
16 |         self.head=head
17 |         self.body = body
18 |
19 |     def __str__(self):
20 |         """returns the string representation of a clause.
21 |         """
22 |
23 |         if self.body:
24 |             return self.head + " <- " + " & ".join(self.body) + "."
25 |         else:
26 |             return self.head + "."
```

An askable atom can be asked of the user. The user can respond in English or French or just with a “y”.

```
logicProblem.py — (continued)
27 | class Askable(object):
28 |     """An askable atom"""
29 |
30 |     def __init__(self,atom):
31 |         """clause with atom head and list of atoms body"""
```

```

32     self.atom=atom
33
34     def __str__(self):
35         """returns the string representation of a clause."""
36         return "askable " + self.atom + "."
37
38     def yes(ans):
39         """returns true if the answer is yes in some form"""
40         return ans.lower() in ['yes', 'yes.', 'oui', 'oui.', 'y', 'y.']
41             # bilingual

```

A knowledge base is a list of clauses and askables. In order to make top-down inference faster, this creates a dictionary that maps each atoms into the set of clauses with that atom in the head.

logicProblem.py — (continued)

```

42 from display import Displayable
43
44 class KB(Displayable):
45     """A knowledge base consists of a set of clauses.
46     This also creates a dictionary to give fast access to the clauses with
47     an atom in head.
48     """
49     def __init__(self, statements=[]):
50         self.statements = statements
51         self.clauses = [c for c in statements if isinstance(c, Clause)]
52         self.askables = [c.atom for c in statements if isinstance(c,
53             Askable)]
54         self.atom_to_clauses = {} # dictionary giving clauses with atom as
55             head
56         for c in self.clauses:
57             if c.head in self.atom_to_clauses:
58                 self.atom_to_clauses[c.head].add(c)
59             else:
60                 self.atom_to_clauses[c.head] = {c}
61
62     def clauses_for_atom(self,a):
63         """returns set of clauses with atom a as the head"""
64         if a in self.atom_to_clauses:
65             return self.atom_to_clauses[a]
66         else:
67             return set()
68
69     def __str__(self):
70         """returns a string representation of this knowledge base.
71         """
72         return '\n'.join([str(c) for c in self.statements])

```

Here is a trivial example (I think therefore I am) using in the unit tests:

logicProblem.py — (continued)

```

71 | triv_KB = KB([

```

```

72     Clause('i_am', ['i_think']),
73     Clause('i_think'),
74     Clause('i_smell', ['i_exist'])
75 ])

```

Here is a representation of the electrical domain of the textbook:

```

-----logicProblem.py — (continued) -----
77 elect = KB([
78     Clause('light_l1'),
79     Clause('light_l2'),
80     Clause('ok_l1'),
81     Clause('ok_l2'),
82     Clause('ok_cb1'),
83     Clause('ok_cb2'),
84     Clause('live_outside'),
85     Clause('live_l1', ['live_w0']),
86     Clause('live_w0', ['up_s2', 'live_w1']),
87     Clause('live_w0', ['down_s2', 'live_w2']),
88     Clause('live_w1', ['up_s1', 'live_w3']),
89     Clause('live_w2', ['down_s1', 'live_w3']),
90     Clause('live_l2', ['live_w4']),
91     Clause('live_w4', ['up_s3', 'live_w3']),
92     Clause('live_p_1', ['live_w3']),
93     Clause('live_w3', ['live_w5', 'ok_cb1']),
94     Clause('live_p_2', ['live_w6']),
95     Clause('live_w6', ['live_w5', 'ok_cb2']),
96     Clause('live_w5', ['live_outside']),
97     Clause('lit_l1', ['light_l1', 'live_l1', 'ok_l1']),
98     Clause('lit_l2', ['light_l2', 'live_l2', 'ok_l2']),
99     Askable('up_s1'),
100    Askable('down_s1'),
101    Askable('up_s2'),
102    Askable('down_s2'),
103    Askable('up_s3'),
104    Askable('down_s2')
105  ])
106
107 # print(kb)

```

The following knowledge base is false of the intended interpretation. One of the clauses is wrong; can you see which one? We will show how to debug it.

```

-----logicProblem.py — (continued) -----
108 elect_bug = KB([
109     Clause('light_l2'),
110     Clause('ok_l1'),
111     Clause('ok_l2'),
112     Clause('ok_cb1'),
113     Clause('ok_cb2'),
114     Clause('live_outside'),
115     Clause('live_p_2', ['live_w6']),

```

```

116     Clause('live_w6', ['live_w5', 'ok_cb2']),
117     Clause('light_l1'),
118     Clause('live_w5', ['live_outside']),
119     Clause('lit_l1', ['light_l1', 'live_l1', 'ok_l1']),
120     Clause('lit_l2', ['light_l2', 'live_l2', 'ok_l2']),
121     Clause('live_l1', ['live_w0']),
122     Clause('live_w0', ['up_s2', 'live_w1']),
123     Clause('live_w0', ['down_s2', 'live_w2']),
124     Clause('live_w1', ['up_s3', 'live_w3']),
125     Clause('live_w2', ['down_s1', 'live_w3']),
126     Clause('live_l2', ['live_w4']),
127     Clause('live_w4', ['up_s3', 'live_w3']),
128     Clause('live_p_1', ['live_w3']),
129     Clause('live_w3', ['live_w5', 'ok_cb1']),
130     Askable('up_s1'),
131     Askable('down_s1'),
132     Askable('up_s2'),
133     Clause('light_l2'),
134     Clause('ok_l1'),
135     Clause('light_l2'),
136     Clause('ok_l1'),
137     Clause('ok_l2'),
138     Clause('ok_cb1'),
139     Clause('ok_cb2'),
140     Clause('live_outside'),
141     Clause('live_p_2', ['live_w6']),
142     Clause('live_w6', ['live_w5', 'ok_cb2']),
143     Clause('ok_l2'),
144     Clause('ok_cb1'),
145     Clause('ok_cb2'),
146     Clause('live_outside'),
147     Clause('live_p_2', ['live_w6']),
148     Clause('live_w6', ['live_w5', 'ok_cb2']),
149     Askable('down_s2'),
150     Askable('up_s3'),
151     Askable('down_s2')
152 ])
153
154 # print(kb)

```

5.2 Bottom-up Proofs (with askables)

fixed_point computes the fixed point of the knowledge base *kb*.

```

logicBottomUp.py — Bottom-up Proof Procedure for Definite Clauses
_____
11  from logicProblem import yes
12
13 def fixed_point(kb):
14     """Returns the fixed point of knowledge base kb.

```

```

15 """
16 fp = ask_askables(kb)
17 added = True
18 while added:
19     added = False # added is true when an atom was added to fp this
19         iteration
20     for c in kb.clauses:
21         if c.head not in fp and all(b in fp for b in c.body):
22             fp.add(c.head)
23             added = True
24             kb.display(2,c.head,"added to fp due to clause",c)
25     return fp
26
27 def ask_askables(kb):
28     return {at for at in kb.askables if yes(input("Is "+at+" true? "))}
```

The following provides a trivial **unit test**, by default using the knowledge base `triv_KB`:

```

logicBottomUp.py — (continued)
30 from logicProblem import triv_KB
31 def test(kb=triv_KB, fixedpt = {'i_am','i_think'}):
32     fp = fixed_point(kb)
33     assert fp == fixedpt, "kb gave result "+str(fp)
34     print("Passed unit test")
35 if __name__ == "__main__":
36     test()
37
38 from logicProblem import elect
39 # elect.max_display_level=3 # give detailed trace
40 # fixed_point(elect)
```

Exercise 5.1 It is not very user-friendly to ask all of the askables up-front. Implement `ask-the-user` so that questions are only asked if useful, and are not re-asked. For example, if there is a clause $h \leftarrow a \wedge b \wedge c \wedge d \wedge e$, where c and e are askable, c and e only need to be asked if a, b, d are all in fp and they have not been asked before. Askable e only needs to be asked if the user says “yes” to c . Askable c doesn’t need to be asked if the user previously replied “no” to e .

This form of `ask-the-user` can ask a different set of questions than the top-down interpreter that asks questions when encountered. Give an example where they ask different questions (neither set of questions asked is a subset of the other).

Exercise 5.2 This algorithm runs in time $O(n^2)$, where n is the number of clauses, for a bounded number of elements in the body; each iteration goes through each of the clauses, and in the worst case, it will do an iteration for each clause. It is possible to implement this in time $O(n)$ time by creating an index that maps an atom to the set of clauses with that atom in the body. Implement this. What is its complexity as a function of n and b , the maximum number of atoms in the body of a clause?

Exercise 5.3 It is possible to be asymptotically more efficient (in terms of the number of elements in a body) than the method in the previous question by noticing that each element of the body of clause only needs to be checked once. For example, the clause $a \leftarrow b \wedge c \wedge d$, needs only be considered when b is added to fp . Once b is added to fp , if c is already in pf , we know that a can be added as soon as d is added. Implement this. What is its complexity as a function of n and b , the maximum number of atoms in the body of a clause?

5.3 Top-down Proofs (with askables)

`prove(kb, goal)` is used to prove `goal` from a knowledge base, `kb`, where a `goal` is a list of atoms. It returns `True` if $kb \vdash goal$. The `indent` is used when displaying the code (and doesn't need to have a non-default value).

```
----- logicTopDown.py — Top-down Proof Procedure for Definite Clauses -----
11  from logicProblem import yes
12
13 def prove(kb, ans_body, indent=""):
14     """returns True if kb |- ans_body
15     ans_body is a list of atoms to be proved
16     """
17     kb.display(2, indent, 'yes <- ', ' & '.join(ans_body))
18     if ans_body:
19         selected = ans_body[0] # select first atom from ans_body
20         if selected in kb.askables:
21             return (yes(input("Is "+selected+" true? "))
22                     and prove(kb,ans_body[1:],indent+" "))
23         else:
24             return any(prove(kb,cl.body+ans_body[1:],indent+" ")
25                         for cl in kb.clauses_for_atom(selected))
26     else:
27         return True # empty body is true
```

The following provides a simple **unit test** that is hard wired for `triv_KB`:

```
----- logicTopDown.py — (continued) -----
29  from logicProblem import triv_KB
30  def test():
31      a1 = prove(triv_KB,['i_am'])
32      assert a1, "triv_KB proving i_am gave "+str(a1)
33      a2 = prove(triv_KB,['i_smell'])
34      assert not a2, "triv_KB proving i_smell gave "+str(a2)
35      print("Passed unit tests")
36  if __name__ == "__main__":
37      test()
38  # try
39  # from logicProblem import elect
40  # elect.max_display_level=3 # give detailed trace
41  # prove(elect,['live_w6'])
42  # prove(elect,['lit_l1'])
```

Exercise 5.4 This code can re-ask a question multiple times. Implement this code so that it only asks a question once and remembers the answer. Also implement a function to forget the answers.

Exercise 5.5 What search method is this using? Implement the search interface so that it can use A^* or other searching methods. Define an admissible heuristic that is not always 0.

5.4 Debugging and Explanation

Here we modify the top-down procedure to build a proof tree than can be traversed for explanation and debugging.

`prove_atom(kb, atom)` returns a proof for *atom* from a knowledge base *kb*, where a proof is a pair of the atom and the proofs for the elements of the body of the clause used to prove the atom. `prove_body(kb, body)` returns a list of proofs for list *body* from a knowledge base, *kb*. The *indent* is used when displaying the code (and doesn't need to have a non-default value).

```
_____logicExplain.py — Explaining Proof Procedure for Definite Clauses_____
11 | from logicProblem import yes # for asking the user
12 |
13 | def prove_atom(kb, atom, indent=""):
14 |     """returns a pair (atom,proofs) where proofs is the list of proofs
15 |         of the elements of a body of a clause used to prove atom.
16 |     """
17 |     kb.display(2,indent,'proving',atom)
18 |     if atom in kb.askables:
19 |         if yes(input("Is "+atom+" true? ")):
20 |             return (atom,"answered")
21 |         else:
22 |             return "fail"
23 |     else:
24 |         for cl in kb.clauses_for_atom(atom):
25 |             kb.display(2,indent,"trying",atom,'<-',' & '.join(cl.body))
26 |             pr_body = prove_body(kb, cl.body, indent)
27 |             if pr_body != "fail":
28 |                 return (atom, pr_body)
29 |     return "fail"
30 |
31 | def prove_body(kb, ans_body, indent=""):
32 |     """returns proof tree if kb |- ans_body or "fail" if there is no proof
33 |     ans_body is a list of atoms in a body to be proved
34 |     """
35 |     proofs = []
36 |     for atom in ans_body:
37 |         proof_at = prove_atom(kb, atom, indent+" ")
38 |         if proof_at == "fail":
39 |             return "fail" # fail if any proof fails
40 |         else:
```

```

41     proofs.append(proof_at)
42
43     return proofs

```

The following provides a simple **unit test** that is hard wired for triv_KB:

```

----- logicExplain.py — (continued) -----
44 from logicProblem import triv_KB
45 def test():
46     a1 = prove_atom(triv_KB, 'i_am')
47     assert a1, "triv_KB proving i_am gave "+str(a1)
48     a2 = prove_atom(triv_KB, 'i_smell')
49     assert a2=="fail", "triv_KB proving i_smell gave "+str(a2)
50     print("Passed unit tests")
51 if __name__ == "__main__":
52     test()
53 # try
54 from logicProblem import elect, elect_bug
55 # elect.max_display_level=3 # give detailed trace
56 # prove_atom(elect, 'live_w6')
57 # prove_atom(elect, 'lit_l1')

```

The `interact(kb)` provides an interactive interface to explore proofs for knowledge base kb. The user can ask to prove atoms and can ask how an atom was proved.

To ask how, there must be a current atom for which there is a proof. This starts as the atom asked. When the user asks “how n” the current atom becomes the n-th element of the body of the clause used to prove the (previous) current atom. The command “up” makes the current atom the atom in the head of the rule containing the (previous) current atom. Thus “how n” moves down the proof tree and “up” moves up the proof tree, allowing the user to explore the full proof.

```

----- logicExplain.py — (continued) -----
59 helpText = """Commands are:
60 ask atom    ask is there is a proof for atom (atom should not be in quotes)
61 how          show the clause that was used to prove atom
62 how n        show the clause used to prove the nth element of the body
63 up           go back up proof tree to explore other parts of the proof tree
64 kb           print the knowledge base
65 quit         quit this interaction (and go back to Python)
66 help         print this text
67 """
68
69 def interact(kb):
70     going = True
71     ups = [] # stack for going up
72     proof="fail" # there is no proof to start
73     while going:
74         inp = input("logicExplain: ")
75         inps = inp.split(" ")

```

```

76     try:
77         command = inps[0]
78     if command == "quit":
79         going = False
80     elif command == "ask":
81         proof = prove_atom(kb, inps[1])
82         if proof == "fail":
83             print("fail")
84         else:
85             print("yes")
86     elif command == "how":
87         if proof=="fail":
88             print("there is no proof")
89         elif len(inps)==1:
90             print_rule(proof)
91         else:
92             try:
93                 ups.append(proof)
94                 proof = proof[1][int(inps[1])] #nth argument of rule
95                 print_rule(proof)
96             except:
97                 print('In "how n", n must be a number between 0
98                     and',len(proof[1])-1,"inclusive.")
98     elif command == "up":
99         if ups:
100             proof = ups.pop()
101         else:
102             print("No rule to go up to.")
103             print_rule(proof)
104     elif command == "kb":
105         print(kb)
106     elif command == "help":
107         print(helptext)
108     else:
109         print("unknown command:", inp)
110         print("use help for help")
111     except:
112         print("unknown command:", inp)
113         print("use help for help")
114
115 def print_rule(proof):
116     (head,body) = proof
117     if body == "answered":
118         print(head,"was answered yes")
119     elif body == []:
120         print(head,"is a fact")
121     else:
122         print(head,"<-")
123         for i,a in enumerate(body):
124             print(i,":",a[0])

```

```

125
126 # try
127 # interact(elect)
128 # Which clause is wrong in elect_bug? Try:
129 # interact(elect_bug)
130 # logicExplain: ask lit_l1

```

The following shows an interaction for the knowledge base elect:

```

>>> interact(elect)
logicExplain: ask lit_l1
Is up_s2 true? no
Is down_s2 true? yes
Is down_s1 true? yes
yes
logicExplain: how
lit_l1 <-
0 : light_l1
1 : live_l1
2 : ok_l1
logicExplain: how 1
live_l1 <-
0 : live_w0
logicExplain: how 0
live_w0 <-
0 : down_s2
1 : live_w2
logicExplain: how 0
down_s2 was answered yes
logicExplain: up
live_w0 <-
0 : down_s2
1 : live_w2
logicExplain: how 1
live_w2 <-
0 : down_s1
1 : live_w3
logicExplain: quit
>>>

```

Exercise 5.6 The above code only ever explores one proof – the first proof found. Change the code to enumerate the proof trees (by returning a list all proof trees, or preferably using yield). Add the command "retry" to the user interface to try another proof.

5.5 Assumables

Atom a can be made assumable by including $\text{Assumable}(a)$ in the knowledge base. A knowledge base that can include assumables is declared with KBA .

logicAssumables.py — Definite clauses with assumables

```

11 from logicProblem import Clause, Askable, KB, yes
12
13 class Assumable(object):
14     """An askable atom"""
15
16     def __init__(self, atom):
17         """clause with atom head and list of atoms body"""
18         self.atom = atom
19
20     def __str__(self):
21         """returns the string representation of a clause.
22         """
23         return "assumable " + self.atom + "."
24
25 class KBA(KB):
26     """A knowledge base that can include assumables"""
27     def __init__(self, statements):
28         self.assumables = [c.atom for c in statements if isinstance(c,
29                         Assumable)]
            KB.__init__(self, statements)

```

The top-down Horn clause interpreter, prove_all_ass returns a list of the sets of assumables that imply ans_body . This list will contain all of the minimal sets of assumables, but can also find non-minimal sets, and repeated sets, if they can be generated with separate proofs. The set assumed is the set of assumables already assumed.

logicAssumables.py — (continued)

```

31 def prove_all_ass(self, ans_body, assumed=set()):
32     """returns a list of sets of assumables that extends assumed
33     to imply ans_body from self.
34     ans_body is a list of atoms (it is the body of the answer clause).
35     assumed is a set of assumables already assumed
36     """
37     if ans_body:
38         selected = ans_body[0] # select first atom from ans_body
39         if selected in self.askables:
40             if yes(input("Is "+selected+" true? ")):
41                 return self.prove_all_ass(ans_body[1:], assumed)
42             else:
43                 return [] # no answers
44         elif selected in self.assumables:
45             return self.prove_all_ass(ans_body[1:], assumed|{selected})
46         else:
47             return [ass

```

```

48         for cl in self.clauses_for_atom(selected)
49         for ass in
50             self.prove_all_ass(cl.body+ans_body[1:],assumed)
51             ] # union of answers for each clause with
52             head=selected
53     else: # empty body
54     return [assumed] # one answer
55
56 def conflicts(self):
57     """returns a list of minimal conflicts"""
58     return minsets(self.prove_all_ass(['false']))

```

Given a list of sets, *minsets* returns a list of the minimal sets in the list. For example, *minsets*([$\{2,3,4\}$, $\{2,3\}$, $\{6,2,3\}$, $\{2,3\}$, $\{2,4,5\}$]) returns [$\{2,3\}$, $\{2,4,5\}$].

logicAssumables.py — (continued)

```

58 def minsets(ls):
59     """ls is a list of sets
60     returns a list of minimal sets in ls
61     """
62     ans = [] # elements known to be minimal
63     for c in ls:
64         if not any(c1 < c for c1 in ls) and not any(c1 <= c for c1 in ans):
65             ans.append(c)
66     return ans
67
68 # minsets([ $\{2, 3, 4\}$ ,  $\{2, 3\}$ ,  $\{6, 2, 3\}$ ,  $\{2, 3\}$ ,  $\{2, 4, 5\}$ ])

```

Warning: *minsets* works for a list of sets or for a set of (frozen) sets, but it does not work for a generator of sets. For example, try to predict and then test:

```
minsets(e for e in [ $\{2, 3, 4\}$ ,  $\{2, 3\}$ ,  $\{6, 2, 3\}$ ,  $\{2, 3\}$ ,  $\{2, 4, 5\}$ ])
```

The diagnoses can be constructed from the (minimal) conflicts as follows. This also works if there are non-minimal conflicts, but is not as efficient.

logicAssumables.py — (continued)

```

69 def diagnoses(cons):
70     """cons is a list of (minimal) conflicts.
71     returns a list of diagnoses."""
72     if cons == []:
73         return [set()]
74     else:
75         return minsets([(e)|d] # | is set union
76                         for e in cons[0]
77                         for d in diagnoses(cons[1:]))

```

Test cases:

logicAssumables.py — (continued)

```

80 electa = KBA([
81     Clause('light_l1'),

```

```

82     Clause('light_l2'),
83     Assumable('ok_l1'),
84     Assumable('ok_l2'),
85     Assumable('ok_s1'),
86     Assumable('ok_s2'),
87     Assumable('ok_s3'),
88     Assumable('ok_cb1'),
89     Assumable('ok_cb2'),
90     Assumable('live_outside'),
91     Clause('live_l1', ['live_w0']),
92     Clause('live_w0', ['up_s2', 'ok_s2', 'live_w1']),
93     Clause('live_w0', ['down_s2', 'ok_s2', 'live_w2']),
94     Clause('live_w1', ['up_s1', 'ok_s1', 'live_w3']),
95     Clause('live_w2', ['down_s1', 'ok_s1', 'live_w3']),
96     Clause('live_l2', ['live_w4']),
97     Clause('live_w4', ['up_s3', 'ok_s3', 'live_w3']),
98     Clause('live_p_1', ['live_w3']),
99     Clause('live_w3', ['live_w5', 'ok_cb1']),
100    Clause('live_p_2', ['live_w6']),
101    Clause('live_w6', ['live_w5', 'ok_cb2']),
102    Clause('live_w5', ['live_outside']),
103    Clause('lit_l1', ['light_l1', 'live_l1', 'ok_l1']),
104    Clause('lit_l2', ['light_l2', 'live_l2', 'ok_l2']),
105    Askable('up_s1'),
106    Askable('down_s1'),
107    Askable('up_s2'),
108    Askable('down_s2'),
109    Askable('up_s3'),
110    Askable('down_s2'),
111    Askable('dark_l1'),
112    Askable('dark_l2'),
113    Clause('false', ['dark_l1', 'lit_l1']),
114    Clause('false', ['dark_l2', 'lit_l2'])
115  ])
116 # electa.prove_all_ass(['false'])
117 # cs=electa.conflicts()
118 # print(cs)
119 # diagnoses(cs)      # diagnoses from conflicts

```

Exercise 5.7 To implement a version of *conflicts* that never generates non-minimal conflicts, modify *prove_all_ass* to implement iterative deepening on the number of assumables used in a proof, and prune any set of assumables that is a superset of a conflict.

Exercise 5.8 Implement *explanations(self, body)*, where *body* is a list of atoms, that returns the a list of the minimal explanations of the body. This does not require modification of *prove_all_ass*.

Exercise 5.9 Implement *explanations*, as in the previous question, so that it never generates non-minimal explanations. Hint: modify *prove_all_ass* to implement iter-

ative deepening on the number of assumptions, generating conflicts and explanations together, and pruning as early as possible.

Chapter 6

Deterministic Planning

6.1 Representing Actions and Planning Problems

The STRIPS representation of an action consists of:

- the name of the action
- preconditions: a dictionary of *feature:value* pairs that specifies that the feature must have this value for the action to be possible
- effects: a dictionary of *feature:value* pairs that are made true by this action. In particular, a feature in the dictionary has the corresponding value (and not its previous value) after the action, and a feature not in the dictionary keeps its old value.

```
stripsProblem.py — STRIPS Representations of Actions
11 class Strips(object):
12     def __init__(self, name, preconds, effects, cost=1):
13         """
14             defines the STRIPS representation for an action:
15             * name is the name of the action
16             * preconds, the preconditions, is feature:value dictionary that
17                 must hold
18             for the action to be carried out
19             * effects is a feature:value map that this action makes
20                 true. The action changes the value of any feature specified
21                 here, and leaves other features unchanged.
22             * cost is the cost of the action
23         """
```

```

23     self.name = name
24     self.preconds = preconds
25     self.effects = effects
26     self.cost = cost
27
28     def __repr__(self):
29         return self.name

```

A STRIPS domain consists of:

- A set of actions.
- A dictionary that maps each feature into a set of possible values for the feature.
- A list of the actions

stripsProblem.py — (continued)

```

31 | class STRIPS_domain(object):
32 |     def __init__(self, feature_domain_dict, actions):
33 |         """Problem domain
34 |             feature_domain_dict is a feature:domain dictionary,
35 |                 mapping each feature to its domain
36 |             actions
37 |         """
38 |
39 |         self.feature_domain_dict = feature_domain_dict
        self.actions = actions

```

A planning problem consists of a planning domain, an initial state, and a goal. The goal does not need to fully specify the final state.

stripsProblem.py — (continued)


```

41 | class Planning_problem(object):
42 |     def __init__(self, prob_domain, initial_state, goal):
43 |         """
44 |             a planning problem consists of
45 |             * a planning domain
46 |             * the initial state
47 |             * a goal
48 |         """
49 |
50 |         self.prob_domain = prob_domain
51 |         self.initial_state = initial_state
        self.goal = goal

```

6.1.1 Robot Delivery Domain

The following specifies the robot delivery domain of Section 6.1, shown in Figure 6.1.



Features to describe states	Actions
<i>RLoc</i> – Rob's location	<i>mc</i> – move clockwise
<i>RHC</i> – Rob has coffee	<i>mcc</i> – move counterclockwise
<i>SWC</i> – Sam wants coffee	<i>puc</i> – pickup coffee
<i>MW</i> – Mail is waiting	<i>dc</i> – deliver coffee
<i>RHM</i> – Rob has mail	<i>pum</i> – pickup mail
	<i>dm</i> – deliver mail

Figure 6.1: Robot Delivery Domain

```

stripsProblem.py — (continued)

53 boolean = {True, False}
54 delivery_domain = STRIPS_domain(
55     {'RLoc': {'cs', 'off', 'lab', 'mr'}, 'RHC': boolean, 'SWC': boolean,
56      'MW': boolean, 'RHM': boolean},           #feature:values dictionary
57     { Strips('mc_cs', {'RLoc':'cs'}, {'RLoc':'off'}),
58       Strips('mc_off', {'RLoc':'off'}, {'RLoc':'lab'}),
59       Strips('mc_lab', {'RLoc':'lab'}, {'RLoc':'mr'}),
60       Strips('mc_mr', {'RLoc':'mr'}, {'RLoc':'cs'}),
61       Strips('mcc_cs', {'RLoc':'cs'}, {'RLoc':'mr'}),
62       Strips('mcc_off', {'RLoc':'off'}, {'RLoc':'cs'}),
63       Strips('mcc_lab', {'RLoc':'lab'}, {'RLoc':'off'}),
64       Strips('mcc_mr', {'RLoc':'mr'}, {'RLoc':'lab'}),
65       Strips('puc', {'RLoc':'cs', 'RHC':False}, {'RHC':True}),
66       Strips('dc', {'RLoc':'off', 'RHC':True}, {'RHC':False, 'SWC':False}),
67       Strips('pum', {'RLoc':'mr', 'MW':True}, {'RHM':True, 'MW':False}),
68       Strips('dm', {'RLoc':'off', 'RHM':True}, {'RHM':False})
69   } )
  
```




Figure 6.2: Blocks world with two actions

```

71 problem0 = Planning_problem(delivery_domain,
72                             {'RLoc':'lab', 'MW':True, 'SWC':True, 'RHC':False,
73                              'RHM':False},
74                             {'RLoc':'off'})
75 problem1 = Planning_problem(delivery_domain,
76                             {'RLoc':'lab', 'MW':True, 'SWC':True, 'RHC':False,
77                              'RHM':False},
78                             {'SWC':False})
79 problem2 = Planning_problem(delivery_domain,
80                             {'RLoc':'lab', 'MW':True, 'SWC':True, 'RHC':False,
81                              'RHM':False},
82                             {'SWC':False, 'MW':False, 'RHM':False})

```

6.1.2 Blocks World

The blocks world consist of blocks and a table. Each block can be on the table or on another block. A block can only have one other block on top of it. Figure 6.2 shows 3 states with some of the actions between them.

A state is defined by the two features:

- *on* where $on(x) = y$ when block x is on block or table y
- *clear* where $clear(x) = True$ when block x has nothing on it.

There is one parameterized action

- $move(x,y,z)$ move block x from y to z , where y and z could be a block or the table.

To handle parameterized actions (which depend on the blocks involved), the actions and the features are all strings, created for the all combinations of the blocks. Note that we treat moving to a block separately from moving to the table, because the blocks needs to be clear, but the table always has room for another block.

```
stripsProblem.py — (continued)
```

```

84  """
85  def move(x,y,z):
86      """string for the 'move' action"""
87      return 'move_+' + x + '_from_' + y + '_to_' + z
88  def on(x):
89      """string for the 'on' feature"""
90      return x + '_is_on'
91  def clear(x):
92      """string for the 'clear' feature"""
93      return 'clear_+' + x
94  def create_blocks_world(blocks = {'a','b','c','d'}):
95      blocks_and_table = blocks | {'table'}
96      stmap = {Strips(move(x,y,z),{on(x):y, clear(x):True, clear(z):True},
97                      {on(x):z, clear(y):True, clear(z):False})
98          for x in blocks
99          for y in blocks_and_table
100         for z in blocks
101         if x!=y and y!=z and z!=x}
102     stmap.update({Strips(move(x,y,'table'), {on(x):y, clear(x):True},
103                      {on(x):'table', clear(y):True})
104          for x in blocks
105          for y in blocks
106          if x!=y})
107     feature_domain_dict = {on(x):blocks_and_table-{x} for x in blocks}
108     feature_domain_dict.update({clear(x):boolean for x in blocks_and_table})
109     return STRIPS_domain(feature_domain_dict, stmap)

```

The problem *blocks1* is a classic example, with 3 blocks, and the goal consists of two conditions. See Figure 6.3. Note that this example is challenging because we can't achieve one of the goals and then the other; whichever one we achieve first has to be undone to achieve the second.

```
stripsProblem.py — (continued)
```

```

111 blocks1dom = create_blocks_world({'a','b','c'})
112 blocks1 = Planning_problem(blocks1dom,
113     {on('a'):'table', clear('a'):True,
114      on('b'):'c', clear('b'):True,
115      on('c'):'table', clear('c'):False}, # initial state
116     {on('a'):'b', on('c'):'a'}) #goal

```

The problem *blocks2* is one to invert a tower of size 4.

```
stripsProblem.py — (continued)
```

```

118 blocks2dom = create_blocks_world({'a','b','c','d'})

```




Figure 6.3: Blocks problem blocks1

```

119 tower4 = {clear('a'):True, on('a'):'b',
120     clear('b'):False, on('b'):'c',
121     clear('c'):False, on('c'):'d',
122     clear('d'):False, on('d'):'table'}
123 blocks2 = Planning_problem(blocks2dom,
124     tower4, # initial state
125     {on('d'):'c',on('c'):'b',on('b'):'a'}) #goal

```

The problem *blocks3* is to move the bottom block to the top of a tower of size 4.

```

----- stripsProblem.py — (continued) -----
127 blocks3 = Planning_problem(blocks2dom,
128     tower4, # initial state
129     {on('d'):'a', on('a'):'b', on('b'):'c'}) #goal

```

Exercise 6.1 Represent the problem of given a tower of 4 blocks (*a* on *b* on *c* on *d* on table), the goal is to have a tower with the previous top block on the bottom (*b* on *c* on *d* on *a*). Do not include the table in your goal (the goal does not care whether *a* is on the table). [Before you run the program, estimate how many steps it will take to solve this.] How many steps does an optimal planner take?

Exercise 6.2 Represent the domain so that *on*(*x*, *y*) is a Boolean feature that is True when *x* is on *y*. Does the representation of the state need to not include negative *on* facts? Why or why not? (Note that this may depend on the planner; write your answer with respect to particular planners.)

Exercise 6.3 It is possible to write the representation of the problem without using *clear*, where *clear*(*x*) means nothing is on *x*. Change the definition of the blocks world so that it does not use *clear* but uses *on* being false instead. Does this work better for any of the planners?

6.2 Forward Planning

To run the demo, in folder "aipython", load "stripsForwardPlanner.py", and copy and paste the commented-out example queries at the bottom of that file.

In a forward planner, a node is a state. A state consists of an assignment, which is a variable:value dictionary. In order to be able to do multiple-path pruning, we need to define a hash function, and equality between states.

```
stripsForwardPlanner.py — Forward Planner with STRIPS actions ——————
11 from searchProblem import Arc, Search_problem
12 from stripsProblem import Strips, STRIPS_domain
13
14 class State(object):
15     def __init__(self, assignment):
16         self.assignment = assignment
17         self.hash_value = None
18     def __hash__(self):
19         if self.hash_value is None:
20             self.hash_value = hash(frozenset(self.assignment.items()))
21         return self.hash_value
22     def __eq__(self, st):
23         return self.assignment == st.assignment
24     def __str__(self):
25         return str(self.assignment)
```

In order to define a search problem (page 33), we need to define the goal condition, the start nodes, the neighbours, and (optionally) a heuristic function. Here `zero` is the default heuristic function.

```
stripsForwardPlanner.py — (continued) ——————
27 def zero(*args, **nargs):
28     """always returns 0"""
29     return 0
30
31 class Forward_STRIPS(Search_problem):
32     """A search problem from a planning problem where:
33     * a node is a state object.
34     * the dynamics are specified by the STRIPS representation of actions
35     """
36     def __init__(self, planning_problem, heur=zero):
37         """creates a forward search space from a planning problem.
38         heur(state,goal) is a heuristic function,
39             an underestimate of the cost from state to goal, where
40             both state and goals are feature:value dictionaries.
41         """
42         self.prob_domain = planning_problem.prob_domain
43         self.initial_state = State(planning_problem.initial_state)
44         self.goal = planning_problem.goal
45         self.heur = heur
46
47     def is_goal(self, state):
48         """is True if node is a goal.
49
50         Every goal feature has the same value in the state and the goal."""
51         return all(state.assignment[prop]==self.goal[prop]
```

```

52         for prop in self.goal)
53
54     def start_node(self):
55         """returns start node"""
56         return self.initial_state
57
58     def neighbors(self,state):
59         """returns neighbors of state in this problem"""
60         return [ Arc(state, self.effect(act,state.assignment), act.cost,
61             act)
62             for act in self.prob_domain.actions
63             if self.possible(act,state.assignment)]
```

64 def possible(self,act,state_asst):
65 """True if act is possible in state.
66 act is possible if all of its preconditions have the same value in
67 the state"""
68 return all(state_asst[pre] == act.preconds[pre]
69 for pre in act.preconds)

70 def effect(self,act,state_asst):
71 """returns the state that is the effect of doing act given
72 state_asst
73 Python 3.9: return state_asst | act.effects"""
74 new_state_asst = state_asst.copy()
75 new_state_asst.update(act.effects)
76 return State(new_state_asst)

77 def heuristic(self,state):
78 """in the forward planner a node is a state.
79 the heuristic is an (under)estimate of the cost
80 of going from the state to the top-level goal.
81 """
82 return self.heur(state.assignment, self.goal)

Here are some test cases to try.

	stripsForwardPlanner.py — (continued)
--	---------------------------------------

```

84     from searchBranchAndBound import DF_branch_and_bound
85     from searchMPP import SearcherMPP
86     from stripsProblem import problem0, problem1, problem2, blocks1, blocks2,
87         blocks3
88
89     # SearcherMPP(Forward_STRIPS(problem1)).search() #A* with MPP
90     # DF_branch_and_bound(Forward_STRIPS(problem1),10).search() #B&B
91     # To find more than one plan:
92     # s1 = SearcherMPP(Forward_STRIPS(problem1)) #A*
93     # s1.search() #find another plan
```

6.2.1 Defining Heuristics for a Planner

Each planning domain requires its own heuristics. If you change the actions, you will need to reconsider the heuristic function, as there might then be a lower-cost path, which might make the heuristic non-admissible.

Here is an example of defining a (not very good) heuristic for the coffee delivery planning domain.

First we define the distance between two locations, which is used for the heuristics.

```
stripsHeuristic.py — Planner with Heuristic Function
11 def dist(loc1, loc2):
12     """returns the distance from location loc1 to loc2
13     """
14     if loc1==loc2:
15         return 0
16     if {loc1,loc2} in [{('cs','lab'), ('mr','off')}]:
17         return 2
18     else:
19         return 1
```

Note that the current state is a complete description; there is a value for every feature. However the goal need not be complete; it does not need to define a value for every feature. Before checking the value for a feature in the goal, a heuristic needs to define whether the feature is defined in the goal.

```
stripsHeuristic.py — (continued)
21 def h1(state,goal):
22     """ the distance to the goal location, if there is one"""
23     if 'RLoc' in goal:
24         return dist(state['RLoc'], goal['RLoc'])
25     else:
26         return 0
27
28 def h2(state,goal):
29     """ the distance to the coffee shop plus getting coffee and delivering
30         it
31     if the robot needs to get coffee
32     """
33     if ('SWC' in goal and goal['SWC']==False
34         and state['SWC']==True
35         and state['RHC']==False):
36         return dist(state['RLoc'], 'cs')+3
37     else:
38         return 0
```

The maximum of the values of a set of admissible heuristics is also an admissible heuristic. The function `maxh` takes a number of heuristic functions as arguments, and returns a new heuristic function that takes the maximum of the values of the heuristics. For example, `h1` and `h2` are heuristic functions and so `maxh(h1, h2)` is also. `maxh` can take an arbitrary number of arguments.

stripsHeuristic.py — (continued)

```

39 def maxh(*heuristics):
40     """Returns a new heuristic function that is the maximum of the
        functions in heuristics.
41     heuristics is the list of arguments which must be heuristic functions.
42     """
43     # return lambda state,goal: max(h(state,goal) for h in heuristics)
44     def newh(state,goal):
45         return max(h(state,goal) for h in heuristics)
46     return newh

```

The following runs the example with and without the heuristic.

stripsHeuristic.py — (continued)

```

48 ##### Forward Planner #####
49 from searchMPP import SearcherMPP
50 from stripsForwardPlanner import Forward_STRIPS
51 from stripsProblem import problem0, problem1, problem2, blocks1, blocks2,
    blocks3
52
53 def test_forward_heuristic(thisproblem=problem1):
54     print("\n***** FORWARD NO HEURISTIC")
55     print(SearcherMPP(Forward_STRIPS(thisproblem)).search())
56
57     print("\n***** FORWARD WITH HEURISTIC h1")
58     print(SearcherMPP(Forward_STRIPS(thisproblem,h1)).search())
59
60     print("\n***** FORWARD WITH HEURISTIC h2")
61     print(SearcherMPP(Forward_STRIPS(thisproblem,h2)).search())
62
63     print("\n***** FORWARD WITH HEURISTICS h1 and h2")
64     print(SearcherMPP(Forward_STRIPS(thisproblem,maxh(h1,h2))).search())
65
66 if __name__ == "__main__":
67     test_forward_heuristic()

```

Exercise 6.4 Try the forward planner with a heuristic function of just h_1 , with just h_2 and with both. Explain how each one prunes or doesn't prune the search space.

Exercise 6.5 Create a better heuristic than $\max(h_1, h_2)$. Try it for a number of different problems. In particular, try and include the following costs:

- i) h_3 is like h_2 but also takes into account the case when $Rloc$ is in goal.
- ii) h_4 uses the distance to the mail room plus getting mail and delivering it if the robot needs to get need to deliver mail.
- iii) h_5 is for getting mail when goal is for the robot to have mail, and then getting to the goal destination (if there is one).

Exercise 6.6 Create an admissible heuristic for the blocks world.

6.3 Regression Planning

To run the demo, in folder "aipython", load "stripsRegressionPlanner.py", and copy and paste the commented-out example queries at the bottom of that file.

In a regression planner a node is a subgoal that need to be achieved.

A *Subgoal* object consists of an assignment, which is *variable:value* dictionary. We make it hashable so that multiple path pruning can work. The hash is only computed when necessary (and only once).

stripsRegressionPlanner.py — Regression Planner with STRIPS actions

```

11 from searchProblem import Arc, Search_problem
12
13 class Subgoal(object):
14     def __init__(self, assignment):
15         self.assignment = assignment
16         self.hash_value = None
17     def __hash__(self):
18         if self.hash_value is None:
19             self.hash_value = hash(frozenset(self.assignment.items()))
20         return self.hash_value
21     def __eq__(self, st):
22         return self.assignment == st.assignment
23     def __str__(self):
24         return str(self.assignment)

```

A regression search has subgoals as nodes. The initial node is the top-level goal of the planner. The goal for the search (when the search can stop) is a subgoal that holds in the initial state.

stripsRegressionPlanner.py — (continued)

```

26 from stripsForwardPlanner import zero
27
28 class Regression_STRIPS(Search_problem):
29     """A search problem where:
30     * a node is a goal to be achieved, represented by a set of propositions.
31     * the dynamics are specified by the STRIPS representation of actions
32     """
33
34     def __init__(self, planning_problem, heur=zero):
35         """creates a regression search space from a planning problem.
36         heur(state,goal) is a heuristic function;
37         an underestimate of the cost from state to goal, where
38         both state and goals are feature:value dictionaries
39         """
40         self.prob_domain = planning_problem.prob_domain
41         self.top_goal = Subgoal(planning_problem.goal)
42         self.initial_state = planning_problem.initial_state
43         self.heur = heur

```

```

44
45     def is_goal(self, subgoal):
46         """if subgoal is true in the initial state, a path has been found"""
47         goal_asst = subgoal.assignment
48         return all(self.initial_state[g]==goal_asst[g]
49                    for g in goal_asst)
50
51     def start_node(self):
52         """the start node is the top-level goal"""
53         return self.top_goal
54
55     def neighbors(self,subgoal):
56         """returns a list of the arcs for the neighbors of subgoal in this
57             problem"""
58         goal_asst = subgoal.assignment
59         return [ Arc(subgoal, self.weakest_precond(act,goal_asst),
60                     act.cost, act)
61                  for act in self.prob_domain.actions
62                  if self.possible(act,goal_asst)]
63
64     def possible(self,act,goal_asst):
65         """True if act is possible to achieve goal_asst.
66
67             the action achieves an element of the effects and
68             the action doesn't delete something that needs to be achieved and
69             the preconditions are consistent with other subgoals that need to
70             be achieved
71             """
72
73         return ( any(goal_asst[prop] == act.effects[prop]
74                      for prop in act.effects if prop in goal_asst)
75                     and all(goal_asst[prop] == act.effects[prop]
76                            for prop in act.effects if prop in goal_asst)
77                     and all(goal_asst[prop]== act.preconds[prop]
78                            for prop in act.preconds if prop not in act.effects
79                            and prop in goal_asst)
80                 )
81
82     def weakest_precond(self,act,goal_asst):
83         """returns the subgoal that must be true so goal_asst holds after
84             act
85             should be: act.preconds | (goal_asst - act.effects)
86             """
87
88         new_asst = act.preconds.copy()
89         for g in goal_asst:
90             if g not in act.effects:
91                 new_asst[g] = goal_asst[g]
92         return Subgoal(new_asst)
93
94     def heuristic(self,subgoal):
95         """in the regression planner a node is a subgoal.

```

```

89     the heuristic is an (under)estimate of the cost of going from the
90         initial state to subgoal.
91         """
92     return self.heur(self.initial_state, subgoal.assignment)

```

stripsRegressionPlanner.py — (continued)

```

93 from searchBranchAndBound import DF_branch_and_bound
94 from searchMPP import SearcherMPP
95 from stripsProblem import problem0, problem1, problem2, blocks1, blocks2,
96     blocks3
97 # SearcherMPP(Regression_STRIPS(problem1)).search() #A* with MPP
98 # DF_branch_and_bound(Regression_STRIPS(problem1),10).search() #B&B

```

Exercise 6.7 Multiple path pruning could be used to prune more than the current code. In particular, if the current node contains more conditions than a previously visited node, it can be pruned. For example, if $\{a : True, b : False\}$ has been visited, then any node that is a superset, e.g., $\{a : True, b : False, d : True\}$, need not be expanded. If the simpler subgoal does not lead to a solution, the more complicated one wont either. Implement this more severe pruning. (Hint: This may require modifications to the searcher.)

Exercise 6.8 It is possible that, as knowledge of the domain, that some assignment of values to variables can never be achieved. For example, the robot cannot be holding mail when there is mail waiting (assuming it isn't holding mail initially). An assignment of values to (some of the) variables is incompatible if no possible (reachable) state can include that assignment. For example, $\{'MW' : True, 'RHM' : True\}$ is an incompatible assignment. This information may be useful information for a planner; there is no point in trying to achieve these together. Define a subclass of *STRIPS_domain* that can accept a list of incompatible assignments. Modify the regression planner code to use such a list of incompatible assignments. Give an example where the search space is smaller.

Exercise 6.9 After completing the previous exercise, design incompatible assignments for the blocks world. (This should result in dramatic search improvements.)

6.3.1 Defining Heuristics for a Regression Planner

The regression planner can use the same heuristic function as the forward planner. However, just because a heuristic is useful for a forward planner does not mean it is useful for a regression planner, and vice versa. You should experiment with whether the same heuristic works well for both a regression planner and a forward planner.

The following runs the same example as the forward planner with and without the heuristic defined for the forward planner:

stripsHeuristic.py — (continued)

```

69 ##### Regression Planner
70 from stripsRegressionPlanner import Regression_STRIPS

```

```

71
72 def test_regression_heuristic(thisproblem=problem1):
73     print("\n***** REGRESSION NO HEURISTIC")
74     print(SearcherMPP(Regression_STRIPS(thisproblem)).search())
75
76     print("\n***** REGRESSION WITH HEURISTICs h1 and h2")
77     print(SearcherMPP(Regression_STRIPS(thisproblem,maxh(h1,h2))).search())
78
79 if __name__ == "__main__":
80     test_regression_heuristic()

```

Exercise 6.10 Try the regression planner with a heuristic function of just h_1 and with just h_2 (defined in Section 6.2.1). Explain how each one prunes or doesn't prune the search space.

Exercise 6.11 Create a better heuristic than *heuristic_fun* defined in Section 6.2.1.

6.4 Planning as a CSP

To run the demo, in folder "aipython", load "stripsCSPPlanner.py", and copy and paste the commented-out example queries at the bottom of that file. This assumes Python 3.

Here we implement the CSP planner assuming there is a single action at each step. This creates a CSP that can use any of the CSP algorithms to solve (e.g., stochastic local search or arc consistency with domain splitting).

This assumes the same action representation as before; we do not consider factored actions (action features), nor do we implement state constraints.

stripsCSPPlanner.py — CSP planner where actions are represented using STRIPS —————

```

11 from cspProblem import Variable, CSP, Constraint
12
13 class CSP_from_STRIPS(CSP):
14     """A CSP where:
15         * CSP variables are constructed for each feature and time, and each
16             action and time
17         * the dynamics are specified by the STRIPS representation of actions
18     """
19
20     def __init__(self, planning_problem, number_stages=2):
21         prob_domain = planning_problem.prob_domain
22         initial_state = planning_problem.initial_state
23         goal = planning_problem.goal
24         # self.action_vars[t] is the action variable for time t
25         self.action_vars = [Variable(f"Action{t}", prob_domain.actions)
26                            for t in range(number_stages)]
27         # feat_time_var[f][t] is the variable for feature f at time t
28         feat_time_var = {feat: [Variable(f"{feat}_{t}", dom)
29                            for t in range(number_stages+1)]}

```

```

29         for (feat,dom) in
30             prob_domain.feature_domain_dict.items()
31
31     # initial state constraints:
32     constraints = [Constraint((feat_time_var[feat][0],), is_(val))
33                     for (feat,val) in initial_state.items()]
34
35     # goal constraints on the final state:
36     constraints += [Constraint((feat_time_var[feat][number_stages],),
37                                 is_(val))
38                     for (feat,val) in goal.items()]
39
40     # precondition constraints:
41     constraints += [Constraint((feat_time_var[feat][t],
42                                 self.action_vars[t]),
43                                 if_(val,act)) # feat@t==val if action@t==act
44                                 for act in prob_domain.actions
45                                 for (feat,val) in act.preconds.items()
46                                 for t in range(number_stages)]
47
47     # effect constraints:
48     constraints += [Constraint((feat_time_var[feat][t+1],
49                                 self.action_vars[t]),
50                                 if_(val,act)) # feat@t+1==val if
51                                 action@t==act
52                                 for act in prob_domain.actions
53                                 for feat,val in act.effects.items()
54                                 for t in range(number_stages)]
55
55     # frame constraints:
56
56     constraints += [Constraint((feat_time_var[feat][t],
57                                 self.action_vars[t], feat_time_var[feat][t+1]),
58                                 eq_if_not_in_({act for act in
59                                 prob_domain.actions
60                                 if feat in act.effects}))
61                                 for feat in prob_domain.feature_domain_dict
62                                 for t in range(number_stages) ]
63
63     variables = set(self.action_vars) | {feat_time_var[feat][t]
64                                         for feat in
65                                         prob_domain.feature_domain_dict
66                                         for t in range(number_stages+1)}
67
67     CSP.__init__(self, variables, constraints)
68
68     def extract_plan(self,soln):
69         return [soln[a] for a in self.action_vars]
```

The following methods return methods which can be applied to the particular environment.

For example, `is_(3)` returns a function that when applied to 3, returns True and when applied to any other value returns False. So `is_(3)(3)` returns `True`

and `is_(3)(7)` returns `False`.

Note that the underscore ('_') is part of the name; here we use it as the convention that it is a function that returns a function. This uses two different styles to define `is_` and `if_`; returning a function defined by *lambda* is equivalent to returning the embedded function, except that the embedded function has a name. The embedded function can also be given a docstring.

stripsCSPPlanner.py — (continued)

```

68 | 68 | def is_(val):
69 | 69 |     """returns a function that is true when it is applied to val.
70 | 70 |     """
71 | 71 |     #return lambda x: x == val
72 | 72 |     def is_fun(x):
73 | 73 |         return x == val
74 | 74 |     is_fun.__name__ = "value_is_"+str(val)
75 | 75 |     return is_fun
76 |
77 | 77 | def if_(v1,v2):
78 | 78 |     """if the second argument is v2, the first argument must be v1"""
79 | 79 |     #return lambda x1,x2: x1==v1 if x2==v2 else True
80 | 80 |     def if_fun(x1,x2):
81 | 81 |         return x1==v1 if x2==v2 else True
82 | 82 |     if_fun.__name__ = "if x2 is "+str(v2)+" then x1 is "+str(v1)
83 | 83 |     return if_fun
84 |
85 | 85 | def eq_if_not_in_(actset):
86 | 86 |     """first and third arguments are equal if action is not in actset"""
87 | 87 |     # return lambda x1, a, x2: x1==x2 if a not in actset else True
88 | 88 |     def eq_if_not_fun(x1, a, x2):
89 | 89 |         return x1==x2 if a not in actset else True
90 | 90 |     eq_if_not_fun.__name__ = "first and third arguments are equal if action
91 | 91 |         is not in "+str(actset)
91 | 91 |     return eq_if_not_fun

```

Putting it together, this returns a list of actions that solves the problem `prob` for a given horizon. If you want to do more than just return the list of actions, you might want to get it to return the solution. Or even enumerate the solutions (by using *Search_with_AC_from_CSP*).

stripsCSPPlanner.py — (continued)

```

93 | 93 | def con_plan(prob,horizon):
94 | 94 |     """finds a plan for problem prob given horizon.
95 | 95 |
96 | 96 |     csp = CSP_from_STRIPS(prob, horizon)
97 | 97 |     sol = Con_solver(csp).solve_one()
98 | 98 |     return csp.extract_plan(sol) if sol else sol

```

The following are some example queries.

stripsCSPPlanner.py — (continued)

```

100 | 100 | from searchGeneric import Searcher

```

```

101 from stripsProblem import delivery_domain
102 from cspConsistency import Search_with_AC_from_CSP, Con_solver
103 from stripsProblem import Planning_problem, problem0, problem1, problem2,
    blocks1, blocks2, blocks3
104
105 # Problem 0
106 # con_plan(problem0,1) # should it succeed?
107 # con_plan(problem0,2) # should it succeed?
108 # con_plan(problem0,3) # should it succeed?
109 # To use search to enumerate solutions
110 #searcher0a = Searcher(Search_with_AC_from_CSP(CSP_from_STRIPS(problem0,
111     1)))
111 #print(searcher0a.search()) # returns path to solution
112
113 ## Problem 1
114 # con_plan(problem1,5) # should it succeed?
115 # con_plan(problem1,4) # should it succeed?
116 ## To use search to enumerate solutions:
117 #searcher15a = Searcher(Search_with_AC_from_CSP(CSP_from_STRIPS(problem1,
118     5)))
119 #print(searcher15a.search()) # returns path to solution
120
121 ## Problem 2
122 #con_plan(problem2, 6) # should fail??
123 #con_plan(problem2, 7) # should succeed???
124
125 ## Example 6.13
126 problem3 = Planning_problem(delivery_domain,
127                             {'SWC':True, 'RHC':False}, {'SWC':False})
128 #con_plan(problem3,2) # Horizon of 2
129 #con_plan(problem3,3) # Horizon of 3
130
131 problem4 = Planning_problem(delivery_domain,{ 'SWC':True},
132                             {'SWC':False, 'MW':False, 'RHM':False})
133
134 # For the stochastic local search:
135 #from cspSLS import SLSearcher, Runtime_distribution
136 # csplanning15 = CSP_from_STRIPS(problem1, 5) # should succeed
137 #se0 = SLSearcher(csplanning15); print(se0.search(100000,0.5))
138 #p = Runtime_distribution(csplanning15)
139 #p.plot_runs(1000,1000,0.7) # warning will take a few minutes

```

6.5 Partial-Order Planning

To run the demo, in folder "aipython", load "stripsPOP.py", and copy and paste the commented-out example queries at the bottom of that file.

A partial order planner maintains a partial order of action instances. An action instance consists of a name and an index. We need action instances because the same action could be carried out at different times.

```
stripsPOP.py — Partial-order Planner using STRIPS representation
11 from searchProblem import Arc, Search_problem
12 import random
13
14 class Action_instance(object):
15     next_index = 0
16     def __init__(self,action,index=None):
17         if index is None:
18             index = Action_instance.next_index
19             Action_instance.next_index += 1
20         self.action = action
21         self.index = index
22
23     def __str__(self):
24         return str(self.action)+"#" +str(self.index)
25
26     __repr__ = __str__ # __repr__ function is the same as the __str__
                      function
```

A node (as in the abstraction of search space) in a partial-order planner consists of:

- *actions*: a set of action instances.
- *constraints*: a set of (a_1, a_2) pairs, where a_1 and a_2 are action instances, which represents that a_1 must come before a_2 in the partial order. There are a number of ways that this could be represented. Here we represent the set of pairs that are in transitive closure of the *before* relation. This lets us quickly determine whether some before relation is consistent with the current constraints.
- *agenda*: a list of (s, a) pairs, where s is a (var, val) pair and a is an action instance. This means that variable var must have value val before a can occur.
- *causal_links*: a set of (a_0, g, a_1) triples, where a_1 and a_2 are action instances and g is a (var, val) pair. This holds when action a_0 makes g true for action a_1 .

```
stripsPOP.py — (continued)
28 class POP_node(object):
29     """a (partial) partial-order plan. This is a node in the search
        space."""
30     def __init__(self, actions, constraints, agenda, causal_links):
31         """
```

```

32     * actions is a set of action instances
33     * constraints a set of (a0,a1) pairs, representing a0<a1,
34       closed under transitivity
35     * agenda list of (subgoal,action) pairs to be achieved, where
36       subgoal is a (variable,value) pair
37     * causal_links is a set of (a0,g,a1) triples,
38       where ai are action instances, and g is a (variable,value) pair
39     """
40
41     self.actions = actions # a set of action instances
42     self.constraints = constraints # a set of (a0,a1) pairs
43     self.agenda = agenda # list of (subgoal,action) pairs to be
44       achieved
45     self.causal_links = causal_links # set of (a0,g,a1) triples
46
47     def __str__(self):
48         return ("actions: "+str({str(a) for a in self.actions})+
49                 "\nconstraints: "+
50                 str({(str(a1),str(a2)) for (a1,a2) in self.constraints})+
51                 "\nagenda: "+
52                 str([(str(s),str(a)) for (s,a) in self.agenda])+
53                 "\ncausal_links:"+
54                 str({(str(a0),str(g),str(a2)) for (a0,g,a2) in
55                       self.causal_links}) )

```

extract_plan constructs a total order of action instances that is consistent with the partial order.

stripsPOP.py — (continued)

```

54     def extract_plan(self):
55         """returns a total ordering of the action instances consistent
56         with the constraints.
57         raises IndexError if there is no choice.
58         """
59         sorted_acts = []
60         other_acts = set(self.actions)
61         while other_acts:
62             a = random.choice([a for a in other_acts if
63                               all(((a1,a) not in self.constraints) for a1 in
64                                   other_acts)])
65             sorted_acts.append(a)
66             other_acts.remove(a)
67         return sorted_acts

```

POP_search_from_STRIPS is an instance of a search problem. As such, we need to define the start nodes, the goal, and the neighbors of a node.

stripsPOP.py — (continued)

```

68     from display import Displayable
69
70     class POP_search_from_STRIPS(Search_problem, Displayable):
71         def __init__(self,planning_problem):

```

```

72     Search_problem.__init__(self)
73     self.planning_problem = planning_problem
74     self.start = Action_instance("start")
75     self.finish = Action_instance("finish")
76
77     def is_goal(self, node):
78         return node.agenda == []
79
80     def start_node(self):
81         constraints = {(self.start, self.finish)}
82         agenda = [(g, self.finish) for g in
83                    self.planning_problem.goal.items()]
84         return POP_node([self.start, self.finish], constraints, agenda, [])
85

```

The *neighbors* method is a coroutine that enumerates the neighbors of a given node.

stripsPOP.py — (continued)

```

85     def neighbors(self, node):
86         """enumerates the neighbors of node"""
87         self.display(3, "finding neighbors of\n", node)
88         if node.agenda:
89             subgoal, act1 = node.agenda[0]
90             self.display(2, "selecting", subgoal, "for", act1)
91             new_agenda = node.agenda[1:]
92             for act0 in node.actions:
93                 if (self.achieves(act0, subgoal) and
94                     self.possible((act0, act1), node.constraints)):
95                     self.display(2, " reusing", act0)
96                     consts1 =
97                         self.add_constraint((act0, act1), node.constraints)
98                     new_clink = (act0, subgoal, act1)
99                     new_cls = node.causal_links + [new_clink]
100                     for consts2 in
101                         self.protect_cl_for_actions(node.actions, consts1, new_clink):
102                             yield Arc(node,
103                                     POP_node(node.actions, consts2, new_agenda, new_cls),
104                                     cost=0)
105                     for a0 in self.planning_problem.prob_domain.actions: #a0 is an
106                         action
107                         if self.achieves(a0, subgoal):
108                             #a0 achieves subgoal
109                             new_a = Action_instance(a0)
110                             self.display(2, " using new action", new_a)
111                             new_actions = node.actions + [new_a]
112                             consts1 =
113                                 self.add_constraint((self.start, new_a), node.constraints)
114                             consts2 = self.add_constraint((new_a, act1), consts1)
115                             new_agenda1 = new_agenda + [(pre, new_a) for pre in
116                               a0.preconds.items()]
117                             new_clink = (new_a, subgoal, act1)

```

```

113     new_cls = node.causal_links + [new_clink]
114     for consts3 in
115         self.protect_all_cls(node.causal_links,new_a,consts2):
116             for consts4 in
117                 self.protect_cl_for_actions(node.actions,consts3,new_clink):
118                     yield Arc(node,
119                               POP_node(new_actions,consts4,new_agenda1,new_cls),
120                               cost=1)

```

Given a causal link ($a_0, subgoal, a_1$), the following method protects the causal link from each action in $actions$. Whenever an action deletes $subgoal$, the action needs to be before a_0 or after a_1 . This method enumerates all constraints that result from protecting the causal link from all actions.

stripsPOP.py — (continued)

```

120     def protect_cl_for_actions(self, actions, constrs, clink):
121         """yields constraints that extend constrs and
122         protect causal link (a0, subgoal, a1)
123         for each action in actions
124         """
125
126         if actions:
127             a = actions[0]
128             rem_actions = actions[1:]
129             a0, subgoal, a1 = clink
130             if a != a0 and a != a1 and self.deletes(a,subgoal):
131                 if self.possible((a,a0),constrs):
132                     new_const = self.add_constraint((a,a0),constrs)
133                     for e in
134                         self.protect_cl_for_actions(rem_actions,new_const,clink):
135                             yield e # could be "yield from"
136             if self.possible((a1,a),constrs):
137                 new_const = self.add_constraint((a1,a),constrs)
138                 for e in
139                     self.protect_cl_for_actions(rem_actions,new_const,clink):
140                         yield e
141             else:
142                 for e in
143                     self.protect_cl_for_actions(rem_actions,constrs,clink):
144                         yield e
145         else:
146             yield constrs

```

Given an action act , the following method protects all the causal links in $clinks$ from act . Whenever act deletes $subgoal$ from some causal link ($a_0, subgoal, a_1$), the action act needs to be before a_0 or after a_1 . This method enumerates all constraints that result from protecting the causal links from act .

stripsPOP.py — (continued)

```

141     def protect_all_cls(self, clinks, act, constrs):
142         """yields constraints that protect all causal links from act"""
143         if clinks:

```

```

144     (a0,cond,a1) = clinks[0] # select a causal link
145     rem_clinks = clinks[1:] # remaining causal links
146     if act != a0 and act != a1 and self.deletes(act,cond):
147         if self.possible((act,a0),constrs):
148             new_const = self.add_constraint((act,a0),constrs)
149             for e in self.protect_all_cls(rem_clinks,act,new_const):
150                 yield e
151             if self.possible((a1,act),constrs):
152                 new_const = self.add_constraint((a1,act),constrs)
153                 for e in self.protect_all_cls(rem_clinks,act,new_const):
154                     yield e
155             else:
156                 for e in self.protect_all_cls(rem_clinks,act,constrs): yield
157                     e
158     else:
159         yield constrs

```

The following methods check whether an action (or action instance) achieves or deletes some subgoal.

stripsPOP.py — (continued)

```

158 def achieves(self,action,subgoal):
159     var,val = subgoal
160     return var in self.effects(action) and self.effects(action)[var] ==
161             val
162
163 def deletes(self,action,subgoal):
164     var,val = subgoal
165     return var in self.effects(action) and self.effects(action)[var] !=
166             val
167
168 def effects(self,action):
169     """returns the variable:value dictionary of the effects of action.
170     works for both actions and action instances"""
171     if isinstance(action, Action_instance):
172         action = action.action
173     if action == "start":
174         return self.planning_problem.initial_state
175     elif action == "finish":
176         return {}
177     else:
178         return action.effects

```

The constraints are represented as a set of pairs closed under transitivity. Thus if (a, b) and (b, c) are the list, then (a, c) must also be in the list. This means that adding a new constraint means adding the implied pairs, but querying whether some order is consistent is quick.

stripsPOP.py — (continued)

```

178 def add_constraint(self, pair, const):
179     if pair in const:

```

```

180     return const
181     todo = [pair]
182     newconst = const.copy()
183     while todo:
184         x0,x1 = todo.pop()
185         newconst.add((x0,x1))
186         for x,y in newconst:
187             if x==x1 and (x0,y) not in newconst:
188                 todo.append((x0,y))
189             if y==x0 and (x,x1) not in newconst:
190                 todo.append((x,x1))
191     return newconst
192
193 def possible(self,pair,constraint):
194     (x,y) = pair
195     return (y,x) not in constraint

```

Some code for testing:

stripsPOP.py — (continued)

```

197 from searchBranchAndBound import DF_branch_and_bound
198 from searchMPP import SearcherMPP
199 from stripsProblem import problem0, problem1, problem2, blocks1, blocks2,
   blocks3
200
201 rplanning0 = POP_search_from_STRIIPS(problem0)
202 rplanning1 = POP_search_from_STRIIPS(problem1)
203 rplanning2 = POP_search_from_STRIIPS(problem2)
204 searcher0 = DF_branch_and_bound(rplanning0,5)
205 searcher0a = SearcherMPP(rplanning0)
206 searcher1 = DF_branch_and_bound(rplanning1,10)
207 searcher1a = SearcherMPP(rplanning1)
208 searcher2 = DF_branch_and_bound(rplanning2,10)
209 searcher2a = SearcherMPP(rplanning2)
210 # Try one of the following searchers
211 # a = searcher0.search()
212 # a = searcher0a.search()
213 # a.end().extract_plan() # print a plan found
214 # a.end().constraints # print the constraints
215 # SearcherMPP.max_display_level = 0 # less detailed display
216 # DF_branch_and_bound.max_display_level = 0 # less detailed display
217 # a = searcher1.search()
218 # a = searcher1a.search()
219 # a = searcher2.search()
220 # a = searcher2a.search()

```


Chapter 7

Supervised Machine Learning

This chapter is the first on machine learning. It covers the following topics:

- Data: how to load it, training and test sets
- Features: many of the features come directly from the data. Sometimes it is useful to construct features, e.g. $height > 1.9m$ might be a Boolean feature constructed from the real-values feature $height$. The next chapter is about neural networks and how to learn features; in this chapter we construct explicitly in what is often known a **feature engineering**.
- Learning with no input features: this is the base case of many methods. What should we predict if we have no input features? This provides the base cases for many algorithms (e.g., decision tree algorithm) and baselines that more sophisticated algorithms need to beat. It also provides ways to test various predictors.
- Decision tree learning: one of the classic and simplest learning algorithms, which is the basis of many other algorithms.
- Cross validation and parameter tuning: methods to prevent overfitting.
- Linear regression and classification: other classic and simple techniques that often work well (particularly combined with feature learning or engineering).
- Boosting: combining simpler learning methods to make even better learners.

A good source of classic datasets is the UCI Machine Learning Repository [Lichman, 2013] [Dua and Graff, 2017]. The SPECT and car datasets are from this repository.

Dataset	# Examples	#Columns	Input Types	Target Type
SPECT	267	23	Boolean	Boolean
IRIS	150	5	real	categorical
carbool	1728	7	categorical/real	real
holiday	32	6	Boolean	Boolean
mail_reading	28	5	Boolean	Boolean
simp_regr	7	2	numerical	numerical

Figure 7.1: Some of the datasets used here. MLR is UCI Machine Learning Repository.

7.1 Representations of Data and Predictions

The code uses the following definitions and conventions:

- A **data set** is an enumeration of examples.
- An **example** is a list (or tuple) of values. The values can be numbers or strings.
- A **feature** is a function from examples into the range of the feature. Each feature f also has the following attributes:
 - $f.ftype$ the type of f ; one of: "boolean", "categorical", "numeric"
 - $f.frange$ the range of f , represented as a list
 - $f.__doc__$ the docstring, a string description of f (for printing).

Thus for example, a **Boolean feature** is a function from the examples into $\{False, True\}$. So, if f is a Boolean feature, $f.frange == [False, True]$, and if e is an example, $f(e)$ is either *True* or *False*.

```
learnProblem.py — A Learning Problem
_____
11 import math, random, statistics
12 import csv
13 from display import Displayable
14 from utilities import argmax
15
16 boolean = [False, True]
```

When creating a data set, we partition the data into a training set (*train*) and a test set (*test*). The target feature is the feature that we are making a prediction of. A dataset ds has the following attributes

$ds.train$ a list of the training examples

$ds.test$ a list of the test examples

$ds.target_index$ the index of the target

`ds.target` the feature corresponding to the target (a function as described above)

`ds.input_features` a list of the input features

```
-----learnProblem.py — (continued)-----
```

```

18 class Data_set(Displayable):
19     """ A data set consists of a list of training data and a list of test
20         data.
21         """
22     def __init__(self, train, test=None, prob_test=0.20, target_index=0,
23                 header=None, target_type= None, seed=None): #12345):
24         """A dataset for learning.
25             train is a list of tuples representing the training examples
26             test is the list of tuples representing the test examples
27             if test is None, a test set is created by selecting each
28                 example with probability prob_test
29             target_index is the index of the target.
30             If negative, it counts from right.
31             If target_index is larger than the number of properties,
32                 there is no target (for unsupervised learning)
33             header is a list of names for the features
34             target_type is either None for automatic detection of target type
35                 or one of "numerical", "boolean", "categorical"
36             seed is for random number; None gives a different test set each time
37             """
38         if seed: # given seed makes partition consistent from run-to-run
39             random.seed(seed)
40         if test is None:
41             train,test = partition_data(train, prob_test)
42         self.train = train
43         self.test = test
44
45         self.display(1,"Training set has",len(train),"examples. Number of
46             columns: ",{len(e) for e in train})
47         self.display(1,"Test set has",len(test),"examples. Number of
48             columns: ",{len(e) for e in test})
49         self.prob_test = prob_test
50         self.num_properties = len(self.train[0])
51         if target_index < 0: #allows for -1, -2, etc.
52             self.target_index = self.num_properties + target_index
53         else:
54             self.target_index = target_index
55         self.header = header
56         self.domains = [set() for i in range(self.num_properties)]
57         for example in self.train:
58             for ind,val in enumerate(example):
59                 self.domains[ind].add(val)
60         self.conditions_cache = {} # cache for computed conditions

```

```

59     self.create_features()
60     if target_type:
61         self.target.ftype = target_type
62     self.display(1,"There are",len(self.input_features),"input
63         features")
64
65     def __str__(self):
66         if self.train and len(self.train)>0:
67             return ("Data: "+str(len(self.train))+" training examples, "
68                     +str(len(self.test))+" test examples, "
69                     +str(len(self.train[0]))+" features.")
70         else:
71             return ("Data: "+str(len(self.train))+" training examples, "
72                     +str(len(self.test))+" test examples.")

```

A **feature** is a function that takes an example and returns a value in the range of the feature. Each feature has a **frange**, which gives the range of the feature, and an **ftype** that gives the type, one of “boolean”, “numeric” or “categorical”.

learnProblem.py — (continued)

```

73     def create_features(self):
74         """create the set of features
75         """
76
77         self.target = None
78         self.input_features = []
79         for i in range(self.num_properties):
80             def feat(e,index=i):
81                 return e[index]
82                 if self.header:
83                     feat.__doc__ = self.header[i]
84                 else:
85                     feat.__doc__ = "e["+str(i)+"]"
86                     feat.frange = list(self.domains[i])
87                     feat.ftype = self.infer_type(feat.frange)
88                     if i == self.target_index:
89                         self.target = feat
90                     else:
91                         self.input_features.append(feat)

```

We try to infer the type of each feature. Sometimes this can be wrong, (e.g., when the numbers are really categorical) and so needs to be set explicitly.

learnProblem.py — (continued)

```

92     def infer_type(self,domain):
93         """Infers the type of a feature with domain
94         """
95         if all(v in {True,False} for v in domain):
96             return "boolean"
97         if all(isinstance(v,(float,int)) for v in domain):
98             return "numeric"

```

```

99     else:
100        return "categorical"

```

7.1.1 Creating Boolean Conditions from Features

Some of the algorithms require Boolean input features or features with range $\{0, 1\}$. In order to be able to use these algorithms on datasets that allow for arbitrary domains of input variables, we construct Boolean conditions from the attributes.

There are 3 cases:

- When the range only has two values, we designate one to be the “true” value.
- When the values are all numeric, we assume they are ordered (as opposed to just being some classes that happen to be labelled with numbers) and construct Boolean features for splits of the data. That is, the feature is $e[ind] < cut$ for some value cut . We choose a number of cut values, up to a maximum number of cuts, given by max_num_cuts .
- When the values are not all numeric, we create an indicator function for each value. An indicator function for a value returns true when that value is given and false otherwise. Note that we can’t create an indicator function for values that appear in the test set but not in the training set because we haven’t seen the test set. For the examples in the test set with a value that doesn’t appear in the training set for that feature, the indicator functions all return false.

There is also an option to only create Boolean features from categorical input features.

learnProblem.py — (continued)

```

102 def conditions(self, max_num_cuts=8, categorical_only = False):
103     """returns a set of boolean conditions from the input features
104     max_num_cuts is the maximum number of cuts for numerical features
105     categorical_only is true if only categorical features are made
106         binary
107     """
108     if (max_num_cuts, categorical_only) in self.conditions_cache:
109         return self.conditions_cache[(max_num_cuts, categorical_only)]
110    conds = []
111     for ind,frange in enumerate(self.domains):
112         if ind != self.target_index and len(frange)>1:
113             if len(frange) == 2:
114                 # two values, the feature is equality to one of them.
115                 true_val = list(frange)[1] # choose one as true
116                 def feat(e, i=ind, tv=true_val):
117                     return e[i]==tv

```

```

117     if self.header:
118         feat.__doc__ = f"{self.header[ind]}=={true_val}"
119     else:
120         feat.__doc__ = f"e[{ind}]=={true_val}"
121     feat.frange = boolean
122     feat.ftype = "boolean"
123    conds.append(feat)
124 elif all(isinstance(val,(int,float)) for val in frange):
125     if categorical_only: # numerical, don't make cuts
126         def feat(e, i=ind):
127             return e[i]
128         feat.__doc__ = f"e[{ind}]"
129        conds.append(feat)
130     else:
131         # all numeric, create cuts of the data
132         sorted_frange = sorted(frange)
133         num_cuts = min(max_num_cuts,len(frange))
134         cut_positions = [len(frange)*i//num_cuts for i in
135                         range(1,num_cuts)]
136         for cut in cut_positions:
137             cutat = sorted_frange[cut]
138             def feat(e, ind_=ind, cutat=cutat):
139                 return e[ind_] < cutat
140
141             if self.header:
142                 feat.__doc__ = self.header[ind]+<"+"+str(cutat)
143             else:
144                 feat.__doc__ = "e["+ "+"+str(ind)+"]<"+"+"+str(cutat)
145             feat.frange = boolean
146             feat.ftype = "boolean"
147             conds.append(feat)
148     else:
149         # create an indicator function for every value
150         for val in frange:
151             def feat(e, ind_=ind, val_=val):
152                 return e[ind_] == val_
153             if self.header:
154                 feat.__doc__ = self.header[ind]+=="+"+str(val)
155             else:
156                 feat.__doc__ = "e["+ "+"+str(ind)+"]=="+"+"+str(val)
157             feat.frange = boolean
158             feat.ftype = "boolean"
159             conds.append(feat)
160
161 self.conditions_cache[(max_num_cuts, categorical_only)] = conds
162
163 return conds

```

Exercise 7.1 Change the code so that it splits using $e[ind] \leq cut$ instead of $e[ind] < cut$. Check boundary cases, such as 3 elements with 2 cuts. As a test case, make sure that when the range is the 30 integers from 100 to 129, and you want 2 cuts, the resulting Boolean features should be $e[ind] \leq 109$ and $e[ind] \leq 119$ to make

sure that each of the resulting domains is of equal size.

Exercise 7.2 This splits on whether the feature is less than one of the values in the training set. Sam suggested it might be better to split between the values in the training set, and suggested using

$$\text{cutat} = (\text{sorted_frange}[\text{cut}] + \text{sorted_frange}[\text{cut} - 1]) / 2$$

Why might Sam have suggested this? Does this work better? (Try it on a few data sets).

7.1.2 Evaluating Predictions

A **predictor** is a function that takes an example and makes a prediction on the values of the target features.

A **loss** takes a prediction and the actual value and returns a non-negative real number; lower is better. The **error** for a dataset is either the mean loss, or sometimes the sum of the losses. When reporting results the mean is usually used. When it is the sum, this will be made explicit.

The function *evaluate_dataset* returns the average error for each example, where the error for each example depends on the evaluation criteria. Here we consider three evaluation criteria, the squared error (average of the square of the difference between the actual and predicted values), absolute errors(average of the absolute difference between the actual and predicted values) and the log loss (the average negative log-likelihood, which can be interpreted as the number of bits to describe an example using a code based on the prediction treated as a probability).

learnProblem.py — (continued)

```

162 def evaluate_dataset(self, data, predictor, error_measure):
163     """Evaluates predictor on data according to the error_measure
164     predictor is a function that takes an example and returns a
165         prediction for the target features.
166     error_measure(prediction,actual) -> non-negative real
167     """
168     if data:
169         try:
170             value = statistics.mean(error_measure(predictor(e),
171                                             self.target(e))
172                                         for e in data)
173         except ValueError: # if error_measure gives an error
174             return float("inf") # infinity
175         return value
176     else:
177         return math.nan # not a number

```

The following evaluation criteria are defined. This is defined using a class, Evaluate but no instances will be created. Just use Evaluate.squared_loss etc. (Please keep the `__doc__` strings a consistent length as they are used in tables.)

The prediction is either a real value or a $\{value : probability\}$ dictionary or a list. The actual is either a real number or a key of the prediction.

```
learnProblem.py — (continued)
```

```

178 class Evaluate(object):
179     """A container for the evaluation measures"""
180
181     def squared_loss(prediction, actual):
182         "squared loss"
183         if isinstance(prediction, (list,dict)):
184             return (1-prediction[actual])**2 # the correct value is 1
185         else:
186             return (prediction-actual)**2
187
188     def absolute_loss(prediction, actual):
189         "absolute loss"
190         if isinstance(prediction, (list,dict)):
191             return abs(1-prediction[actual]) # the correct value is 1
192         else:
193             return abs(prediction-actual)
194
195     def log_loss(prediction, actual):
196         "log loss (bits)"
197         try:
198             if isinstance(prediction, (list,dict)):
199                 return -math.log2(prediction[actual])
200             else:
201                 return -math.log2(prediction) if actual==1 else
202                     -math.log2(1-prediction)
203         except ValueError:
204             return float("inf") # infinity
205
206     def accuracy(prediction, actual):
207         "accuracy"
208         if isinstance(prediction, dict):
209             prev_val = prediction[actual]
210             return 1 if all(prev_val >= v for v in prediction.values())
211             else 0
212         if isinstance(prediction, list):
213             prev_val = prediction[actual]
214             return 1 if all(prev_val >= v for v in prediction) else 0
215         else:
216             return 1 if abs(actual-prediction) <= 0.5 else 0
217
218     all_criteria = [accuracy, absolute_loss, squared_loss, log_loss]
```

7.1.3 Creating Test and Training Sets

The following method partitions the data into a training set and a test set. Note that this does not guarantee that the test set will contain exactly a proportion

of the data equal to *prob_test*.

[An alternative is to use *random.sample()* which can guarantee that the test set will contain exactly a particular proportion of the data. However this would require knowing how many elements are in the data set, which we may not know, as *data* may just be a generator of the data (e.g., when reading the data from a file).]

learnProblem.py — (continued)

```

218 def partition_data(data, prob_test=0.30):
219     """partitions the data into a training set and a test set, where
220     prob_test is the probability of each example being in the test set.
221     """
222     train = []
223     test = []
224     for example in data:
225         if random.random() < prob_test:
226             test.append(example)
227         else:
228             train.append(example)
229     return train, test
```

7.1.4 Importing Data From File

A data set is typically loaded from a file. The default here is that it loaded from a CSV (comma separated values) file, although the separator can be changed. This assumes that all lines that contain the separator are valid data (so we only include those data items that contain more than one element). This allows for blank lines and comment lines that do not contain the separator. However, it means that this method is not suitable for cases where there is only one feature.

Note that *data_all* and *data_tuples* are generators. *data_all* is a generator of a list of list of strings. This version assumes that CSV files are simple. The standard *csv* package, that allows quoted arguments, can be used by uncommenting the line for *data_all* and commenting out the following line. *data_tuples* contains only those lines that contain the delimiter (others lines are assumed to be empty or comments), and tries to convert the elements to numbers whenever possible.

This allows for some of the columns to be included; specified by *include_only*. Note that if *include_only* is specified, the target index is the index for the included columns, not the original columns.

learnProblem.py — (continued)

```

231 class Data_from_file(Data_set):
232     def __init__(self, file_name, separator=',', num_train=None,
233                 prob_test=0.3,
234                 has_header=False, target_index=0, boolean_features=True,
235                 categorical=[], target_type= None, include_only=None,
236                 seed=None): #seed=12345):
```

```

235     """create a dataset from a file
236     separator is the character that separates the attributes
237     num_train is a number specifying the first num_train tuples are
238         training, or None
239     prob_test is the probability an example should in the test set (if
240         num_train is None)
241     has_header is True if the first line of file is a header
242     target_index specifies which feature is the target
243     boolean_features specifies whether we want to create Boolean
244         features
245         (if False, it uses the original features).
246     categorical is a set (or list) of features that should be treated
247         as categorical
248     target_type is either None for automatic detection of target type
249         or one of "numerical", "boolean", "categorical"
250     include_only is a list or set of indexes of columns to include
251     """
252
253     self.boolean_features = boolean_features
254     with open(file_name, 'r', newline='') as csvfile:
255         self.display(1, "Loading", file_name)
256         # data_all = csv.reader(csvfile, delimiter=separator) # for more
257             # complicated CSV files
258         data_all = (line.strip().split(separator) for line in csvfile)
259         if include_only is not None:
260             data_all = ([v for (i,v) in enumerate(line) if i in
261                         include_only]
262                         for line in data_all)
263         if has_header:
264             header = next(data_all)
265         else:
266             header = None
267         data_tuples = (interpret_elements(d) for d in data_all if
268             len(d)>1)
269         if num_train is not None:
270             # training set is divided into training then test examples
271             # the file is only read once, and the data is placed in
272                 appropriate list
273             train = []
274             for i in range(num_train): # will give an error if
275                 insufficient examples
276                 train.append(next(data_tuples))
277             test = list(data_tuples)
278             Data_set.__init__(self,train, test=test,
279                 target_index=target_index, header=header)
280         else: # randomly assign training and test examples
281             Data_set.__init__(self,data_tuples, test=None,
282                 prob_test=prob_test,
283                 target_index=target_index, header=header,
284                 seed=seed, target_type=target_type)

```

The following class is used for datasets where the training and test are in dif-

ferent files

```
-----learnProblem.py — (continued) -----
```

```

273 class Data_from_files(Data_set):
274     def __init__(self, train_file_name, test_file_name, separator=',',
275                 has_header=False, target_index=0, boolean_features=True,
276                 categorical=[], target_type= None, include_only=None):
277         """create a dataset from separate training and file
278         separator is the character that separates the attributes
279         num_train is a number specifying the first num_train tuples are
280             training, or None
281         prob_test is the probability an example should in the test set (if
282             num_train is None)
283         has_header is True if the first line of file is a header
284         target_index specifies which feature is the target
285         boolean_features specifies whether we want to create Boolean
286             features
287             (if False, it uses the original features).
288         categorical is a set (or list) of features that should be treated
289             as categorical
290         target_type is either None for automatic detection of target type
291             or one of "numerical", "boolean", "categorical"
292         include_only is a list or set of indexes of columns to include
293         """
294         self.boolean_features = boolean_features
295         with open(train_file_name,'r',newline='') as train_file:
296             with open(test_file_name,'r',newline='') as test_file:
297                 # data_all = csv.reader(csvfile,delimiter=separator) # for more
298                     # complicated CSV files
299                 train_data = (line.strip().split(separator) for line in
300                     train_file)
301                 test_data = (line.strip().split(separator) for line in
302                     test_file)
303                 if include_only is not None:
304                     train_data = ([v for (i,v) in enumerate(line) if i in
305                         include_only]
306                         for line in train_data)
307                     test_data = ([v for (i,v) in enumerate(line) if i in
308                         include_only]
309                         for line in test_data)
310                 if has_header: # this assumes the training file has a header
311                     and the test file doesn't
312                     header = next(train_data)
313                 else:
314                     header = None
315                 train_tuples = [interpret_elements(d) for d in train_data if
316                     len(d)>1]
317                 test_tuples = [interpret_elements(d) for d in test_data if
318                     len(d)>1]
319                 Data_set.__init__(self,train_tuples, test_tuples,
320                                 target_index=target_index, header=header)
```

When reading from a file all of the values are strings. This next method tries to convert each values into a number (an int or a float) or Boolean, if it is possible.

```
-----learnProblem.py — (continued)-----
310 | def interpret_elements(str_list):
311 |     """make the elements of string list str_list numerical if possible.
312 |     Otherwise remove initial and trailing spaces.
313 |     """
314 |     res = []
315 |     for e in str_list:
316 |         try:
317 |             res.append(int(e))
318 |         except ValueError:
319 |             try:
320 |                 res.append(float(e))
321 |             except ValueError:
322 |                 se = e.strip()
323 |                 if se in ["True", "true", "TRUE"]:
324 |                     res.append[True]
325 |                 if se in ["False", "false", "FALSE"]:
326 |                     res.append[False]
327 |                 else:
328 |                     res.append(e.strip())
329 |
return res
```

7.1.5 Augmented Features

Sometimes we want to augment the features with new features computed from the old features (eg. the product of features). Here we allow the creation of a new dataset from an old dataset but with new features. Note that special cases of these are **kernels**; mapping the original feature space into a new space, which allow a neat way to do learning in the augmented space for many mappings (the “kernel trick”). This is beyond the scope of AIPython; those interested should read about support vector machines.

A feature is a function of examples. A unary feature constructor takes a feature and returns a new feature. A binary feature combiner takes two features and returns a new feature.

```
-----learnProblem.py — (continued)-----
331 | class Data_set_augmented(Data_set):
332 |     def __init__(self, dataset, unary_functions=[], binary_functions=[],
333 |                  include_orig=True):
334 |         """creates a dataset like dataset but with new features
335 |         unary_function is a list of unary feature constructors
336 |         binary_functions is a list of binary feature combiners.
337 |         include_orig specifies whether the original features should be
338 |         included
```

```

337     """
338     self.orig_dataset = dataset
339     self.unary_functions = unary_functions
340     self.binary_functions = binary_functions
341     self.include_orig = include_orig
342     self.target = dataset.target
343     Data_set.__init__(self,dataset.train, test=dataset.test,
344                       target_index = dataset.target_index)
345
346     def create_features(self):
347         if self.include_orig:
348             self.input_features = self.orig_dataset.input_features.copy()
349         else:
350             self.input_features = []
351             for u in self.unary_functions:
352                 for f in self.orig_dataset.input_features:
353                     self.input_features.append(u(f))
354             for b in self.binary_functions:
355                 for f1 in self.orig_dataset.input_features:
356                     for f2 in self.orig_dataset.input_features:
357                         if f1 != f2:
358                             self.input_features.append(b(f1,f2))

```

The following are useful unary feature constructors and binary feature combiner.

	learnProblem.py — (continued)
--	-------------------------------

```

360     def square(f):
361         """a unary feature constructor to construct the square of a feature
362         """
363         def sq(e):
364             return f(e)**2
365             sq.__doc__ = f.__doc__+"**2"
366             return sq
367
368     def power_feat(n):
369         """given n returns a unary feature constructor to construct the nth
370             power of a feature.
371             e.g., power_feat(2) is the same as square, defined above
372             """
373         def fn(f,n=n):
374             def pow(e,n=n):
375                 return f(e)**n
376                 pow.__doc__ = f.__doc__+"**"+str(n)
377                 return pow
378             return fn
379
380     def prod_feat(f1,f2):
381         """a new feature that is the product of features f1 and f2
382         """
383         def feat(e):

```

```

383     return f1(e)*f2(e)
384     feat.__doc__ = f1.__doc__+"*"+f2.__doc__
385     return feat
386
387 def eq_feat(f1,f2):
388     """a new feature that is 1 if f1 and f2 give same value
389     """
390     def feat(e):
391         return 1 if f1(e)==f2(e) else 0
392         feat.__doc__ = f1.__doc__+"=="+f2.__doc__
393     return feat
394
395 def neq_feat(f1,f2):
396     """a new feature that is 1 if f1 and f2 give different values
397     """
398     def feat(e):
399         return 1 if f1(e)!=f2(e) else 0
400         feat.__doc__ = f1.__doc__+"!="+f2.__doc__
401     return feat

```

Example:

```

-----learnProblem.py — (continued) -----
403 # from learnProblem import Data_set_augmented,prod_feat
404 # data = Data_from_file('data/holiday.csv', num_train=19, target_index=-1)
405 # data = Data_from_file('data/iris.data', prob_test=1/3, target_index=-1)
406 ## Data = Data_from_file('data/SPECT.csv', prob_test=0.5, target_index=0)
407 # dataplus = Data_set_augmented(data,[],[prod_feat])
408 # dataplus = Data_set_augmented(data,[],[prod_feat,neq_feat])

```

Exercise 7.3 For symmetric properties, such as product, we don't need both $f1 * f2$ as well as $f2 * f1$ as extra properties. Allow the user to be able to declare feature constructors as symmetric (by associating a Boolean feature with them). Change *construct_features* so that it does not create both versions for symmetric combiners.

7.2 Generic Learner Interface

A **learner** takes a dataset (and possibly other arguments specific to the method). To get it to learn, we call the *learn()* method. This implements *Displayable* so that we can display traces at multiple levels of detail (and perhaps with a GUI).

```

-----learnProblem.py — (continued) -----
409 from display import Displayable
410
411 class Learner(Displayable):
412     def __init__(self, dataset):
413         raise NotImplementedError("Learner.__init__") # abstract method

```

```

414
415     def learn(self):
416         """returns a predictor, a function from a tuple to a value for the
417             target feature
418         """
419         raise NotImplementedError("learn") # abstract method

```

7.3 Learning With No Input Features

If we make the same prediction for each example, what prediction should we make? This can be used as a naive baseline; if a more sophisticated method does not do better than this, it is not useful. This also provides the base case for some methods, such as decision-tree learning.

To run demo to compare different prediction methods on various evaluation criteria, in folder "aipython", load "learnNoInputs.py", using e.g., ipython -i learnNoInputs.py, and it prints some test results.

There are a few alternatives as to what could be allowed in a prediction:

- a point prediction, where we are only allowed to predict one of the values of the feature. For example, if the values of the feature are $\{0, 1\}$ we are only allowed to predict 0 or 1 or if the values are ratings in $\{1, 2, 3, 4, 5\}$, we can only predict one of these integers.
- a point prediction, where we are allowed to predict any value. For example, if the values of the feature are $\{0, 1\}$ we may be allowed to predict 0.3, 1, or even 1.7. For all of the criteria we can imagine, there is no point in predicting a value greater than 1 or less than zero (but that doesn't mean we can't), but it is often useful to predict a value between 0 and 1. If the values are ratings in $\{1, 2, 3, 4, 5\}$, we may want to predict 3.4.
- a probability distribution over the values of the feature. For each value v , we predict a non-negative number p_v , such that the sum over all predictions is 1.

For regression, we do the first of these. For classification, we do the second. The third can be implemented by having multiple indicator functions for the target.

Here are some prediction functions that take in an enumeration of values, a domain, and returns a value or dictionary of $\{value : prediction\}$. Note that cmedian returns one of middle values when there are an even number of examples, whereas median gives the average of them (and so cmedian is applicable for ordinals that cannot be considered cardinal values). Similarly, cmode picks one of the values when more than one value has the maximum number of elements.

```

learnNoInputs.py — Learning ignoring all input features

11 from learnProblem import Evaluate
12 import math, random, collections, statistics
13 import utilities # argmax for (element,value) pairs
14
15 class Predict(object):
16     """The class of prediction methods for a list of values.
17     Please make the doc strings the same length, because they are used in
18     tables.
19     Note that we don't need self argument, as we are creating Predict
20     objects,
21     To use call Predict.laplace(data) etc."""
22
23     ### The following return a distribution over values (for classification)
24     def empirical(data, domain=[0,1], icount=0):
25         "empirical dist"
26         # returns a distribution over values
27         counts = {v:icount for v in domain}
28         for e in data:
29             counts[e] += 1
30         s = sum(counts.values())
31         return {k:v/s for (k,v) in counts.items()}
32
33     def bounded_empirical(data, domain=[0,1], bound=0.01):
34         "bounded empirical"
35         return {k:min(max(v,bound),1-bound) for (k,v) in
36                 Predict.empirical(data, domain).items()}
37
38     def laplace(data, domain=[0,1]):
39         "Laplace      " # for categorical data
40         return Predict.empirical(data, domain, icount=1)
41
42     def cmode(data, domain=[0,1]):
43         "mode        " # for categorical data
44         md = statistics.mode(data)
45         return {v: 1 if v==md else 0 for v in domain}
46
47     def cmedian(data, domain=[0,1]):
48         "median      " # for categorical data
49         md = statistics.median_low(data) # always return one of the values
50         return {v: 1 if v==md else 0 for v in domain}
51
52     ### The following return a single prediction (for regression). domain
53     # is ignored.
54
55     def mean(data, domain=[0,1]):
56         "mean      "
57         # returns a real number
58         return statistics.mean(data)

```

```

56     def rmean(data, domain=[0,1], mean0=0, pseudo_count=1):
57         "regularized mean"
58         # returns a real number.
59         # mean0 is the mean to be used for 0 data points
60         # With mean0=0.5, pseudo_count=2, same as laplace for [0,1] data
61         # this works for enumerations as well as lists
62         sum = mean0 * pseudo_count
63         count = pseudo_count
64         for e in data:
65             sum += e
66             count += 1
67         return sum/count
68
69     def mode(data, domain=[0,1]):
70         "mode"
71         return statistics.mode(data)
72
73     def median(data, domain=[0,1]):
74         "median"
75         return statistics.median(data)
76
77     all = [empirical, mean, rmean, bounded_empirical, laplace, cmode, mode,
78           median, cmedian]
79
80     # The following suggests appropriate predictions as a function of the
81     # target type
82     select = {"boolean": [empirical, bounded_empirical, laplace, cmode,
83                       cmedian],
84               "categorical": [empirical, bounded_empirical, laplace, cmode,
85                               cmedian],
85               "numeric": [mean, rmean, mode, median]}

```

7.3.1 Evaluation

To evaluate a point prediction, we first generate some data from a simple (Bernoulli) distribution, where there are two possible values, 0 and 1 for the target feature. Given *prob*, a number in the range [0, 1], this generate some training and test data where *prob* is the probability of each example being 1. To generate a 1 with probability *prob*, we generate a random number in range [0,1] and return 1 if that number is less than *prob*. A prediction is computed by applying the predictor to the training data, which is evaluated on the test set. This is repeated *num_samples* times.

Let's evaluate the predictions of the possible selections according to the different evaluation criteria, for various training sizes.

learnNoInputs.py — (continued)

```

83     def test_no_inputs(error_measures = Evaluate.all_criteria,
84                         num_samples=10000, test_size=10 ):
85         for train_size in [1,2,3,4,5,10,20,100,1000]:

```

```

85     results = {predictor: {error_measure: 0 for error_measure in
86                           error_measures}
87                           for predictor in Predict.all}
88     for sample in range(num_samples):
89         prob = random.random()
90         training = [1 if random.random()<prob else 0 for i in
91                     range(train_size)]
92         test = [1 if random.random()<prob else 0 for i in
93                     range(test_size)]
94         for predictor in Predict.all:
95             prediction = predictor(training)
96             for error_measure in error_measures:
97                 results[predictor][error_measure] += sum(
98                     error_measure(prediction,actual) for actual in
99                     test)/test_size
100        print(f"For training size {train_size}:")
101        print(" Predictor\t", "\t".join(error_measure.__doc__ for
102              error_measure in
103              error_measures), sep="\t")
104    for predictor in Predict.all:
105        print(f" {predictor.__doc__}",
106              "\t".join("{:.7f}".format(results[predictor][error_measure]/num_samples)
107                      for error_measure in
108                      error_measures), sep="\t")
109
110 if __name__ == "__main__":
111     test_no_inputs()

```

Exercise 7.4 Which predictor works best for low counts when the error is

- (a) Squared error
- (b) Absolute error
- (c) Log loss

You may need to try this a few times to make sure your answer is supported by the evidence. Does the difference from the other methods get more or less as the number of examples grow?

Exercise 7.5 Suggest some other predictions that only take the training data. Does your method do better than the given methods? A simple way to get other predictors is to vary the threshold of bounded average, or to change the pseudo-counts of the Laplace method (use other numbers instead of 1 and 2).

7.4 Decision Tree Learning

To run the decision tree learning demo, in folder "aipython", load "learnDT.py", using e.g., ipython -i learnDT.py, and it prints some test results. To try more examples, copy and paste the commented-out commands at the bottom of that file. This requires Python 3 with matplotlib.

The decision tree algorithm does binary splits, and assumes that all input features are binary functions of the examples. It stops splitting if there are no input features, the number of examples is less than a specified number of examples or all of the examples agree on the target feature.

```
-----learnDT.py — Learning a binary decision tree-----
11 from learnProblem import Learner, Evaluate
12 from learnNoInputs import Predict
13 import math
14
15 class DT_learner(Learner):
16     def __init__(self,
17                  dataset,
18                  split_to_optimize=Evaluate.log_loss, # to minimize for at
19                                         # each split
20                  leaf_prediction=Predict.empirical, # what to use for value
21                                         # at leaves
22                  train=None,                      # used for cross validation
23                  max_num_cuts=8, # maximum number of conditions to split a
24                                         # numerical feature into
25                  gamma=1e-7 , # minimum improvement needed to expand a node
26                  min_child_weight=10):
27         self.dataset = dataset
28         self.target = dataset.target
29         self.split_to_optimize = split_to_optimize
30         self.leaf_prediction = leaf_prediction
31         self.max_num_cuts = max_num_cuts
32         self.gamma = gamma
33         self.min_child_weight = min_child_weight
34         if train is None:
35             self.train = self.dataset.train
36         else:
37             self.train = train
38
39     def learn(self, max_num_cuts=8):
40         """learn a decision tree"""
41         return self.learn_tree(self.dataset.conditions(self.max_num_cuts),
42                               self.train)
```

The main recursive algorithm, takes in a set of input features and a set of training data. It first decides whether to split. If it doesn't split, it makes a point prediction, ignoring the input features.

It only splits if the best split increases the error by at least gamma. This implies it does not split when:

- there are no more input features
- there are fewer examples than *min_number_examples*,
- all the examples agree on the value of the target, or
- the best split makes all examples in the same partition.

If it splits, it selects the best split according to the evaluation criterion (assuming that is the only split it gets to do), and returns the condition to split on (in the variable *split*) and the corresponding partition of the examples.

.learnDT.py — (continued)

```

40     def learn_tree(self, conditions, data_subset):
41         """returns a decision tree
42         conditions is a set of possible conditions
43         data_subset is a subset of the data used to build this (sub)tree
44
45         where a decision tree is a function that takes an example and
46         makes a prediction on the target feature
47         """
48         self.display(2,f"learn_tree with {len(conditions)} features and
49                     {len(data_subset)} examples")
50         split, partn = self.select_split(conditions, data_subset)
51         if split is None: # no split; return a point prediction
52             prediction = self.leaf_value(data_subset, self.target.range)
53             self.display(2,f"leaf prediction for {len(data_subset)}
54                         examples is {prediction}")
55             def leaf_fun(e):
56                 return prediction
57                 leaf_fun.__doc__ = str(prediction)
58                 leaf_fun.num_leaves = 1
59                 return leaf_fun
60             else: # a split succeeded
61                 false_examples, true_examples = partn
62                 rem_features = [fe for fe in conditions if fe != split]
63                 self.display(2,"Splitting on",split.__doc__,"with examples
64                             split",
65                             len(true_examples),":",len(false_examples))
66                 true_tree = self.learn_tree(rem_features,true_examples)
67                 false_tree = self.learn_tree(rem_features,false_examples)
68                 def fun(e):
69                     if split(e):
70                         return true_tree(e)
71                     else:
72                         return false_tree(e)
73                 fun = lambda e: true_tree(e) if split(e) else false_tree(e)
74                 fun.__doc__ = (f"(if {split.__doc__} then {true_tree.__doc__})"

```

```

72         f" else {false_tree.__doc__}))")
73     fun.num_leaves = true_tree.num_leaves + false_tree.num_leaves
74     return fun

```

```

-----learnDT.py — (continued) -----
76     def leaf_value(self, egs, domain):
77         return self.leaf_prediction((self.target(e) for e in egs), domain)
78
79     def select_split(self, conditions, data_subset):
80         """finds best feature to split on.
81
82         conditions is a non-empty list of features.
83         returns feature, partition
84         where feature is an input feature with the smallest error as
85             judged by split_to_optimize or
86             feature==None if there are no splits that improve the error
87         partition is a pair (false_examples, true_examples) if feature is
88             not None
89         """
90         best_feat = None # best feature
91         # best_error = float("inf") # infinity - more than any error
92         best_error = self.sum_losses(data_subset) - self.gamma
93         self.display(3, " no split has
94             error=", best_error, "with", len(conditions), "conditions")
95         best_partition = None
96         for feat in conditions:
97             false_examples, true_examples = partition(data_subset,feat)
98             if
99                 min(len(false_examples),len(true_examples))>=self.min_child_weight:
100                 err = (self.sum_losses(false_examples)
101                     + self.sum_losses(true_examples))
102                 self.display(3, " split on",feat.__doc__,"has error=",err,
103                     "splits
104                     into",len(true_examples),":",len(false_examples),"gamma=",self.gamma)
105                 if err < best_error:
106                     best_feat = feat
107                     best_error=err
108                     best_partition = false_examples, true_examples
109                     self.display(2,"best split is on",best_feat.__doc__,
110                         "with err=",best_error)
111             return best_feat, best_partition
112
113     def sum_losses(self, data_subset):
114         """returns sum of losses for dataset (with no more splits)
115         There a single prediction for all leaves using leaf_prediction
116         It is evaluated using split_to_optimize
117         """
118         prediction = self.leaf_value(data_subset, self.target.frange)
119         error = sum(self.split_to_optimize(prediction, self.target(e))
120                     for e in data_subset)

```

```

117     return error
118
119 def partition(data_subset, feature):
120     """partitions the data_subset by the feature"""
121     true_examples = []
122     false_examples = []
123     for example in data_subset:
124         if feature(example):
125             true_examples.append(example)
126         else:
127             false_examples.append(example)
128     return false_examples, true_examples

```

Test cases:

```

----- learnDT.py — (continued) -----
131 from learnProblem import Data_set, Data_from_file
132
133 def testDT(data, print_tree=True, selections = None, **tree_args):
134     """Prints errors and the trees for various evaluation criteria and ways
135     to select leaves.
136     """
137     if selections == None: # use selections suitable for target type
138         selections = Predict.select[data.target.ftype]
139     evaluation_criteria = Evaluate.all_criteria
140     print("Split Choice","Leaf Choice\t","#leaves","\t'.join(ecrit.__doc__
141                                         for ecrit in
142                                         evaluation_criteria),sep="\t")
143     for crit in evaluation_criteria:
144         for leaf in selections:
145             tree = DT_learner(data, split_to_optimize=crit,
146                               leaf_prediction=leaf,
147                               **tree_args).learn()
148             print(crit.__doc__, leaf.__doc__, tree.num_leaves,
149                   "\t".join("{:.7f}".format(data.evaluate_dataset(data.test,
150                                         tree, ecrit))
151                                         for ecrit in evaluation_criteria),sep="\t")
152             if print_tree:
153                 print(tree.__doc__)
154
155 #DT_learner.max_display_level = 4
156 if __name__ == "__main__":
157     # Choose one of the data files
158     #data=Data_from_file('data/SPECT.csv', target_index=0);
159     #print("SPECT.csv")
160     #data=Data_from_file('data/iris.data', target_index=-1);
161     #print("iris.data")
162     data = Data_from_file('data/carbool.csv', target_index=-1, seed=123)
163     #data = Data_from_file('data/mail_reading.csv', target_index=-1);
164     #print("mail_reading.csv")

```

```

158 |     #data = Data_from_file('data/holiday.csv', num_train=19,
159 |         target_index=-1); print("holiday.csv")
|     testDT(data, print_tree=False)

```

Note that different runs may provide different values as they split the training and test sets differently. So if you have a hypothesis about what works better, make sure it is true for different runs.

Exercise 7.6 The current algorithm does not have a very sophisticated stopping criterion. What is the current stopping criterion? (Hint: you need to look at both *learn_tree* and *select_split*.)

Exercise 7.7 Extend the current algorithm to include in the stopping criterion

- (a) A minimum child size; don't use a split if one of the children has fewer elements than this.
- (b) A depth-bound on the depth of the tree.
- (c) An improvement bound such that a split is only carried out if error with the split is better than the error without the split by at least the improvement bound.

Which values for these parameters make the prediction errors on the test set the smallest? Try it on more than one dataset.

Exercise 7.8 Without any input features, it is often better to include a pseudo-count that is added to the counts from the training data. Modify the code so that it includes a pseudo-count for the predictions. When evaluating a split, including pseudo counts can make the split worse than no split. Does pruning with an improvement bound and pseudo-counts make the algorithm work better than with an improvement bound by itself?

Exercise 7.9 Some people have suggested using information gain (which is equivalent to greedy optimization of log loss) as the measure of improvement when building the tree, even in they want to have non-probabilistic predictions in the final tree. Does this work better than myopically choosing the split that is best for the evaluation criteria we will use to judge the final prediction?

7.5 Cross Validation and Parameter Tuning

To run the cross validation demo, in folder "aipython", load "learnCrossValidation.py", using e.g., ipython -i learnCrossValidation.py. Run the examples at the end to produce a graph like Figure 7.15. Note that different runs will produce different graphs, so your graph will not look like the one in the textbook. To try more examples, copy and paste the commented-out commands at the bottom of that file. This requires Python 3 with matplotlib.

The above decision tree overfits the data. One way to determine whether the prediction is overfitting is by cross validation. The code below implements k -fold cross validation, which can be used to choose the value of parameters to best fit the training data. If we want to use parameter tuning to improve predictions on a particular data set, we can only use the training data (and not the test data) to tune the parameter.

In k -fold cross validation, we partition the training set into k approximately equal-sized folds (each fold is an enumeration of examples). For each fold, we train on the other examples, and determine the error of the prediction on that fold. For example, if there are 10 folds, we train on 90% of the data, and then test on remaining 10% of the data. We do this 10 times, so that each example gets used as a test set once, and in the training set 9 times.

The code below creates one copy of the data, and multiple views of the data. For each fold, *fold* enumerates the examples in the fold, and *fold_complement* enumerates the examples not in the fold.

```
-----learnCrossValidation.py — Cross Validation for Parameter Tuning -----
11 from learnProblem import Data_set, Data_from_file, Evaluate
12 from learnNoInputs import Predict
13 from learnDT import DT_learner
14 import matplotlib.pyplot as plt
15 import random
16
17 class K_fold_dataset(object):
18     def __init__(self, training_set, num_folds):
19         self.data = training_set.train.copy()
20         self.target = training_set.target
21         self.input_features = training_set.input_features
22         self.num_folds = num_folds
23         self.conditions = training_set.conditions
24
25         random.shuffle(self.data)
26         self.fold_boundaries = [(len(self.data)*i)//num_folds
27                                for i in range(0,num_folds+1)]
28
29     def fold(self, fold_num):
30         for i in range(self.fold_boundaries[fold_num],
31                         self.fold_boundaries[fold_num+1]):
32             yield self.data[i]
33
34     def fold_complement(self, fold_num):
35         for i in range(0,self.fold_boundaries[fold_num]):
36             yield self.data[i]
37         for i in range(self.fold_boundaries[fold_num+1],len(self.data)):
38             yield self.data[i]
```

The validation error is the average error for each example, where we test on each fold, and learn on the other folds.

```
-----learnCrossValidation.py — (continued) -----
```

```

40     def validation_error(self, learner, error_measure, **other_params):
41         error = 0
42         try:
43             for i in range(self.num_folds):
44                 predictor = learner(self,
45                                     train=list(self.fold_complement(i)),
46                                     **other_params).learn()
47                 error += sum(error_measure(predictor(e), self.target(e))
48                             for e in self.fold(i))
49         except ValueError:
50             return float("inf") #infinity
51         return error/len(self.data)

```

The `plot_error` method plots the average error as a function of the minimum number of examples in decision-tree search, both for the validation set and for the test set. The error on the validation set can be used to tune the parameter — choose the value of the parameter that minimizes the error. The error on the test set cannot be used to tune the parameters; if it were to be used this way then it cannot be used to test.

learnCrossValidation.py — (continued)

```

52     def plot_error(data, criterion=Evaluate.squared_loss,
53                   leaf_prediction=Predict.empirical,
54                   num_folds=5, maxx=None, xscale='linear'):
55         """Plots the error on the validation set and the test set
56         with respect to settings of the minimum number of examples.
57         xscale should be 'log' or 'linear'
58         """
59         plt.ion()
60         plt.xscale(xscale) # change between log and linear scale
61         plt.xlabel("min_child_weight")
62         plt.ylabel("average "+criterion.__doc__)
63         folded_data = K_fold_dataset(data, num_folds)
64         if maxx == None:
65             maxx = len(data.train)//2+1
66         verrors = [] # validation errors
67         terrors = [] # test set errors
68         for mcw in range(1,maxx):
69             verrors.append(folded_data.validation_error(DT_learner,criterion,leaf_prediction=leaf_prediction,
69                           min_child_weight=mcw))
70             tree = DT_learner(data, criterion, leaf_prediction=leaf_prediction,
71                               min_child_weight=mcw).learn()
72             terrors.append(data.evaluate_dataset(data.test,tree,criterion))
73         plt.plot(range(1,maxx), verrors, ls='-',color='k',
74                  label="validation for "+criterion.__doc__)
75         plt.plot(range(1,maxx), terrors, ls='--',color='k',
76                  label="test set for "+criterion.__doc__)
77         plt.legend()
78         plt.draw()
79 # The following produces Figure 7.15 of Poole and Mackworth [2017]

```

```

80 # data = Data_from_file('data/SPECT.csv', target_index=0, seed=123)
81 # plot_error(data) # warning, may take a long time depending on the
82     dataset
83
84 #also try:
85 # data = Data_from_file('data/mail_reading.csv', target_index=-1)
86 # data = Data_from_file('data/carbool.csv', target_index=-1, seed=123)
87 # plot_error(data, criterion=Evaluate.log_loss,
88     leaf_prediction=Predict.laplace) # warning, may take a long time
89     depending on the dataset

```

Note that different runs for the same data will have the same test error, but different validation error. If you rerun the `Data_from_file`, you will get the new test and training sets, and so the graph will change.

Exercise 7.10 Change the error plot so that it can evaluate the stopping criteria of the exercise of Section 7.6. Which criteria makes the most difference?

7.6 Linear Regression and Classification

Here we give a gradient descent searcher for linear regression and classification.

```

_____.learnLinear.py — Linear Regression and Classification _____

11 from learnProblem import Learner
12 import random, math
13
14 class Linear_learner(Learner):
15     def __init__(self, dataset, train=None,
16                  learning_rate=0.1, max_init = 0.2,
17                  squashed=True):
18         """Creates a gradient descent searcher for a linear classifier.
19         The main learning is carried out by learn()
20
21         dataset provides the target and the input features
22         train provides a subset of the training data to use
23         number_iterations is the default number of steps of gradient descent
24         learning_rate is the gradient descent step size
25         max_init is the maximum absolute value of the initial weights
26         squashed specifies whether the output is a squashed linear function
27         """
28
29         self.dataset = dataset
30         self.target = dataset.target
31         if train==None:
32             self.train = self.dataset.train
33         else:
34             self.train = train
35         self.learning_rate = learning_rate
36         self.squashed = squashed

```

```

36     self.input_features = [one]+dataset.input_features # one is defined
37         below
38     self.weights = {feat:random.uniform(-max_init,max_init)
39                     for feat in self.input_features}

```

predictor predicts the value of an example from the current parameter settings. *predictor_string* gives a string representation of the predictor.

learnLinear.py — (continued)

```

40
41     def predictor(self,e):
42         """returns the prediction of the learner on example e"""
43         linpred = sum(w*f(e) for f,w in self.weights.items())
44         if self.squashed:
45             return sigmoid(linpred)
46         else:
47             return linpred
48
49     def predictor_string(self, sig_dig=3):
50         """returns the doc string for the current prediction function
51         sig_dig is the number of significant digits in the numbers"""
52         doc = "+".join(str(round(val,sig_dig))+"*"+feat.__doc__
53                         for feat,val in self.weights.items())
54         if self.squashed:
55             return "sigmoid("+ doc+")"
56         else:
57             return doc

```

learn is the main algorithm of the learner. It does *num_iter* steps of stochastic gradient descent with batch size = 1. The other parameters it gets from the class.

learnLinear.py — (continued)

```

59     def learn(self,num_iter=100):
60         for it in range(num_iter):
61             self.display(2,"prediction=",self.predictor_string())
62             for e in self.train:
63                 predicted = self.predictor(e)
64                 error = predicted - self.target(e)
65                 update = self.learning_rate*error
66                 for feat in self.weights:
67                     self.weights[feat] -= update*feat(e)
68         return self.predictor

```

one is a function that always returns 1. This is used for one of the input properties.

learnLinear.py — (continued)

```

70     def one(e):
71         "1"
72         return 1

```

sigmoid(x) is the function

$$\frac{1}{1 + e^{-x}}$$

The inverse of *sigmoid* is the *logit* function

```
learnLinear.py — (continued)
```

```
74 def sigmoid(x):
75     return 1/(1+math.exp(-x))
76
77 def logit(x):
78     return -math.log(1/x-1)
    sigmoid([x0,v2,...]) returns [v0,v2,...] where
```

$$v_i = \frac{\exp(x_i)}{\sum_j \exp(x_j)}$$

The inverse of *sigmoid* is the *logit* function

```
learnLinear.py — (continued)
```

```
80 def softmax(xs, domain=None):
81     """xs is a list of values, and
82     domain is the domain (a list) or None if the list should be returned
83     returns a distribution over the domain (a dict)
84     """
85     m = max(xs) # use of m prevents overflow (and all values underflowing)
86     exps = [math.exp(x-m) for x in xs]
87     s = sum(exps)
88     if domain:
89         return {d:v/s for (d,v) in zip(domain, exps)}
90     else:
91         return [v/s for v in exps]
92
93 def indicator(v, domain):
94     return [1 if v==dv else 0 for dv in domain]
```

The following tests the learner on a data sets. Uncomment the other data sets for different examples.

```
learnLinear.py — (continued)
```

```
96 from learnProblem import Data_set, Data_from_file, Evaluate
97 from learnProblem import Evaluate
98 import matplotlib.pyplot as plt
99
100 def test(**args):
101     data = Data_from_file('data/SPECT.csv', target_index=0)
102     # data = Data_from_file('data/mail_reading.csv', target_index=-1)
103     # data = Data_from_file('data/carbool.csv', target_index=-1)
104     learner = Linear_learner(data,**args)
105     learner.learn()
```

```

106     print("function learned is", learner.predictor_string())
107     for ecrat in Evaluate.all_criteria:
108         test_error = data.evaluate_dataset(data.test, learner.predictor,
109             ecrat)
110         print("    Average", ecrat.__doc__, "is", test_error)

```

The following plots the errors on the training and test sets as a function of the number of steps of gradient descent.

learnLinear.py — (continued)

```

111 def plot_steps(learner=None,
112                 data = None,
113                 criterion=Evaluate.squared_loss,
114                 step=1,
115                 num_steps=1000,
116                 log_scale=True,
117                 legend_label=""):
118 """
119     plots the training and test error for a learner.
120     data is the
121     learner_class is the class of the learning algorithm
122     criterion gives the evaluation criterion plotted on the y-axis
123     step specifies how many steps are run for each point on the plot
124     num_steps is the number of points to plot
125
126 """
127 if legend_label != "": legend_label+="
128 plt.ion()
129 plt.xlabel("step")
130 plt.ylabel("Average "+criterion.__doc__)
131 if log_scale:
132     plt.xscale('log') #plt.semilogx() #Makes a log scale
133 else:
134     plt.xscale('linear')
135 if data is None:
136     data = Data_from_file('data/holiday.csv', num_train=19,
137                           target_index=-1)
138     #data = Data_from_file('data/SPECT.csv', target_index=0)
139     # data = Data_from_file('data/mail_reading.csv', target_index=-1)
140     # data = Data_from_file('data/carbool.csv', target_index=-1)
141     #random.seed(None) # reset seed
142 if learner is None:
143     learner = Linear_learner(data)
144 train_errors = []
145 test_errors = []
146 for i in range(1,num_steps+1,step):
147     test_errors.append(data.evaluate_dataset(data.test,
148                                         learner.predictor, criterion))
149     train_errors.append(data.evaluate_dataset(data.train,
150                                         learner.predictor, criterion))
151     learner.display(2, "Train error:",train_errors[-1],

```

```

149         "Test error:",test_errors[-1])
150     learner.learn(num_iter=step)
151     plt.plot(range(1,num_steps+1,step),train_errors,ls='-',label=legend_label+"training")
152     plt.plot(range(1,num_steps+1,step),test_errors,ls='--',label=legend_label+"test")
153     plt.legend()
154     plt.draw()
155     learner.display(1, "Train error:",train_errors[-1],
156                     "Test error:",test_errors[-1])
157
158 if __name__ == "__main__":
159     test()
160
161 # This generates the figure
162 # from learnProblem import Data_set_augmented,prod_feat
163 # data = Data_from_file('data/SPECT.csv', prob_test=0.5, target_index=0)
164 # dataplus = Data_set_augmented(data,[],[prod_feat])
165 # plot_steps(data=data,num_steps=1000)
166 # plot_steps(data=dataplus,num_steps=1000) # warning very slow

```

Exercise 7.11 The squashed learner only makes predictions in the range $(0,1)$. If the output values are $\{1,2,3,4\}$ there is no use prediction less than 1 or greater than 4. Change the squashed learner so that it can learn values in the range $(1,4)$. Test it on the file 'data/car.csv'.

The following plots the prediction as a function of the number of steps of gradient descent. We first define a version of *range* that allows for real numbers (integers and floats).

learnLinear.py — (continued)

```

167 def arange(start,stop,step):
168     """returns enumeration of values in the range [start,stop) separated by
169     step.
170     like the built-in range(start,stop,step) but allows for integers and
171     floats.
172     Note that rounding errors are expected with real numbers. (or use
173     numpy.arange)
174     """
175     while start<stop:
176         yield start
177         start += step
178
179 def plot_prediction(data,
180                     learner = None,
181                     minx = 0,
182                     maxx = 5,
183                     step_size = 0.01, # for plotting
184                     label = "function"):
185     plt.ion()
186     plt.xlabel("x")
187     plt.ylabel("y")
188     if learner is None:

```

```

186     learner = Linear_learner(data, squashed=False)
187     learner.learning_rate=0.001
188     learner.learn(100)
189     learner.learning_rate=0.0001
190     learner.learn(1000)
191     learner.learning_rate=0.00001
192     learner.learn(10000)
193     learner.display(1,"function learned is", learner.predictor_string(),
194                     "error=",data.evaluate_dataset(data.train, learner.predictor,
195                     Evaluate.squared_loss))
195     plt.plot([e[0] for e in data.train],[e[-1] for e in
196         data.train],"bo",label="data")
196     plt.plot(list(arange(minx,maxx,step_size)),[learner.predictor([x])
197                     for x in
198                         arange(minx,maxx,step_size)],
199                     label=label)
200     plt.legend()
200     plt.draw()

```

learnLinear.py — (continued)

```

202 from learnProblem import Data_set_augmented, power_feat
203 def plot_polynomials(data,
204     learner_class = Linear_learner,
205     max_degree = 5,
206     minx = 0,
207     maxx = 5,
208     num_iter = 100000,
209     learning_rate = 0.0001,
210     step_size = 0.01, # for plotting
211     ):
212     plt.ion()
213     plt.xlabel("x")
214     plt.ylabel("y")
215     plt.plot([e[0] for e in data.train],[e[-1] for e in
216         data.train],"ko",label="data")
216     x_values = list(arange(minx,maxx,step_size))
217     line_styles = [ '-', '--', '-.', ':' ]
218     colors = ['0.5','k','k','k','k']
219     for degree in range(max_degree):
220         data_aug = Data_set_augmented(data,[power_feat(n) for n in
221             range(1,degree+1)],
222                             include_orig=False)
222         learner = learner_class(data_aug,squashed=False)
223         learner.learning_rate = learning_rate
224         learner.learn(num_iter)
225         learner.display(1,"For degree",degree,
226                         "function learned is", learner.predictor_string(),
227                         "error=",data.evaluate_dataset(data.train,
228                         learner.predictor, Evaluate.squared_loss))
228         ls = line_styles[degree % len(line_styles)]

```

```

229     col = colors[degree % len(colors)]
230     plt.plot(x_values,[learner.predictor([x]) for x in x_values],
231               linestyle=ls, color=col,
232               label="degree="+str(degree))
233     plt.legend(loc='upper left')
234     plt.draw()
235
236 # Try:
237 # data0 = Data_from_file('data/simp_regr.csv', prob_test=0,
238 #   boolean_features=False, target_index=-1)
239 # plot_prediction(data0)
240 # plot_polynomials(data0)
241 #datam = Data_from_file('data/mail_reading.csv', target_index=-1)
242 #plot_prediction(datam)

```

7.6.1 Batched Stochastic Gradient Descent

This implements batched stochastic gradient descent. If the batch size is 1, it can be simplified by not storing the differences in d , but applying them directly; this would be equivalent to the original code!

This overrides the learner *Linear_learner*. Note that the comparison with regular gradient descent is unfair as the number of updates per step is not the same. (How could it be made more fair?)

```

----- learnLinearBSGD.py — Linear Learner with Batched Stochastic Gradient Descent -----
11 from learnLinear import Linear_learner
12 import random, math
13
14 class Linear_learner_bsgd(Linear_learner):
15     def __init__(self, *args, batch_size=10, **kargs):
16         Linear_learner.__init__(self, *args, **kargs)
17         self.batch_size = batch_size
18
19     def learn(self, num_iter=None):
20         if num_iter is None:
21             num_iter = self.number_iterations
22         batch_size = min(self.batch_size, len(self.train))
23         d = {feat:0 for feat in self.weights}
24         for it in range(num_iter):
25             self.display(2, "prediction=", self.predictor_string())
26             for e in random.sample(self.train, batch_size):
27                 error = self.predictor(e) - self.target(e)
28                 update = self.learning_rate*error
29                 for feat in self.weights:
30                     d[feat] += update*feat(e)
31                 for feat in self.weights:
32                     self.weights[feat] -= d[feat]
33                     d[feat]=0
34         return self.predictor

```

```

35 # from learnLinear import plot_steps
36 # from learnProblem import Data_from_file
37 # data = Data_from_file('data/holiday.csv', target_index=-1)
38 # learner = Linear_learner_bsgd(data)
39 # plot_steps(learner = learner, data=data)
40
41 # to plot polynomials with batching (compare to SGD)
42 # from learnLinear import plot_polyomials
43 # plot_polyomials(data, learner_class = Linear_learner_bsgd)
44

```

7.7 Boosting

The following code implements functional gradient boosting for regression.

A Boosted dataset is created from a base dataset by subtracting the prediction of the offset function from each example. This does not save the new dataset, but generates it as needed. The amount of space used is constant, independent on the size of the data set.

```

-----learnBoosting.py — Functional Gradient Boosting -----
11 from learnProblem import Data_set, Learner, Evaluate
12 from learnNoInputs import Predict
13 from learnLinear import sigmoid
14 import statistics
15 import random
16
17 class Boosted_dataset(Data_set):
18     def __init__(self, base_dataset, offset_fun, subsample=1.0):
19         """new dataset which is like base_dataset,
20          but offset_fun(e) is subtracted from the target of each example e
21          """
22         self.base_dataset = base_dataset
23         self.offset_fun = offset_fun
24         self.train =
25             random.sample(base_dataset.train, int(subsample*len(base_dataset.train)))
26         self.test = base_dataset.test
27         #Data_set.__init__(self, base_dataset.train, base_dataset.test,
28         #                   base_dataset.prob_test, base_dataset.target_index)
29
30         #def create_features(self):
31         """creates new features - called at end of Data_set.init()
32         defines a new target
33         """
34         self.input_features = self.base_dataset.input_features
35         def newout(e):
36             return self.base_dataset.target(e) - self.offset_fun(e)
37         newout.frange = self.base_dataset.target.frage
38         newout.ftype = self.infer_type(newout.frage)
39         self.target = newout

```

```

39
40     def conditions(self, *args, colsample_bytree=0.5, **nargs):
41        conds = self.base_dataset.conditions(*args, **nargs)
42         return random.sample(conds, int(colsample_bytree*len(conds)))

```

A boosting learner takes in a dataset and a base learner, and returns a new predictor. The base learner, takes a dataset, and returns a Learner object.

```

-----learnBoosting.py — (continued)-----
44 class Boosting_learner(Learner):
45     def __init__(self, dataset, base_learner_class, subsample=0.8):
46         self.dataset = dataset
47         self.base_learner_class = base_learner_class
48         self.subsample = subsample
49         mean = sum(self.dataset.target(e)
50                    for e in self.dataset.train)/len(self.dataset.train)
51         self.predictor = lambda e:mean # function that returns mean for
52                                     each example
53         self.predictor.__doc__ = "lambda e:"+str(mean)
54         self.offsets = [self.predictor] # list of base learners
55         self.predictors = [self.predictor] # list of predictors
56         self.errors = [data.evaluate_dataset(data.test, self.predictor,
57                                              Evaluate.squared_loss)]
58         self.display(1,"Predict mean test set mean squared loss=",
59                     self.errors[0] )
60
61
62     def learn(self, num_ensembles=10):
63         """adds num_ensemble learners to the ensemble.
64         returns a new predictor.
65         """
66         for i in range(num_ensembles):
67             train_subset = Boosted_dataset(self.dataset, self.predictor,
68                                           subsample=self.subsample)
69             learner = self.base_learner_class(train_subset)
70             new_offset = learner.learn()
71             self.offsets.append(new_offset)
72             def new_pred(e, old_pred=self.predictor, off=new_offset):
73                 return old_pred(e)+off(e)
74             self.predictor = new_pred
75             self.predictors.append(new_pred)
76             self.errors.append(data.evaluate_dataset(data.test,
77                                              self.predictor, Evaluate.squared_loss))
78             self.display(1,f"Iteration {len(self.offsets)-1},treesize =
79                         {new_offset.num_leaves}. mean squared
80                         loss={self.errors[-1]}")
81         return self.predictor

```

For testing, *sp_DT_learner* returns a learner that predicts the mean at the leaves and is evaluated using squared loss. It can also take arguments to change the default arguments for the trees.

```

-----learnBoosting.py — (continued) -----
76 # Testing
77
78 from learnDT import DT_learner
79 from learnProblem import Data_set, Data_from_file
80
81 def sp_DT_learner(split_to_optimize=Evaluate.squared_loss,
82                   leaf_prediction=Predict.mean,**nargs):
83     """Creates a learner with different default arguments replaced by
84     **nargs
85     """
86     def new_learner(dataset):
87         return DT_learner(dataset,split_to_optimize=split_to_optimize,
88                           leaf_prediction=leaf_prediction, **nargs)
89     return new_learner
90
91 #data = Data_from_file('data/car.csv', target_index=-1) regression
92 data = Data_from_file('data/student/student-mat-nq.csv',
93                       separator=';', has_header=True, target_index=-1, seed=13, include_only=list(range(30))+[32])
94 #2.0537973790924946
95 #data = Data_from_file('data/SPECT.csv', target_index=0, seed=62) #123)
96 #data = Data_from_file('data/mail_reading.csv', target_index=-1)
97 #data = Data_from_file('data/holiday.csv', num_train=19, target_index=-1)
98 learner10 = Boosting_learner(data,
99                             sp_DT_learner(split_to_optimize=Evaluate.squared_loss,
100                               leaf_prediction=Predict.mean, min_child_weight=10))
101 #learner7 = Boosting_learner(data, sp_DT_learner(0.7))
102 #learner5 = Boosting_learner(data, sp_DT_learner(0.5))
103 #predictor9 = learner9.learn(10)
104 #for i in learner9.offsets: print(i.__doc__)
105 import matplotlib.pyplot as plt
106
107 def plot_boosting_trees(data, steps=10, mcws=[30,20,20,10], gammas=
108                         [100,200,300,500]):
109     # to reduce clutter uncomment one of following two lines
110     #mcws=[10]
111     #gammas=[200]
112     learners = [(mcw, gamma, Boosting_learner(data,
113                                                 sp_DT_learner(min_child_weight=mcw, gamma=gamma)))
114                 for gamma in gammas for mcw in mcws
115                 ]
116     plt.ion()
117     plt.xscale('linear') # change between log and linear scale
118     plt.xlabel("number of trees")
119     plt.ylabel("mean squared loss")
120     markers = (m+c for c in ['k','g','r','b','m','c','y'] for m in
121                 ['-', '--', '-.', ':'])
122     for (mcw,gamma,learner) in learners:
123         data.display(1,f"min_child_weight={mcw}, gamma={gamma}")
124         learner.learn(steps)

```

```

117     plt.plot(range(steps+1), learner.errors, next(markers),
118               label=f"min_child_weight={mcw}, gamma={gamma}")
119     plt.legend()
120     plt.draw()
121
122 # plot_boosting_trees(data)

```

7.7.1 Gradient Tree Boosting

The following implements gradient Boosted trees for classification. If you want to use this gradient tree boosting for a real problem, we recommend using **XGBoost** [Chen and Guestrin, 2016].

GTB_learner subclasses DT_learner. The method learn_tree is used unchanged. DT_learner assumes that the value at the leaf is the prediction of the leaf, thus leaf_value needs to be overridden. It also assumes that all nodes at a leaf have the same prediction, but in GBT the elements of a leaf can have different values, depending on the previous trees. Thus sum_losses also needs to be overridden.

```

-----learnBoosting.py — (continued) -----
124 class GTB_learner(DT_learner):
125     def __init__(self, dataset, number_trees, lambda_reg=1, gamma=0,
126                  **dtargs):
127         DT_learner.__init__(self, dataset,
128                             split_to_optimize=Evaluate.log_loss, **dtargs)
129         self.number_trees = number_trees
130         self.lambda_reg = lambda_reg
131         self.gamma = gamma
132         self.trees = []
133
134     def learn(self):
135         for i in range(self.number_trees):
136             tree =
137                 self.learn_tree(self.dataset.conditions(self.max_num_cuts),
138                               self.train)
139             self.trees.append(tree)
140             self.display(1,f"""Iteration {i} treesize = {tree.num_leaves}
141                         train logloss={self.dataset.evaluate_dataset(self.dataset.train,
142                                         self.gtb_predictor, Evaluate.log_loss)
143                         } test logloss={self.dataset.evaluate_dataset(self.dataset.test,
144                                         self.gtb_predictor, Evaluate.log_loss)}""")
145             return self.gtb_predictor
146
147     def gtb_predictor(self, example, extra=0):
148         """prediction for example,
149         extras is an extra contribution for this example being considered
150         """

```

```
146     return sigmoid(sum(t(example) for t in self.trees)+extra)
147
148 def leaf_value(self, egs, domain=[0,1]):
149     """value at the leaves for examples egs
150     domain argument is ignored"""
151     pred_acts = [(self.gtb_predictor(e),self.target(e)) for e in egs]
152     return sum(a-p for (p,a) in pred_acts) / (sum(p*(1-p) for (p,a) in
153                                                 pred_acts)+self.lambda_reg)
154
155 def sum_losses(self, data_subset):
156     """returns sum of losses for dataset (assuming a leaf is formed
157     with no more splits)
158     """
159     leaf_val = self.leaf_value(data_subset)
160     error = sum(Evaluate.log_loss(self.gtb_predictor(e,leaf_val),
161                                   self.target(e))
162                 for e in data_subset) + self.gamma
163
164
165     return error
```

Testing

```
-----learnBoosting.py — (continued) -----
163 # data = Data_from_file('data/carbool.csv', target_index=-1, seed=123)
164 # gtb_learner = GTB_learner(data, 10)
165 # gtb_learner.learn()
```


Chapter 8

Neural Networks and Deep Learning

Warning: this is not meant to be an efficient implementation of deep learning. If you want to do serious machine learning on medium-sized or large data, we would recommend Keras (<https://keras.io>) [Chollet, 2021] or PyTorch (<https://pytorch.org>), which are very efficient, particularly on GPUs. They are, however, black boxes. The AI Python neural network code should be seen like a car engine made of glass; you can see exactly how it works, even if it is not fast.

We have made parameters that are the same as in Keras have the same names.

8.1 Layers

A neural network is built from layers.

This provides a modular implementation of layers. Layers can easily be stacked in many configurations. A layer needs to implement a function to compute the output values from the inputs, a way to back-propagate the error, and perhaps update its parameters.

```
-----learnNN.py — Neural Network Learning -----
11 | from learnProblem import Learner, Data_set, Data_from_file,
12 |     Data_from_files, Evaluate
13 | from learnLinear import sigmoid, one, softmax, indicator
14 | import random, math, time
15 | class Layer(object):
16 |     def __init__(self, nn, num_outputs=None):
```

```

17     """Given a list of inputs, outputs will produce a list of length
18     num_outputs.
19     nn is the neural network this layer is part of
20     num_outputs is the number of outputs for this layer.
21     """
22     self.nn = nn
23     self.num_inputs = nn.num_outputs # output of nn is the input to
24         this layer
25     if num_outputs:
26         self.num_outputs = num_outputs
27     else:
28         self.num_outputs = nn.num_outputs # same as the inputs
29
30     def output_values(self, input_values, training=False):
31         """Return the outputs for this layer for the given input values.
32         input_values is a list of the inputs to this layer (of length
33             num_inputs)
34         returns a list of length self.num_outputs.
35         It can act differently when training and when predicting.
36         """
37         raise NotImplementedError("output_values") # abstract method
38
39     def backprop(self, errors):
40         """Backpropagate the errors on the outputs
41         errors is a list of errors for the outputs (of length
42             self.num_outputs).
43         Returns the errors for the inputs to this layer (of length
44             self.num_inputs).
45
46         You can assume that this is only called after corresponding
47             output_values,
48             which can remember information required for the
49                 back-propagation.
50         """
51         raise NotImplementedError("backprop") # abstract method
52
53     def update(self):
54         """updates parameters after a batch.
55         overridden by layers that have parameters
56         """
57         pass

```

A linear layer maintains an array of weights. `self.weights[o][i]` is the weight between input i and output o . A 1 is added to the end of the inputs. The default initialization is the Glorot uniform initializer [Glorot and Bengio, 2010], which is the default in Keras. An alternative is to provide a limit, in which case the values are selected uniformly in the range $[-\text{limit}, \text{limit}]$. Keras treats the bias separately, and defaults to zero.

.learnNN.py — (continued)

52 | `class Linear_complete_layer(Layer):`

```

53     """a completely connected layer"""
54     def __init__(self, nn, num_outputs, limit=None):
55         """A completely connected linear layer.
56         nn is a neural network that the inputs come from
57         num_outputs is the number of outputs
58         the random initialization of parameters is in range [-limit,limit]
59         """
60         Layer.__init__(self, nn, num_outputs)
61         if limit is None:
62             limit =math.sqrt(6/(self.num_inputs+self.num_outputs))
63             # self.weights[o][i] is the weight between input i and output o
64             self.weights = [[random.uniform(-limit, limit) if inf <
65                             self.num_inputs else 0
66                             for inf in range(self.num_inputs+1)]
67                             for outf in range(self.num_outputs)]
68             self.delta = [[0 for inf in range(self.num_inputs+1)]
69                           for outf in range(self.num_outputs)]
70
71     def output_values(self, input_values, training=False):
72         """Returns the outputs for the input values.
73         It remembers the values for the backprop.
74
75         Note in self.weights there is a weight list for every output,
76         so wts in self.weights loops over the outputs.
77         The bias is the *last* value of each list in self.weights.
78         """
79         self.inputs = input_values + [1]
80         return [sum(w*val for (w,val) in zip(wts,self.inputs))
81                 for wts in self.weights]
82
83     def backprop(self,errors):
84         """Backpropagate the errors, updating the weights and returning the
85             error in its inputs.
86         """
87         input_errors = [0]*(self.num_inputs+1)
88         for out in range(self.num_outputs):
89             for inp in range(self.num_inputs+1):
90                 input_errors[inp] += self.weights[out][inp] * errors[out]
91                 self.delta[out][inp] += self.inputs[inp] * errors[out]
92         return input_errors[:-1] # remove the error for the "1"
93
94     def update(self):
95         """updates parameters after a batch"""
96         batch_step_size = self.nn.learning_rate / self.nn.batch_size
97         for out in range(self.num_outputs):
98             for inp in range(self.num_inputs+1):
99                 self.weights[out][inp] -= batch_step_size *
100                     self.delta[out][inp]
101                 self.delta[out][inp] = 0

```

The standard activation function for hidden nodes is the **ReLU**.

learnNN.py — (continued)

```

100 class ReLU_layer(Layer):
101     """Rectified linear unit (ReLU)  $f(z) = \max(0, z)$ .
102     The number of outputs is equal to the number of inputs.
103     """
104     def __init__(self, nn):
105         Layer.__init__(self, nn)
106
107     def output_values(self, input_values, training=False):
108         """Returns the outputs for the input values.
109         It remembers the input values for the backprop.
110         """
111         self.input_values = input_values
112         self.outputs= [max(0,inp) for inp in input_values]
113         return self.outputs
114
115     def backprop(self,errors):
116         """Returns the derivative of the errors"""
117         return [e if inp>0 else 0 for e,inp in zip(errors,
118             self.input_values)]

```

One of the old standards for the activation function for hidden layers is the sigmoid. It is included here to experiment with.

learnNN.py — (continued)

```

119 class Sigmoid_layer(Layer):
120     """sigmoids of the inputs.
121     The number of outputs is equal to the number of inputs.
122     Each output is the sigmoid of its corresponding input.
123     """
124     def __init__(self, nn):
125         Layer.__init__(self, nn)
126
127     def output_values(self, input_values, training=False):
128         """Returns the outputs for the input values.
129         It remembers the output values for the backprop.
130         """
131         self.outputs= [sigmoid(inp) for inp in input_values]
132         return self.outputs
133
134     def backprop(self,errors):
135         """Returns the derivative of the errors"""
136         return [e*out*(1-out) for e,out in zip(errors, self.outputs)]

```

8.2 Feedforward Networks

learnNN.py — (continued)

```

138 | class NN(Learner):

```

```

139     def __init__(self, dataset, validation_proportion = 0.1,
140                  learning_rate=0.001):
141         """Creates a neural network for a dataset,
142         layers is the list of layers
143         """
144         self.dataset = dataset
145         self.output_type = dataset.target.ftype
146         self.learning_rate = learning_rate
147         self.input_features = dataset.input_features
148         self.num_outputs = len(self.input_features)
149         validation_num = int(len(self.dataset.train)*validation_proportion)
150         if validation_num > 0:
151             random.shuffle(self.dataset.train)
152             self.validation_set = self.dataset.train[-validation_num:]
153             self.training_set = self.dataset.train[:-validation_num]
154         else:
155             self.validation_set = []
156             self.training_set = self.dataset.train
157         self.layers = []
158         self.bn = 0 # number of batches run
159
160     def add_layer(self,layer):
161         """add a layer to the network.
162         Each layer gets number of inputs from the previous layers outputs.
163         """
164         self.layers.append(layer)
165         self.num_outputs = layer.num_outputs
166
167     def predictor(self,ex):
168         """Predicts the value of the first output for example ex.
169         """
170         values = [f(ex) for f in self.input_features]
171         for layer in self.layers:
172             values = layer.output_values(values)
173         return sigmoid(values[0]) if self.output_type == "boolean" \
174             else softmax(values, self.dataset.target.frange) if \
175                 self.output_type == "categorical" \
176             else values[0]
177
178     def predictor_string(self):
179         return "not implemented"

```

The *learn* method learns a network.

	learnNN.py — (continued)
--	--------------------------

```

179     def learn(self, epochs=5, batch_size=32, num_iter = None,
180              report_each=10):
181         """Learns parameters for a neural network using stochastic gradient
182             decent.
183             epochs is the number of times through the data (on average)
184             batch_size is the maximum size of each batch

```

```

183     num_iter is the number of iterations over the batches
184         - overrides epochs if provided (allows for fractions of epochs)
185     report_each means give the errors after each multiple of that
186         iterations
187 """
188     self.batch_size = min(batch_size, len(self.training_set)) # don't
189         have batches bigger than training size
190     if num_iter is None:
191         num_iter = (epochs * len(self.training_set)) // self.batch_size
192     #self.display(0,"Batch\t","\t".join(criterion.__doc__ for criterion
193         in Evaluate.all_criteria))
194     for i in range(num_iter):
195         batch = random.sample(self.training_set, self.batch_size)
196         for e in batch:
197             # compute all outputs
198             values = [f(e) for f in self.input_features]
199             for layer in self.layers:
200                 values = layer.output_values(values, training=True)
201             # backpropagate
202             predicted = [sigmoid(v) for v in values] if self.output_type
203                 == "boolean"\
204                 else softmax(values) if self.output_type ==
205                     "categorical"\
206                 else values
207             actuals = indicator(self.dataset.target(e),
208                 self.dataset.target.frange) \
209                 if self.output_type == "categorical"\
210                 else [self.dataset.target(e)]
211             errors = [pred-obsd for (obsd,pred) in
212                 zip(actuals,predicted)]
213             for layer in reversed(self.layers):
214                 errors = layer.backprop(errors)
215             # Update all parameters in batch
216             for layer in self.layers:
217                 layer.update()
218             self.bn+=1
219             if (i+1)%report_each==0:
220                 self.display(0,self.bn,"\t",
221                     "\t\t".join("{:.4f}".format(
222                         self.dataset.evaluate_dataset(self.validation_set,
223                             self.predictor, criterion))
224                         for criterion in Evaluate.all_criteria),
225                         sep=""))

```

8.3 Improved Optimization

8.3.1 Momentum

.learnNN.py — (continued)

```

218 | class Linear_complete_layer_momentum(Linear_complete_layer):

```

```

219     """a completely connected layer"""
220     def __init__(self, nn, num_outputs, limit=None, alpha=0.9, epsilon =
221         1e-07, vel0=0):
222         """A completely connected linear layer.
223         nn is a neural network that the inputs come from
224         num_outputs is the number of outputs
225         max_init is the maximum value for random initialization of
226             parameters
227         vel0 is the initial velocity for each parameter
228         """
229         Linear_complete_layer.__init__(self, nn, num_outputs, limit=limit)
230         # self.weights[o][i] is the weight between input i and output o
231         self.velocity = [[vel0 for inf in range(self.num_inputs+1)]
232                         for outf in range(self.num_outputs)]  

233         self.alpha = alpha
234         self.epsilon = epsilon
235
236     def update(self):
237         """updates parameters after a batch"""
238         batch_step_size = self.nn.learning_rate / self.nn.batch_size
239         for out in range(self.num_outputs):
240             for inp in range(self.num_inputs+1):
241                 self.velocity[out][inp] = self.alpha * self.velocity[out][inp]
242                     - batch_step_size * self.delta[out][inp]
243                 self.weights[out][inp] += self.velocity[out][inp]
244                 self.delta[out][inp] = 0

```

8.3.2 RMS-Prop

learnNN.py — (continued)

```

243     class Linear_complete_layer_RMS_Prop(Linear_complete_layer):
244         """a completely connected layer"""
245         def __init__(self, nn, num_outputs, limit=None, rho=0.9, epsilon =
246             1e-07):
247             """A completely connected linear layer.
248             nn is a neural network that the inputs come from
249             num_outputs is the number of outputs
250             max_init is the maximum value for random initialization of
251                 parameters
252             """
253             Linear_complete_layer.__init__(self, nn, num_outputs, limit=limit)
254             # self.weights[o][i] is the weight between input i and output o
255             self.ms = [[0 for inf in range(self.num_inputs+1)]
256                         for outf in range(self.num_outputs)]  

257             self.rho = rho
258             self.epsilon = epsilon
259
260     def update(self):
261         """updates parameters after a batch"""
262         for out in range(self.num_outputs):

```

```

261     for inp in range(self.num_inputs+1):
262         gradient = self.delta[out][inp] / self.nn.batch_size
263         self.ms[out][inp] = self.rho*self.ms[out][inp]+ (1-self.rho)
264             * gradient**2
265         self.weights[out][inp] ==
266             self.nn.learning_rate/(self.ms[out][inp]+self.epsilon)**0.5
267             * gradient
268         self.delta[out][inp] = 0

```

8.4 Dropout

Dropout is implemented as a layer.

learnNN.py — (continued)

```

267 from utilities import flip
268 class Dropout_layer(Layer):
269     """Dropout layer
270     """
271
272     def __init__(self, nn, rate=0):
273         """
274             rate is fraction of the input units to drop. 0 =< rate < 1
275         """
276         self.rate = rate
277         Layer.__init__(self, nn)
278
279     def output_values(self, input_values, training=False):
280         """Returns the outputs for the input values.
281             It remembers the input values for the backprop.
282         """
283         if training:
284             scaling = 1/(1-self.rate)
285             self.mask = [0 if flip(self.rate) else 1
286                         for _ in input_values]
287             return [x*y*scaling for (x,y) in zip(input_values, self.mask)]
288         else:
289             return input_values
290
291     def backprop(self, errors):
292         """Returns the derivative of the errors"""
293         return [x*y for (x,y) in zip(errors, self.mask)]
294
295 class Dropout_layer_0(Layer):
296     """Dropout layer
297     """
298
299     def __init__(self, nn, rate=0):
300         """
301             rate is fraction of the input units to drop. 0 =< rate < 1
302         """

```

```

303     self.rate = rate
304     Layer.__init__(self, nn)
305
306     def output_values(self, input_values, training=False):
307         """Returns the outputs for the input values.
308         It remembers the input values for the backprop.
309         """
310
311         if training:
312             scaling = 1/(1-self.rate)
313             self.outputs= [0 if flip(self.rate) else inp*scaling # make 0
314                           with probability rate
315                           for inp in input_values]
316         return self.outputs
317
318     else:
319
320         def backprop(self,errors):
321             """Returns the derivative of the errors"""
322
323         return errors

```

8.4.1 Examples

The following constructs a neural network with one hidden layer. The hidden layer has width 2 with a ReLU activation function. The output layer used a sigmoid

322	#data = Data_from_file('data/mail_reading.csv', target_index=-1)
323	#data = Data_from_file('data/mail_reading_consist.csv', target_index=-1)
324	data = Data_from_file('data/SPECT.csv', prob_test=0.5, target_index=0)
325	#data = Data_from_file('data/iris.data', prob_test=0.2, target_index=-1) # 150 examples approx 120 test + 30 test
326	#data = Data_from_file('data/if_x_then_y_else_z.csv', num_train=8, target_index=-1) # not linearly sep
327	#data = Data_from_file('data/holiday.csv', target_index=-1) #, num_train=19)
328	#data = Data_from_file('data/processed.cleveland.data', target_index=-1)
329	random.seed(None)
330	
331	nn1 = NN(data, validation_proportion = 0)
332	nn1.add_layer(Linear_complete_layer(nn1,3))
333	#nn1.add_layer(Sigmoid_layer(nn1)) # comment this or the next
334	nn1.add_layer(ReLU_layer(nn1))
335	nn1.add_layer(Linear_complete_layer(nn1,1)) # when using output_type="boolean"
336	#nn1.add_layer(Linear_complete_layer(nn1,1)) # when using output_type="categorical"
337	#nn1.learn(epochs = 100)
338	
339	nn1do = NN(data)

learnNN.py — (continued)

```

340 nn1do.add_layer(Linear_complete_layer(nn1do,3))
341 #nn1.add_layer(Sigmoid_layer(nn1)) # comment this or the next
342 nn1do.add_layer(ReLU_layer(nn1do))
343 nn1do.add_layer(Dropout_layer(nn1do, rate=0.5))
344 #nn1.add_layer(Linear_complete_layer(nn1do,1)) # when using
     output_type="boolean"
345 nn1do.add_layer(Linear_complete_layer(nn1do,1)) # when using
     output_type="categorical"
346 #nn1do.learn(epochs = 100)
347
348
349 nn_r1 = NN(data)
350 nn_r1.add_layer(Linear_complete_layer_RMS_Prop(nn_r1,3))
351 #nn_r1.add_layer(Sigmoid_layer(nn_r1)) # comment this or the next
352 nn_r1.add_layer(ReLU_layer(nn_r1))
353 #nn_r1.add_layer(Linear_complete_layer(nn_r1,1)) # when using
     output_type="boolean"
354 nn_r1.add_layer(Linear_complete_layer_RMS_Prop(nn_r1,1)) # when using
     output_type="categorical"
355 #nn_r1.learn(epochs = 100)
356
357
358 nnm1 = NN(data)
359 nnm1.add_layer(Linear_complete_layer_momentum(nnm1,3))
360 #nnm1.add_layer(Sigmoid_layer(nnm1)) # comment this or the next
361 nnm1.add_layer(ReLU_layer(nnm1))
362 #nnm1.add_layer(Linear_complete_layer(nnm1,1)) # when using
     output_type="boolean"
363 nnm1.add_layer(Linear_complete_layer_momentum(nnm1,1)) # when using
     output_type="categorical"
364 #nnm1.learn(epochs = 100)
365
366
367 nn2 = NN(data) # "boolean" #
368 nn2.add_layer(Linear_complete_layer_RMS_Prop(nn2,2))
369 nn2.add_layer(ReLU_layer(nn2))
370 nn2.add_layer(Linear_complete_layer_RMS_Prop(nn2,1)) # when using
     output_type="categorical"
371
372 nn3 = NN(data) # "boolean" #
373 nn3.add_layer(Linear_complete_layer_RMS_Prop(nn3,5))
374 nn3.add_layer(ReLU_layer(nn3))
375 nn3.add_layer(Linear_complete_layer_RMS_Prop(nn3,1)) # when using
     output_type="categorical"
376
377 nn0 = NN(data,learning_rate=0.05)
378 nn0.add_layer(Linear_complete_layer(nn0,1)) # categorical linear regression
379 #nn0.add_layer(Linear_complete_layer_RMS_Prop(nn0,1)) # categorical linear
     regression

```

Plotting.

```
-----learnNN.py — (continued) -----
381 from learnLinear import plot_steps
382 from learnProblem import Evaluate
383
384 # To show plots:
385 # plot_steps(learner = nn1, data = data, criterion=Evaluate.log_loss,
386 #             num_steps=10000, log_scale=False, legend_label="nn1")
387 # plot_steps(learner = nn2, data = data, criterion=Evaluate.log_loss,
388 #             num_steps=10000, log_scale=False, legend_label="nn2")
389 # plot_steps(learner = nn3, data = data, criterion=Evaluate.log_loss,
390 #             num_steps=100000, log_scale=False, legend_label="nn3")
391 # plot_steps(learner = nn0, data = data, criterion=Evaluate.log_loss,
392 #             num_steps=10000, log_scale=False, legend_label="nn0")
393
394 # plot_steps(learner = nn0, data = data, criterion=Evaluate.accuracy,
395 #             num_steps=10000, log_scale=False, legend_label="nn0")
396 # plot_steps(learner = nn1, data = data, criterion=Evaluate.accuracy,
397 #             num_steps=10000, log_scale=False, legend_label="nn1")
398 # plot_steps(learner = nn2, data = data, criterion=Evaluate.accuracy,
399 #             num_steps=10000, log_scale=False, legend_label="nn2")
400 # plot_steps(learner = nn3, data = data, criterion=Evaluate.accuracy,
401 #             num_steps=10000, log_scale=False, legend_label="nn3")
402
403
404 # Print some training examples
405 #for eg in random.sample(data.train,10): print(eg,nn1.predictor(eg))
406
407 # Print some test examples
408 #for eg in random.sample(data.test,10): print(eg,nn1.predictor(eg))
409
410 # To see the weights learned in linear layers
411 # nn1.layers[0].weights
412 # nn1.layers[2].weights
413
414 # Print test:
415 # for e in data.train: print(e,nn0.predictor(e))
416
417 def test(data, hidden_widths = [5], epochs=100,
418          optimizers = [Linear_complete_layer,
419                        Linear_complete_layer_momentum,
420                        Linear_complete_layer_RMS_Prop]):
421     data.display(0,"Batch\t"," \t".join(criterion.__doc__ for criterion in
422                                         Evaluate.all_criteria))
423     for optimizer in optimizers:
424         nn = NN(data)
425         for width in hidden_widths:
426             nn.add_layer(optimizer(nn,width))
427             nn.add_layer(ReLU_layer(nn))
428         if data.target.ftype == "boolean":
429             nn.add_layer(optimizer(nn,1))
```

```

420     else:
421         error(f"Not implemented: {data.output_type}")
422     nn.learn(epochs)

```

The following tests on MNIST. The original files are from <http://yann.lecun.com/exdb/mnist/>. This code assumes you use the csv files from <https://pjreddie.com/projects/mnist-in-csv/>, and put them in the directory `../MNIST/`. Note that this is **very** inefficient; you would be better to use Keras or Pytorch. There are $28 * 28 = 784$ input units and 512 hidden units, which makes 401,408 parameters for the lowest linear layer. So don't be surprised when it takes many hours in AIPython (even if it only takes a few seconds in Keras).

`learnNN.py — (continued)`

```

424 # Simplified version: (6000 training instances)
425 # data_mnist = Data_from_file('../MNIST/mnist_train.csv', prob_test=0.9,
426 #                             target_index=0, boolean_features=False, target_type="categorical")
427
428 # Full version:
429 # data_mnist = Data_from_files('../MNIST/mnist_train.csv',
430 #                             '../MNIST/mnist_test.csv', target_index=0, boolean_features=False,
431 #                             target_type="categorical")
432
433 # nn_mnist = NN(data_mnist, validation_proportion = 0.02,
434 #                 learning_rate=0.001) #validation set = 1200
435 # nn_mnist.add_layer(Linear_complete_layer_RMS_Prop(nn_mnist,512));
436 # nn_mnist.add_layer(ReLU_layer(nn_mnist));
437 # nn_mnist.add_layer(Linear_complete_layer_RMS_Prop(nn_mnist,10))
438 # start_time = time.perf_counter();nn_mnist.learn(epochs=1,
439 #                                                 batch_size=128);end_time = time.perf_counter();print("Time:", end_time
440 # - start_time,"seconds") #1 epoch
441 # determine test error:
442 # data_mnist.evaluate_dataset(data_mnist.test, nn_mnist.predictor,
443 #                             Evaluate.accuracy)
444 # Print some random predictions:
445 # for eg in random.sample(data_mnist.test,10):
446 #     print(data_mnist.target(eg),nn_mnist.predictor(eg),nn_mnist.predictor(eg)[data_mnist.target(eg)])

```

Exercise 8.1 In the definition of `nn1` above, for each of the following, first hypothesize what will happen, then test your hypothesis, then explain whether you testing confirms your hypothesis or not. Test it for more than one data set, and use more than one run for each data set.

- Which fits the data better, having a sigmoid layer or a ReLU layer after the first linear layer?
- Which is faster, having a sigmoid layer or a ReLU layer after the first linear layer?
- What happens if you have both the sigmoid layer and then a ReLU layer after the first linear layer and before the second linear layer?
- What happens if you have a ReLU layer then a sigmoid layer after the first linear layer and before the second linear layer?

- (e) What happens if you have neither the sigmoid layer nor a ReLU layer after the first linear layer?

Exercise 8.2 Do some

Chapter 9

Reasoning with Uncertainty

9.1 Representing Probabilistic Models

A variable consists of a name, a domain and an optional (x,y) position (for displaying). The domain of a variable is a list or a tuple, as the ordering will matter in the representation of factors.

```
probVariables.py — Probabilistic Variables  
11 import random  
12  
13 class Variable(object):  
14     """A random variable.  
15     name (string) - name of the variable  
16     domain (list) - a list of the values for the variable.  
17     Variables are ordered according to their name.  
18     """  
19  
20     def __init__(self, name, domain, position=None):  
21         """Variable  
22             name a string  
23             domain a list of printable values  
24             position of form (x,y)  
25             """  
26         self.name = name # string  
27         self.domain = domain # list of values  
28         self.position = position if position else (random.random(),  
29                                         random.random())  
30         self.size = len(domain)  
31  
32     def __str__(self):  
33         return self.name
```

```
34 |     def __repr__(self):
35 |         return self.name # f"Variable({self.name})"
```

9.2 Representing Factors

A **factor** is, mathematically, a function from variables into a number; that is given a value for each of its variable, it gives a number. Factors are used for conditional probabilities, utilities in the next chapter, and are explicitly constructed by some algorithms (in particular variable elimination).

A variable assignment, or just **assignment**, is represented as a `{variable : value}` dictionary. A factor can be evaluated when all of its variables are assigned. The method `get_value` evaluates the factor for an assignment. The assignment can include extra variables not in the factor. This method needs to be defined for every subclass.

```
probFactors.py — Factors for graphical models
_____
11 | from display import Displayable
12 | import math
13 |
14 | class Factor(Displayable):
15 |     nextid=0 # each factor has a unique identifier; for printing
16 |
17 |     def __init__(self,variables):
18 |         self.variables = variables # ordered list of variables
19 |         self.id = Factor.nextid
20 |         self.name = f"f{self.id}"
21 |         Factor.nextid += 1
22 |
23 |     def can_evaluate(self,assignment):
24 |         """True when the factor can be evaluated in the assignment
25 |         assignment is a {variable:value} dict
26 |         """
27 |         return all(v in assignment for v in self.variables)
28 |
29 |     def get_value(self,assignment):
30 |         """Returns the value of the factor given the assignment of values
31 |             to variables.
32 |             Needs to be defined for each subclass.
33 |             """
34 |         assert self.can_evaluate(assignment)
35 |         raise NotImplementedError("get_value") # abstract method
```

The method `__str__` returns a brief definition (like “`f7(X,Y,Z)`”). The method `to_table` returns string representations of a table showing all of the assignments of values to variables, and the corresponding value.

```
probFactors.py — (continued)
_____
36 |     def __str__(self):
```

```

37     """returns a string representing a summary of the factor"""
38     return f"{self.name}({', '.join(str(var) for var in
39                               self.variables)})"
40
41     def to_table(self, variables=None, given={}):
42         """returns a string representation of the factor.
43         Allows for an arbitrary variable ordering.
44         variables is a list of the variables in the factor
45         (can contain other variables)"""
46         if variables==None:
47             variables = [v for v in self.variables if v not in given]
48         else: #enforce ordering and allow for extra variables in ordering
49             variables = [v for v in variables if v in self.variables and v
50                           not in given]
51         head = "\t".join(str(v) for v in variables)
52         return head+"\n"+self.ass_to_str(variables, given, variables)
53
54     def ass_to_str(self, vars, asst, allvars):
55         #print(f"ass_to_str({vars}, {asst}, {allvars})")
56         if vars:
57             return "\n".join(self.ass_to_str(vars[1:], {**asst,
58                                              vars[0]:val}, allvars)
59                               for val in vars[0].domain)
60         else:
61             return ("\t".join(str(asst[var]) for var in allvars)
62                     + "\t"+":.6f)".format(self.get_value(asst)) )
63
64     __repr__ = __str__

```

9.3 Conditional Probability Distributions

A **conditional probability distribution (CPD)** is a type of factor that represents a conditional probability. A CPD representing $P(X \mid Y_1 \dots Y_k)$ is a type of factor, where given values for X and each Y_i returns a number.

probFactors.py — (continued)

```

63 class CPD(Factor):
64     def __init__(self, child, parents):
65         """represents P(variable | parents)
66         """
67         self.parents = parents
68         self.child = child
69         Factor.__init__(self, parents+[child])
70
71     def __str__(self):
72         """A brief description of a factor using in tracing"""
73         if self.parents:
74             return f"P({self.child}|{', '.join(str(p) for p in
75                                         self.parents)})"

```

```

75     else:
76         return f"P({self.child})"
77
78     __repr__ = __str__

```

The simplest CPD is the constant that has probability 1 when the child has the value specified.

```

-----probFactors.py — (continued) -----
80 class ConstantCPD(CPD):
81     def __init__(self, variable, value):
82         CPD.__init__(self, variable, [])
83         self.value = value
84     def get_value(self, assignment):
85         return 1 if self.value==assignment[self.child] else 0

```

9.3.1 Logistic Regression

A **logistic regression** CPD, for Boolean variable X represents $P(X=True | Y_1 \dots Y_k)$, using $k + 1$ real-values weights so

$$P(X=True | Y_1 \dots Y_k) = \text{sigmoid}(w_0 + \sum_i w_i Y_i)$$

where for Boolean Y_i , True is represented as 1 and False as 0.

```

-----probFactors.py — (continued) -----
87 from learnLinear import sigmoid, logit
88
89 class LogisticRegression(CPD):
90     def __init__(self, child, parents, weights):
91         """A logistic regression representation of a conditional
92             probability.
93             child is the Boolean (or 0/1) variable whose CPD is being defined
94             parents is the list of parents
95             weights is list of parameters, such that weights[i+1] is the weight
96                 for parents[i]
97             """
98
99     assert len(weights) == 1+len(parents)
100    CPD.__init__(self, child, parents)
101    self.weights = weights
102
103    def get_value(self, assignment):
104        assert self.can_evaluate(assignment)
105        prob = sigmoid(self.weights[0]
106                      + sum(self.weights[i+1]*assignment[self.parents[i]]
107                            for i in range(len(self.parents))))))
108        if assignment[self.child]: #child is true
109            return prob
110        else:
111            return (1-prob)

```

9.3.2 Noisy-or

A **noisy-or**, for Boolean variable X with Boolean parents $Y_1 \dots Y_k$ is parametrized by $k + 1$ parameters p_0, p_1, \dots, p_k , where each $0 \leq p_i \leq 1$. The semantics is defined as though there are $k + 1$ hidden variables $Z_0, Z_1 \dots Z_k$, where $P(Z_0) = p_0$ and $P(Z_i | Y_i) = p_i$ for $i \geq 1$, and where X is true if and only if $Z_0 \vee Z_1 \vee \dots \vee Z_k$ (where \vee is “or”). Thus X is false if all of the Z_i are false. Intuitively, Z_0 is the probability of X when all Y_i are false and each Z_i is a noisy (probabilistic) measure that Y_i makes X true, and X only needs one to make it true.

probFactors.py — (continued)

```

110 class NoisyOR(CPD):
111     def __init__(self, child, parents, weights):
112         """A noisy representation of a conditional probability.
113         variable is the Boolean (or 0/1) child variable whose CPD is being
114         defined
115         parents is the list of Boolean (or 0/1) parents
116         weights is list of parameters, such that weights[i+1] is the weight
117         for parents[i]
118         """
119         assert len(weights) == 1+len(parents)
120         CPD.__init__(self, child, parents)
121         self.weights = weights
122
123     def get_value(self, assignment):
124         assert self.can_evaluate(assignment)
125         probfalse = (1-self.weights[0])*math.prod(1-self.weights[i+1]
126                                                 for i in
127                                                 range(len(self.parents)))
128         if assignment[self.child]:
129             return 1-probfase
129         else:
129             return probfalse

```

9.3.3 Tabular Factors

A **tabular factor** is a factor that represents each assignment of values to variables separately. It is represented by a Python array (or python dict). If the variables are V_1, V_2, \dots, V_k , the value of $f(V_1 = v_1, V_2 = v_1, \dots, V_k = v_k)$ is stored in $f[v_1][v_2] \dots [v_k]$.

If the domain of V_i is $[0, \dots, n_i - 1]$ this can be represented as an array. Otherwise we can use a dictionary. Python is nice in that it doesn't care, whether an array or dict is used **except when enumerating the values**; enumerating a dict gives the keys (the variables) but enumerating an array gives the values. So we have to be careful not to do this.

probFactors.py — (continued)

```

131 from functools import reduce
132
133 class TabFactor(Factor):
134
135     def __init__(self, variables, values):
136         Factor.__init__(self, variables)
137         self.values = values
138
139     def get_value(self, assignment):
140         return self.get_val_rec(self.values, self.variables, assignment)
141
142     def get_val_rec(self, value, variables, assignment):
143         if variables == []:
144             return value
145         else:
146             return self.get_val_rec(value[assignment[variables[0]]],
147                                     variables[1:], assignment)

```

Prob is a factor that represents a conditional probability by enumerating all of the values.

```

probFactors.py — (continued)
149 class Prob(CPD, TabFactor):
150     """A factor defined by a conditional probability table"""
151     def __init__(self, var, pars, cpt):
152         """Creates a factor from a conditional probability table, cpt
153         The cpt values are assumed to be for the ordering par+[var]
154         """
155         TabFactor.__init__(self, pars+[var], cpt)
156         self.child = var
157         self.parents = pars

```

9.4 Graphical Models

A graphical model consists of a set of variables and a set of factors. A belief network is a graphical model where all of the factors represent conditional probabilities. There are some operations (such as pruning variables) which are applicable to belief networks, but are not applicable to more general models. At the moment, we will treat them as the same.

```

probGraphicalModels.py — Graphical Models and Belief Networks
11 from display import Displayable
12 from probFactors import CPD
13 import matplotlib.pyplot as plt
14
15 class GraphicalModel(Displayable):
16     """The class of graphical models.
17     A graphical model consists of a title, a set of variables and a set of
     factors.

```

```

18     vars is a set of variables
19     factors is a set of factors
20     """
21
22     def __init__(self, title, variables=None, factors=None):
23         self.title = title
24         self.variables = variables
25         self.factors = factors

```

A **belief network** (also known as a **Bayesian network**) is a graphical model where all of the factors are conditional probabilities, and every variable has a conditional probability of it given its parents. This only checks the first condition, and builds some useful data structures.

probGraphicalModels.py — (continued) —

```

27 class BeliefNetwork(GraphicalModel):
28     """The class of belief networks."""
29
30     def __init__(self, title, variables, factors):
31         """vars is a set of variables
32             factors is a set of factors. All of the factors are instances of
33                 CPD (e.g., Prob).
34
35             GraphicalModel.__init__(self, title, variables, factors)
36             assert all(isinstance(f,CPD) for f in factors)
37             self.var2cpt = {f.child:f for f in factors}
38             self.var2parents = {f.child:f.parents for f in factors}
39             self.children = {n:[] for n in self.variables}
40             for v in self.var2parents:
41                 for par in self.var2parents[v]:
42                     self.children[par].append(v)
42             self.topological_sort_saved = None

```

The following creates a topological sort of the nodes, where the parents of a node come before the node in the resulting order. This is based on Kahn's algorithm from 1962.

probGraphicalModels.py — (continued) —

```

44     def topological_sort(self):
45         """creates a topological ordering of variables such that the
46             parents of
47             a node are before the node.
48
49             if self.topological_sort_saved:
50                 return self.topological_sort_saved
51             next_vars = {n for n in self.var2parents if not self.var2parents[n]
52                         }
53             self.display(3,'topological_sort: next_vars',next_vars)
54             top_order=[]
55             while next_vars:
56                 var = next_vars.pop()

```

```

55         self.display(3,'select variable',var)
56         top_order.append(var)
57         next_vars |= {ch for ch in self.children[var]}
58             if all(p in top_order for p in
59                 self.var2parents[ch])}
60         self.display(3,'var_with_no_parents_left',next_vars)
61         self.display(3,"top_order",top_order)
62         assert
63             set(top_order)==set(self.var2parents),(top_order,self.var2parents)
64         self.topologica尔斯ort_saved=top_order
65         return top_order

```

The **show** method uses matplotlib to show the graphical structure of a belief network.

probGraphicalModels.py — (continued)

```

65     def show(self):
66         plt.ion() # interactive
67         ax = plt.figure().gca()
68         ax.set_axis_off()
69         plt.title(self.title)
70         bbox = dict(boxstyle="round4,pad=1.0,rounding_size=0.5")
71         for var in reversed(self.topological_sort()):
72             if self.var2parents[var]:
73                 for par in self.var2parents[var]:
74                     ax.annotate(var.name, par.position, xytext=var.position,
75                                 arrowprops={'arrowstyle': '<-'},bbox=bbox,
76                                 ha='center')
77             else:
78                 x,y = var.position
79                 plt.text(x,y,var.name,bbox=bbox,ha='center')

```

9.4.1 Example Belief Networks

A Chain of 4 Variables

The first example belief network is a simple chain $A \rightarrow B \rightarrow C \rightarrow D$.
Please do not change this, as it is the example used for testing.

probGraphicalModels.py — (continued)

```

81 from probVariables import Variable
82 from probFactors import Prob, LogisticRegression, NoisyOR
83
84 boolean = [False, True]
85 A = Variable("A", boolean, position=(0,0.8))
86 B = Variable("B", boolean, position=(0.333,0.6))
87 C = Variable("C", boolean, position=(0.666,0.4))
88 D = Variable("D", boolean, position=(1,0.2))
89
90 f_a = Prob(A,[],[0.4,0.6])

```




Figure 9.1: The report-of-leaving belief network

```

91 | f_b = Prob(B,[A],[[0.9,0.1],[0.2,0.8]])
92 | f_c = Prob(C,[B],[[0.6,0.4],[0.3,0.7]])
93 | f_d = Prob(D,[C],[[0.1,0.9],[0.75,0.25]])
94 |
95 | bn_4ch = BeliefNetwork("4-chain", {A,B,C,D}, {f_a,f_b,f_c,f_d})

```

Report-of-Leaving Example

The second belief network, `bn_report`, is Example 8.15 of Poole and Mackworth [2017] (<http://artint.info>). The output of `bn_report.show()` is shown in Figure 9.1 of this document.

probGraphicalModels.py — (continued)

```

97 | # Belief network report-of-leaving example (Example 8.15 shown in Figure
98 | # 8.3) of
99 | # Poole and Mackworth, Artificial Intelligence, 2017 http://artint.info
100 | Alarm = Variable("Alarm", boolean, position=(0.366,0.633))
101 | Fire = Variable("Fire", boolean, position=(0.633,0.9))
102 | Leaving = Variable("Leaving", boolean, position=(0.366,0.366))
103 | Report = Variable("Report", boolean, position=(0.366,0.1))
104 | Smoke = Variable("Smoke", boolean, position=(0.9,0.633))
105 | Tamper = Variable("Tamper", boolean, position=(0.1,0.9))
106 |

```




Figure 9.2: The sprinkler belief network

```

107 f_ta = Prob(Tamper,[],[0.98,0.02])
108 f_fi = Prob(Fire,[],[0.99,0.01])
109 f_sm = Prob(Smoke,[Fire],[[0.99,0.01],[0.1,0.9]])
110 f_al = Prob(Alarm,[Fire,Tamper],[[[0.9999, 0.0001], [0.15, 0.85]], [[0.01, 0.99], [0.5, 0.5]]])
111 f_lv = Prob(Leaving,[Alarm],[[0.99, 0.001], [0.12, 0.88]])
112 f_re = Prob(Report,[Leaving],[[0.99, 0.01], [0.25, 0.75]])
113
114 bn_report = BeliefNetwork("Report-of-leaving",
115     {Tamper,Fire,Smoke,Alarm,Leaving,Report},
116     {f_ta,f_fi,f_sm,f_al,f_lv,f_re})
  
```

Sprinkler Example

The third belief network is the sprinkler example from Pearl. The output of `bn_sprinkler.show()` is shown in Figure 9.2 of this document.

```

117 Season = Variable("Season", ["summer", "winter"], position=(0.5,0.9))
118 Sprinkler = Variable("Sprinkler", ["on", "off"], position=(0.9,0.6))
119 Rained = Variable("Rained", boolean, position=(0.1,0.6))
120 Grass_wet = Variable("Grass wet", boolean, position=(0.5,0.3))
121 Grass_shiny = Variable("Grass shiny", boolean, position=(0.1,0))
122 Shoes_wet = Variable("Shoes wet", boolean, position=(0.9,0))
  
```

```

123 f_season = Prob(Season,[],{'summer':0.5, 'winter':0.5})
124 f_sprinkler = Prob(Sprinkler,[Season],{'summer':{'on':0.9,'off':0.1},
125                                'winter':{'on':0.01,'off':0.99}})
126 f_rained = Prob(Rained,[Season],{'summer':[0.9,0.1], 'winter': [0.2,0.8]})
127 f_wet = Prob(Grass_wet,[Sprinkler,Rained], {'on': [[0.1,0.9],[0.01,0.99]],
128                                'off':[[0.99,0.01],[0.3,0.7]]})
129 f_shiny = Prob(Grass_shiny, [Grass_wet], [[0.95,0.05], [0.3,0.7]])
130 f_shoes = Prob(Shoes_wet, [Grass_wet], [[0.98,0.02], [0.35,0.65]])
131
132
133 bn_sprinkler = BeliefNetwork("Pearl's Sprinkler Example",
134                               {Season, Sprinkler, Rained, Grass_wet, Grass_shiny,
135                                Shoes_wet},
136                               {f_season, f_sprinkler, f_rained, f_wet, f_shiny,
137                                f_shoes})
138
139 bn_sprinkler_soff = BeliefNetwork("Pearl's Sprinkler Example
140                               (do(Sprinkler=off))",
141                               {Season, Sprinkler, Rained, Grass_wet, Grass_shiny,
142                                Shoes_wet},
143                               {f_season, f_rained, f_wet, f_shiny, f_shoes,
144                                Prob(Sprinkler,[],{'on':0,'off':1}))}
```

Bipartite Diagnostic Model with Noisy-or

The belief network `bn_no1` is a bipartite diagnostic model, with independent diseases, and the symptoms depend on the diseases, where the CPDs are defined using noisy-or. Bipartite means it is in two parts; the diseases are only connected to the symptoms and the symptoms are only connected to the diseases. The output of `bn_no1.show()` is shown in Figure 9.3 of this document.

	probGraphicalModels.py — (continued) —
--	--

```

142 Cough = Variable("Cough", boolean, (0.1,0.1))
143 Fever = Variable("Fever", boolean, (0.5,0.1))
144 Sneeze = Variable("Sneeze", boolean, (0.9,0.1))
145 Cold = Variable("Cold",boolean, (0.1,0.9))
146 Flu = Variable("Flu",boolean, (0.5,0.9))
147 Covid = Variable("Covid",boolean, (0.9,0.9))
148
149 p_cold_no = Prob(Cold,[],[0.9,0.1])
150 p_flu_no = Prob(Flu,[],[0.95,0.05])
151 p_covid_no = Prob(Covid,[],[0.99,0.01])
152
153 p_cough_no = NoisyOR(Cough, [Cold,Flu,Covid], [0.1, 0.3, 0.2, 0.7])
154 p_fever_no = NoisyOR(Fever, [Flu,Covid], [0.01, 0.6, 0.7])
155 p_sneeze_no = NoisyOR(Sneeze, [Cold,Flu ], [0.05, 0.5, 0.2 ])
156
157 bn_no1 = BeliefNetwork("Bipartite Diagnostic Network (noisy-or)",
```




Figure 9.3: A bipartite diagnostic network

```

158     {Cough, Fever, Sneeze, Cold, Flu, Covid},
159     {p_cold_no, p_flu_no, p_covid_no, p_cough_no,
160       p_fever_no, p_sneeze_no})
161 # to see the conditional probability of Noisy-or do:
162 # print(p_cough_no.to_table())
163
164 # example from box "Noisy-or compared to logistic regression"
165 # X = Variable("X",boolean)
166 # w0 = 0.01
167 # print(NoisyOR(X,[A,B,C,D],[w0, 1-(1-0.05)/(1-w0), 1-(1-0.1)/(1-w0),
168   1-(1-0.2)/(1-w0), 1-(1-0.2)/(1-w0), ]).to_table(given={X:True}))
  
```

Bipartite Diagnostic Model with Logistic Regression

The belief network `bn_lr1` is a bipartite diagnostic model, with independent diseases, and the symptoms depend on the diseases, where the CPDs are defined using logistic regression. It has the same graphical structure as the previous example (see Figure 9.3). This has the (approximately) the same conditional probabilities as the previous example when zero or one diseases are present. Note that $\text{sigmoid}(-2.2) \approx 0.1$

probGraphicalModels.py — (continued)

```

169 p_cold_lr = Prob(Cold,[],[0.9,0.1])
170 p_flu_lr = Prob(Flu,[],[0.95,0.05])
171 p_covid_lr = Prob(Covid,[],[0.99,0.01])
172
173 p_cough_lr = LogisticRegression(Cough, [Cold,Flu,Covid], [-2.2, 1.67,
174     1.26, 3.19])
175 p_fever_lr = LogisticRegression(Fever, [ Flu,Covid], [-4.6,      5.02,
176     5.46])
177 p_sneeze_lr = LogisticRegression(Sneeze, [Cold,Flu ], [-2.94, 3.04, 1.79
178     ])
179
180 bn_lr1 = BeliefNetwork("Bipartite Diagnostic Network - logistic
181     regression",
182         {Cough, Fever, Sneeze, Cold, Flu, Covid},
183         {p_cold_lr, p_flu_lr, p_covid_lr, p_cough_lr,
184             p_fever_lr, p_sneeze_lr})
185
186 # to see the conditional probability of Noisy-or do:
187 #print(p_cough_lr.to_table())
188
189 # example from box "Noisy-or compared to logistic regression"
190 # from learnLinear import sigmoid, logit
191 # w0=logit(0.01)
192 # X = Variable("X",boolean)
193 # print(LogisticRegression(X,[A,B,C,D],[w0, logit(0.05)-w0, logit(0.1)-w0,
194     logit(0.2)-w0, logit(0.2)-w0]).to_table(given={X:True}))
195 # try to predict what would happen (and then test) if we had
196 # w0=logit(0.01)

```

9.5 Inference Methods

Each of the inference methods implements the `query` method that computes the posterior probability of a variable given a dictionary of $\{variable : value\}$ observations. The methods are `Displayable` because they implement the `display` method which is currently text-based.

probGraphicalModels.py — (continued)

```

193 from display import Displayable
194
195 class InferenceMethod(Displayable):
196     """The abstract class of graphical model inference methods"""
197     method_name = "unnamed" # each method should have a method name
198
199     def __init__(self,gm=None):
200         self.gm = gm
201
202     def query(self, qvar, obs={}):
203         """returns a {value:prob} dictionary for the query variable"""

```

```
204 |     raise NotImplementedError("InferenceMethod query") # abstract method
```

We use `bn_4ch` as the test case, in particular $P(B \mid D = \text{true})$. This needs an error threshold, particularly for the approximate methods, where the default threshold is much too accurate.

```
-----probGraphicalModels.py — (continued)-----
206 | def testIM(self, threshold=0.0000000001):
207 |     solver = self(bn_4ch)
208 |     res = solver.query(B,{D:True})
209 |     correct_answer = 0.429632380245
210 |     assert correct_answer-threshold < res[True] <
211 |         correct_answer+threshold, \
212 |             f"value {res[True]} not in desired range for
213 |                 {self.method_name}"
214 |     print(f"Unit test passed for {self.method_name}.")
```

9.6 Recursive Conditioning

An instance of a `RC` object takes in a graphical model. The `query` method uses recursive conditioning to compute the probability of a query variable given observations on other variables.

```
-----probRC.py — Recursive Conditioning for Graphical Models -----
11 | import math
12 | from probGraphicalModels import GraphicalModel, InferenceMethod
13 | from probFactors import Factor
14 | from utilities import dict_union
15 |
16 | class ProbSearch(InferenceMethod):
17 |     """The class that queries graphical models using recursive conditioning
18 |
19 |     gm is graphical model to query
20 |     """
21 |     method_name = "recursive conditioning"
22 |
23 |     def __init__(self,gm=None):
24 |         InferenceMethod.__init__(self, gm)
25 |         ## self.max_display_level = 3
26 |
27 |     def query(self, qvar, obs={}, split_order=None):
28 |         """computes P(qvar | obs) where
29 |         qvar is the query variable
30 |         obs is a variable:value dictionary
31 |         split_order is a list of the non-observed non-query variables in gm
32 |         """
33 |         if qvar in obs:
34 |             return {val:(1 if val == obs[qvar] else 0) for val in
```

```

35     else:
36         if split_order == None:
37             split_order = [v for v in self.gm.variables if (v not in
38                           obs) and v != qvar]
39             unnorm = [self.prob_search(dict_union({qvar:val},obs),
40                                       self.gm.factors, split_order)
41                         for val in qvar.domain]
42             p_obs = sum(unnorm)
43             return {val:pr/p_obs for val,pr in zip(qvar.domain, unnorm)}

```

The following is the naive search-based algorithm. It is exponential in the number of variables, so is not very useful. However, it is simple, and useful to understand before looking at the more complicated algorithm used in the subclass.

probRC.py — (continued)

```

43     def prob_search(self, context, factors, split_order):
44         """simple search algorithm
45         context is a variable:value dictionary
46         factors is a set of factors
47         split_order is a list of variables in factors not assigned in
48             context
49         returns sum over variable assignments to variables in split order
50             or product of factors """
51         self.display(2,"calling prob_search,",(context,factors))
52         if not factors:
53             return 1
54         elif to_eval := {fac for fac in factors if
55                         fac.can_evaluate(context)}:
56             # evaluate factors when all variables are assigned
57             self.display(3,"prob_search evaluating factors",to_eval)
58             val = math.prod(fac.get_value(context) for fac in to_eval)
59             return val * self.prob_search(context, factors-to_eval,
60                                           split_order)
61         else:
62             total = 0
63             var = split_order[0]
64             self.display(3, "prob_search branching on", var)
65             for val in var.domain:
66                 total += self.prob_search(dict_union({var:val},context),
67                                           factors, split_order[1:])
68             self.display(3, "prob_search branching on", var,"returning",
69                         total)
70             return total

```

The **recursive conditioning** algorithm adds forgetting and caching and recognizing disconnected components. We do this by adding a cache and redefining the recursive search algorithm. In inherits the query method.

probRC.py — (continued)

```

66 | class ProbRC(ProbSearch):

```

```

67     def __init__(self, gm=None):
68         self.cache = {frozenset(), frozenset():1}
69         ProbSearch.__init__(self, gm)
70
71     def prob_search(self, context, factors, split_order):
72         """ returns the number \sum_{split_order} \prod_{factors} given
73             assignments in context
74             context is a variable:value dictionary
75             factors is a set of factors
76             split_order is a list of variables in factors that are not assigned
77                 in context
78             returns sum over variable assignments to variables in split_order
79                 of the product of factors
80             """
81         self.display(3,"calling rc,", (context,factors))
82         ce = (frozenset(context.items()), frozenset(factors)) # key for the
83             cache entry
84         if ce in self.cache:
85             self.display(3,"rc cache lookup", (context,factors))
86             return self.cache[ce]
87         # if not factors: # no factors; needed if you don't have forgetting
88         # and caching
89         #     return 1
90         elif vars_not_in_factors := {var for var in context
91             if not any(var in fac.variables for
92                 fac in factors)}:
93             # forget variables not in any factor
94             self.display(3,"rc forgetting variables", vars_not_in_factors)
95             return self.prob_search({key:val for (key,val) in
96                 context.items()
97                     if key not in vars_not_in_factors},
98                     factors, split_order)
99         elif to_eval := {fac for fac in factors if
100             fac.can_evaluate(context)}:
101             # evaluate factors when all variables are assigned
102             self.display(3,"rc evaluating factors", to_eval)
103             val = math.prod(fac.get_value(context) for fac in to_eval)
104             if val == 0:
105                 return 0
106             else:
107                 return val * self.prob_search(context, {fac for fac in factors
108                     if fac not in to_eval},
109                     split_order)
110         elif len(comp := connected_components(context, factors,
111             split_order)) > 1:
112             # there are disconnected components
113             self.display(3,"splitting into connected components", comp, "in
114                 context", context)
115             return(math.prod(self.prob_search(context,f,eo) for (f,eo) in
116                 comp))

```

```

106     else:
107         assert split_order, "split_order should not be empty to get
108             here"
109         total = 0
110         var = split_order[0]
111         self.display(3, "rc branching on", var)
112         for val in var.domain:
113             total += self.prob_search(dict_union({var:val},context),
114                                         factors, split_order[1:])
115             self.cache[ce] = total
116             self.display(2, "rc branching on", var,"returning", total)
117             return total

```

`connected_components` returns a list of connected components, where a connected component is a set of factors and a set of variables, where the graph that connects variables and factors that involve them is connected. The connected components are built one at a time; with a current connected component. At all times factors is partitioned into 3 disjoint sets:

- `component_factors` containing factors in the current connected component where all factors that share a variable are already in the component
- `factors_to_check` containing factors in the current connected component where potentially some factors that share a variable are not in the component; these need to be checked
- `other_factors` the other factors that are not (yet) in the connected component

probRC.py — (continued)

```

117 def connected_components(context, factors, split_order):
118     """returns a list of (f,e) where f is a subset of factors and e is a
119         subset of split_order
120         such that each element shares the same variables that are disjoint from
121             other elements.
122 """
123     other_factors = set(factors) #copies factors
124     factors_to_check = {other_factors.pop()} # factors in connected
125         component still to be checked
126     component_factors = set() # factors in first connected component
127         already checked
128     component_variables = set() # variables in first connected component
129     while factors_to_check:
130         next_fac = factors_to_check.pop()
131         component_factors.add(next_fac)
132         new_vars = set(next_fac.variables) - component_variables -
133             context.keys()
134         component_variables |= new_vars
135         for var in new_vars:

```

```

131     factors_to_check |= {f for f in other_factors if var in
132         f.variables}
133     other_factors -= factors_to_check # set difference
134     if other_factors:
135         return ( [(component_factors,[e for e in split_order if e in
136             component_variables])]
137             + connected_components(context, other_factors, [e for e in
138                 split_order
139                     if e not in
140                         component_variables]))
141     else:
142         return [(component_factors, split_order)]

```

Testing:

```

probRC.py — (continued) —
140 from probGraphicalModels import bn_4ch, A,B,C,D,f_a,f_b,f_c,f_d
141 bn_4chv = ProbRC(bn_4ch)
142 ## bn_4chv.query(A,{})
143 ## bn_4chv.query(D,{})
144 ## InferenceMethod.max_display_level = 3 # show more detail in displaying
145 ## InferenceMethod.max_display_level = 1 # show less detail in displaying
146 ## bn_4chv.query(A,{D:True},{C,B})
147 ## bn_4chv.query(B,{A:True,D:False})
148
149 from probGraphicalModels import
150     bn_report,Alarm,Fire,Leaving,Report,Smoke,Tamper
151 bn_reportRC = ProbRC(bn_report) # answers queries using recursive
152     conditioning
153 ## bn_reportRC.query(Tamper,{})
154 ## InferenceMethod.max_display_level = 0 # show no detail in displaying
155 ## bn_reportRC.query(Leaving,{})
156 ## bn_reportRC.query(Tamper,{},
157     split_order=[Smoke,Fire,Alarm,Leaving,Report])
158 ## bn_reportRC.query(Tamper,{Report:True})
159 ## bn_reportRC.query(Tamper,{Report:True,Smoke:False})
160 ## Note what happens to the cache when these are called in turn:
161 ## bn_reportRC.query(Tamper,{Report:True},
162     split_order=[Smoke,Fire,Alarm,Leaving])
163 ## bn_reportRC.query(Smoke,{Report:True},
164     split_order=[Tamper,Fire,Alarm,Leaving])
165
166 from probGraphicalModels import bn_sprinkler, Season, Sprinkler, Rained,
167     Grass_wet, Grass_shiny, Shoes_wet
168 bn_sprinklerv = ProbRC(bn_sprinkler)
169 ## bn_sprinklerv.query(Shoes_wet,{})
170 ## bn_sprinklerv.query(Shoes_wet,{Rained:True})
171 ## bn_sprinklerv.query(Shoes_wet,{Grass_shiny:True})
172 ## bn_sprinklerv.query(Shoes_wet,{Grass_shiny:False,Rained:True})
173

```

```

168 | from probGraphicalModels import bn_no1, bn_lr1, Cough, Fever, Sneeze,
169 |     Cold, Flu, Covid
170 | bn_no1v = ProbRC(bn_no1)
171 | bn_lr1v = ProbRC(bn_lr1)
172 | ## bn_no1v.query(Flu, {Fever:1, Sneeze:1})
173 | ## bn_lr1v.query(Flu, {Fever:1, Sneeze:1})
174 | ## bn_lr1v.query(Cough,{})
175 | ## bn_lr1v.query(Cold,{Cough:1,Sneeze:0,Fever:1})
176 | ## bn_lr1v.query(Flu,{Cough:0,Sneeze:1,Fever:1})
177 | ## bn_lr1v.query(Covid,{Cough:1,Sneeze:0,Fever:1})
178 | ## bn_lr1v.query(Covid,{Cough:1,Sneeze:0,Fever:1,Flu:0})
179 | ## bn_lr1v.query(Covid,{Cough:1,Sneeze:0,Fever:1,Flu:1})
180 |
181 | if __name__ == "__main__":
182 |     InferenceMethod.testIM(ProbRC)

```

9.7 Variable Elimination

An instance of a *VE* object takes in a graphical model. The query method uses variable elimination to compute the probability of a variable given observations on some other variables.

```

probVE.py — Variable Elimination for Graphical Models
_____
11 | from probFactors import Factor, FactorObserved, FactorSum, factor_times
12 | from probGraphicalModels import GraphicalModel, InferenceMethod
13 |
14 | class VE(InferenceMethod):
15 |     """The class that queries Graphical Models using variable elimination.
16 |
17 |     gm is graphical model to query
18 |     """
19 |     method_name = "variable elimination"
20 |
21 |     def __init__(self,gm=None):
22 |         InferenceMethod.__init__(self, gm)
23 |
24 |     def query(self,var,obs={},elim_order=None):
25 |         """computes P(var|obs) where
26 |             var is a variable
27 |             obs is a {variable:value} dictionary"""
28 |         if var in obs:
29 |             return {var:1 if val == obs[var] else 0 for val in var.domain}
30 |         else:
31 |             if elim_order == None:
32 |                 elim_order = self.gm.variables
33 |             projFactors = [self.project_observations(fact,obs)
34 |                            for fact in self.gm.factors]
35 |             for v in elim_order:
36 |                 if v != var and v not in obs:

```

```

37         projFactors = self.eliminate_var(projFactors,v)
38         unnorm = factor_times(var,projFactors)
39         p_obs=sum(unnorm)
40         self.display(1,"Unnormalized probs:",unnorm,"Prob obs:",p_obs)
41         return {val:pr/p_obs for val,pr in zip(var.domain, unnorm)}

```

A *FactorObserved* is a factor that is the result of some observations on another factor. We don't store the values in a list; we just look them up as needed. The observations can include variables that are not in the list, but should have some intersection with the variables in the factor.

probFactors.py — (continued)

```

159 class FactorObserved(Factor):
160     def __init__(self,factor,obs):
161         Factor.__init__(self, [v for v in factor.variables if v not in obs])
162         self.observed = obs
163         self.orig_factor = factor
164
165     def get_value(self,assignment):
166         ass = assignment.copy()
167         for ob in self.observed:
168             ass[ob]=self.observed[ob]
169         return self.orig_factor.get_value(ass)

```

A *FactorSum* is a factor that is the result of summing out a variable from the product of other factors. I.e., it constructs a representation of:

$$\sum_{var} \prod_{f \in factors} f.$$

We store the values in a list in a lazy manner; if they are already computed, we used the stored values. If they are not already computed we can compute and store them.

probFactors.py — (continued)

```

171 class FactorSum(Factor):
172     def __init__(self,var,factors):
173         self.var_summed_out = var
174         self.factors = factors
175         vars = []
176         for fac in factors:
177             for v in fac.variables:
178                 if v is not var and v not in vars:
179                     vars.append(v)
180         Factor.__init__(self,vars)
181         self.values = {}
182
183     def get_value(self,assignment):
184         """lazy implementation: if not saved, compute it. Return saved
185             value"""
186         asst = frozenset(assignment.items())

```

```

186     if asst in self.values:
187         return self.values[asst]
188     else:
189         total = 0
190         new_asst = assignment.copy()
191         for val in self.var_summed_out.domain:
192             new_asst[self.var_summed_out] = val
193             total += math.prod(fac.get_value(new_asst) for fac in
194                             self.factors)
195         self.values[asst] = total
196         return total

```

The method *factor_times* multiples a set of factors that are all factors on the same variable (or on no variables). This is the last step in variable elimination before normalizing. It returns an array giving the product for each value of *variable*.

probFactors.py — (continued)

```

197 def factor_times(variable, factors):
198     """when factors are factors just on variable (or on no variables)"""
199     prods = []
200     facs = [f for f in factors if variable in f.variables]
201     for val in variable.domain:
202         ast = {variable:val}
203         prods.append(math.prod(f.get_value(ast) for f in facs))
204     return prods

```

To project observations onto a factor, for each variable that is observed in the factor, we construct a new factor that is the factor projected onto that variable. *Factor_observed* creates a new factor that is the result is assigning a value to a single variable.

probVE.py — (continued)

```

43 def project_observations(self,factor,obs):
44     """Returns the resulting factor after observing obs
45
46     obs is a dictionary of {variable:value} pairs.
47     """
48     if any((var in obs) for var in factor.variables):
49         # a variable in factor is observed
50         return FactorObserved(factor,obs)
51     else:
52         return factor
53
54 def eliminate_var(self,factors,var):
55     """Eliminate a variable var from a list of factors.
56     Returns a new set of factors that has var summed out.
57     """
58     self.display(2,"eliminating ",str(var))
59     contains_var = []
60     not_contains_var = []
61     for fac in factors:

```

```

62     if var in fac.variables:
63         contains_var.append(fac)
64     else:
65         not_contains_var.append(fac)
66 if contains_var == []:
67     return factors
68 else:
69     newFactor = FactorSum(var,contains_var)
70     self.display(2,"Multiplying:",[str(f) for f in contains_var])
71     self.display(2,"Creating factor:", newFactor)
72     self.display(3, newFactor.to_table()) # factor in detail
73     not_contains_var.append(newFactor)
74 return not_contains_var
75
76 from probGraphicalModels import bn_4ch, A,B,C,D
77 bn_4chv = VE(bn_4ch)
78 ## bn_4chv.query(A,{})
79 ## bn_4chv.query(D,{})
80 ## InferenceMethod.max_display_level = 3 # show more detail in displaying
81 ## InferenceMethod.max_display_level = 1 # show less detail in displaying
82 ## bn_4chv.query(A,{D:True})
83 ## bn_4chv.query(B,{A:True,D:False})
84
85 from probGraphicalModels import
86     bn_report,Alarm,Fire,Leaving,Report,Smoke,Tamper
86 bn_reportv = VE(bn_report) # answers queries using variable elimination
87 ## bn_reportv.query(Tamper,{})
88 ## InferenceMethod.max_display_level = 0 # show no detail in displaying
89 ## bn_reportv.query(Leaving,{})
90 ## bn_reportv.query(Tamper,[],elim_order=[Smoke,Report,Leaving,Alarm,Fire])
91 ## bn_reportv.query(Tamper,{Report:True})
92 ## bn_reportv.query(Tamper,{Report:True,Smoke:False})
93
94 from probGraphicalModels import bn_sprinkler, Season, Sprinkler, Rained,
95     Grass_wet, Grass_shiny, Shoes_wet
95 bn_sprinklerv = VE(bn_sprinkler)
96 ## bn_sprinklerv.query(Shoes_wet,{})
97 ## bn_sprinklerv.query(Shoes_wet,{Rained:True})
98 ## bn_sprinklerv.query(Shoes_wet,{Grass_shiny:True})
99 ## bn_sprinklerv.query(Shoes_wet,{Grass_shiny:False,Rained:True})
100
101 from probGraphicalModels import bn_lr1, Cough, Fever, Sneeze, Cold, Flu,
102     Covid
102 vediag = VE(bn_lr1)
103 ## vediag.query(Cough,{})
104 ## vediag.query(Cold,{Cough:1,Sneeze:0,Fever:1})
105 ## vediag.query(Flu,{Cough:0,Sneeze:1,Fever:1})
106 ## vediag.query(Covid,{Cough:1,Sneeze:0,Fever:1})
107 ## vediag.query(Covid,{Cough:1,Sneeze:0,Fever:1,Flu:0})
108 ## vediag.query(Covid,{Cough:1,Sneeze:0,Fever:1,Flu:1})

```

```

109
110     if __name__ == "__main__":
111         InferenceMethod.testIM(VE)

```

9.8 Stochastic Simulation

9.8.1 Sampling from a discrete distribution

The method `sample_one` generates a single sample from a (possibly unnormalized) distribution. `dist` is a $\{value : weight\}$ dictionary, where $weight \geq 0$. This returns a value with probability in proportion to its weight.

```

probStochSim.py — Probabilistic inference using stochastic simulation
_____
11 import random
12 from probGraphicalModels import InferenceMethod
13
14 def sample_one(dist):
15     """returns the index of a single sample from normalized distribution
16     dist."""
17     rand = random.random()*sum(dist.values())
18     cum = 0 # cumulative weights
19     for v in dist:
20         cum += dist[v]
21         if cum > rand:
22             return v

```

If we want to generate multiple samples, repeatedly calling `sample_one` may not be efficient. If we want to generate n samples, and the distribution is over m values, `sample_one` takes time $O(mn)$. If m and n are of the same order of magnitude, we can do better.

The method `sample_multiple` generates multiple samples from a distribution defined by `dist`, where `dist` is a $\{value : weight\}$ dictionary, where $weight \geq 0$ and the weights cannot all be zero. This returns a list of values, of length `num_samples`, where each sample is selected with a probability proportional to its weight.

The method generates all of the random numbers, sorts them, and then goes through the distribution once, saving the selected samples.

```

probStochSim.py — (continued)
_____
23 def sample_multiple(dist, num_samples):
24     """returns a list of num_samples values selected using distribution
25     dist.
26     dist is a {value:weight} dictionary that does not need to be normalized
27     """
28     total = sum(dist.values())
29     rands = sorted(random.random()*total for i in range(num_samples))
30     result = []
31     dist_items = list(dist.items())

```

```

31     cum = dist_items[0][1] # cumulative sum
32     index = 0
33     for r in rands:
34         while r>cum:
35             index += 1
36             cum += dist_items[index][1]
37             result.append(dist_items[index][0])
38     return result

```

Exercise 9.1

What is the time and space complexity the following 4 methods to generate n samples, where m is the length of $dist$:

- (a) n calls to *sample_one*
- (b) *sample_multiple*
- (c) Create the cumulative distribution (choose how this is represented) and, for each random number, do a binary search to determine the sample associated with the random number.
- (d) Choose a random number in the range $[i/n, (i+1)/n)$ for each $i \in range(n)$, where n is the number of samples. Use these as the random numbers to select the particles. (Does this give random samples?)

For each method suggest when it might be the best method.

The *test_sampling* method can be used to generate the statistics from a number of samples. It is useful to see the variability as a function of the number of samples. Try it for few samples and also for many samples.

probStochSim.py — (continued)

```

40 def test_sampling(dist, num_samples):
41     """Given a distribution, dist, draw num_samples samples
42     and return the resulting counts
43     """
44     result = {v:0 for v in dist}
45     for v in sample_multiple(dist, num_samples):
46         result[v] += 1
47     return result
48
49 # try the following queries a number of times each:
50 # test_sampling({1:1,2:2,3:3,4:4}, 100)
51 # test_sampling({1:1,2:2,3:3,4:4}, 100000)

```

9.8.2 Sampling Methods for Belief Network Inference

A *SamplingInferenceMethod* is an *InferenceMethod*, but the query method also takes arguments for the number of samples and the sample-order (which is an ordering of factors). The first methods assume a belief network (and not an undirected graphical model).

```
probStochSim.py — (continued)
53 | class SamplingInferenceMethod(InferenceMethod):
54 |     """The abstract class of sampling-based belief network inference
55 |     methods"""
56 |
57 |     def __init__(self, gm=None):
58 |         InferenceMethod.__init__(self, gm)
59 |
60 |     def query(self, qvar, obs={}, number_samples=1000, sample_order=None):
61 |         raise NotImplementedError("SamplingInferenceMethod query") #
62 |             abstract
```

9.8.3 Rejection Sampling

```
probStochSim.py — (continued)
62 | class RejectionSampling(SamplingInferenceMethod):
63 |     """The class that queries Graphical Models using Rejection Sampling.
64 |
65 |     gm is a belief network to query
66 |     """
67 |     method_name = "rejection sampling"
68 |
69 |     def __init__(self, gm=None):
70 |         SamplingInferenceMethod.__init__(self, gm)
71 |
72 |     def query(self, qvar, obs={}, number_samples=1000, sample_order=None):
73 |         """computes P(qvar | obs) where
74 |         qvar is a variable.
75 |         obs is a {variable:value} dictionary.
76 |         sample_order is a list of variables where the parents
77 |             come before the variable.
78 |         """
79 |
80 |         if sample_order is None:
81 |             sample_order = self.gm.topological_sort()
82 |             self.display(2, *sample_order, sep="\t")
83 |             counts = {val:0 for val in qvar.domain}
84 |             for i in range(number_samples):
85 |                 rejected = False
86 |                 sample = {}
87 |                 for nvar in sample_order:
88 |                     fac = self.gm.var2cpt[nvar] #factor with nvar as child
89 |                     val = sample_one({v:fac.get_value({**sample, nvar:v}) for v
90 |                         in nvar.domain})
91 |                     self.display(2, val, end="\t")
92 |                     if nvar in obs and obs[nvar] != val:
93 |                         rejected = True
94 |                         self.display(2, "Rejected")
95 |                         break
96 |                     sample[nvar] = val
```

```

95         if not rejected:
96             counts[sample[qvar]] += 1
97             self.display(2, "Accepted")
98     tot = sum(counts.values())
99     # As well as the distribution we also include raw counts
100    dist = {c:v/tot if tot>0 else 1/len(qvar.domain) for (c,v) in
101        counts.items()}
102    dist["raw_counts"] = counts
103    return dist

```

9.8.4 Likelihood Weighting

Likelihood weighting includes a weight for each sample. Instead of rejecting samples based on observations, likelihood weighting changes the weights of the sample in proportion with the probability of the observation. The weight then becomes the probability that the variable would have been rejected.

probStochSim.py — (continued)

```

104 class LikelihoodWeighting(SamplingInferenceMethod):
105     """The class that queries Graphical Models using Likelihood weighting.
106
107     gm is a belief network to query
108     """
109     method_name = "likelihood weighting"
110
111     def __init__(self, gm=None):
112         SamplingInferenceMethod.__init__(self, gm)
113
114     def query(self, qvar, obs={}, number_samples=1000, sample_order=None):
115         """computes P(qvar | obs) where
116         qvar is a variable.
117         obs is a {variable:value} dictionary.
118         sample_order is a list of factors where factors defining the parents
119         come before the factors for the child.
120         """
121         if sample_order is None:
122             sample_order = self.gm.topological_sort()
123             self.display(2,*[v for v in sample_order
124                             if v not in obs],sep="\t")
125         counts = {val:0 for val in qvar.domain}
126         for i in range(number_samples):
127             sample = {}
128             weight = 1.0
129             for nvar in sample_order:
130                 fac = self.gm.var2cpt[nvar]
131                 if nvar in obs:
132                     sample[nvar] = obs[nvar]
133                     weight *= fac.get_value(sample)
134                 else:
135                     val = sample_one({v:fac.get_value({**sample,nvar:v}) for
v in nvar.domain})

```

```

136         self.display(2, val, end="\t")
137         sample[nvar] = val
138         counts[sample[qvar]] += weight
139         self.display(2, weight)
140     tot = sum(counts.values())
141     # as well as the distribution we also include the raw counts
142     dist = {c:v/tot for (c,v) in counts.items()}
143     dist["raw_counts"] = counts
144
145     return dist

```

Exercise 9.2 Change this algorithm so that it does **importance sampling** using a proposal distribution. It needs *sample_one* using a different distribution and then update the weight of the current sample. For testing, use a proposal distribution that only specifies probabilities for some of the variables (and the algorithm uses the probabilities for the network in other cases).

9.8.5 Particle Filtering

In this implementation, a particle is a $\{variable : value\}$ dictionary. Because adding a new value to dictionary involves a side effect, the dictionaries need to be copied during resampling.

probStochSim.py — (continued)

```

146 class ParticleFiltering(SamplingInferenceMethod):
147     """The class that queries Graphical Models using Particle Filtering.
148
149     gm is a belief network to query
150     """
151     method_name = "particle filtering"
152
153     def __init__(self, gm=None):
154         SamplingInferenceMethod.__init__(self, gm)
155
156     def query(self, qvar, obs={}, number_samples=1000, sample_order=None):
157         """computes P(qvar | obs) where
158         qvar is a variable.
159         obs is a {variable:value} dictionary.
160         sample_order is a list of factors where factors defining the parents
161             come before the factors for the child.
162         """
163         if sample_order is None:
164             sample_order = self.gm.topological_sort()
165             self.display(2,*[v for v in sample_order
166                           if v not in obs],sep="\t")
167         particles = [{ } for i in range(number_samples)]
168         for nvar in sample_order:
169             fac = self.gm.var2cpt[nvar]
170             if nvar in obs:
171                 weights = [fac.get_value({**part, nvar:obs[nvar]}) for part
172                            in particles]

```

```

172         particles = [{**p, nvar:obs[nvar]} for p in
173                         resample(particles, weights, number_samples)]
174     else:
175         for part in particles:
176             part[nvar] = sample_one({v:fac.get_value({**part,
177                                         nvar:v}) for v in nvar.domain})
178             self.display(2,part[nvar],end="\t")
179     counts = {val:0 for val in qvar.domain}
180     for part in particles:
181         counts[part[qvar]] += 1
182     tot = sum(counts.values())
183     # as well as the distribution we also include the raw counts
184     dist = {c:v/tot for (c,v) in counts.items()}
185     dist["raw_counts"] = counts
186     return dist

```

Resampling

Resample is based on *sample_multiple* but works with an array of particles. (Aside: Python doesn't let us use *sample_multiple* directly as it uses a dictionary, and particles, represented as dictionaries can't be the key of dictionaries).

probStochSim.py — (continued)

```

186 def resample(particles, weights, num_samples):
187     """returns num_samples copies of particles resampled according to
188     weights.
189     particles is a list of particles
190     weights is a list of positive numbers, of same length as particles
191     num_samples is n integer
192     """
193     total = sum(weights)
194     rands = sorted(random.random()*total for i in range(num_samples))
195     result = []
196     cum = weights[0]    # cumulative sum
197     index = 0
198     for r in rands:
199         while r>cum:
200             index += 1
201             cum += weights[index]
202         result.append(particles[index])
203     return result

```

9.8.6 Examples

probStochSim.py — (continued)

```

204 from probGraphicalModels import bn_4ch, A,B,C,D
205 bn_4chr = RejectionSampling(bn_4ch)
206 bn_4chl = LikelihoodWeighting(bn_4ch)

```

```

207 ## InferenceMethod.max_display_level = 2 # detailed tracing for all
208     inference methods
209 ## bn_4chr.query(A,{})
210 ## bn_4chr.query(C,{})
211 ## bn_4chr.query(A,{C:True})
212 ## bn_4chr.query(B,{A:True,C:False})
213
214 from probGraphicalModels import
215     bn_report,Alarm,Fire,Leaving,Report,Smoke,Tamper
216 bn_reportr = RejectionSampling(bn_report) # answers queries using
217     rejection sampling
218 bn_reportL = LikelihoodWeighting(bn_report) # answers queries using
219     likelihood weighting
220 bn_reportp = ParticleFiltering(bn_report) # answers queries using particle
221     filtering
222 ## bn_reportr.query(Tamper,{})
223 ## bn_reportr.query(Tamper,{})
224 ## bn_reportr.query(Tamper,{Report:True})
225 ## InferenceMethod.max_display_level = 0 # no detailed tracing for all
226     inference methods
227 ## bn_reportr.query(Tamper,{Report:True},number_samples=100000)
228 ## bn_reportr.query(Tamper,{Report:True,Smoke:False})
229 ## bn_reportr.query(Tamper,{Report:True,Smoke:False},number_samples=100)
230
231 ## bn_reportL.query(Tamper,{Report:True,Smoke:False},number_samples=100)
232 ## bn_reportL.query(Tamper,{Report:True,Smoke:False},number_samples=100)
233
234 from probGraphicalModels import bn_sprinkler,Season, Sprinkler
235 from probGraphicalModels import Rained, Grass_wet, Grass_shiny, Shoes_wet
236 bn_sprinklerr = RejectionSampling(bn_sprinkler) # answers queries using
237     rejection sampling
238 bn_sprinklerL = LikelihoodWeighting(bn_sprinkler) # answers queries using
239     rejection sampling
240 bn_sprinklerp = ParticleFiltering(bn_sprinkler) # answers queries using
241     particle filtering
242 #bn_sprinklerr.query(Shoes_wet,{Grass_shiny:True,Rained:True})
243 #bn_sprinklerL.query(Shoes_wet,{Grass_shiny:True,Rained:True})
244 #bn_sprinklerp.query(Shoes_wet,{Grass_shiny:True,Rained:True})
245
246 if __name__ == "__main__":
247     InferenceMethod.testIM(RejectionSampling, threshold=0.1)
248     InferenceMethod.testIM(LikelihoodWeighting, threshold=0.1)
249     InferenceMethod.testIM(ParticleFiltering, threshold=0.1)

```

Exercise 9.3 This code keeps regenerating the distribution of a variable given its parents. Implement one or both of the following, and compare them to the original. Make *cond_dist* return a slice that corresponds to the distribution, and then use the slice instead of the dictionary (a list slice does not generate new data structures). Make *cond_dist* remember values it has already computed, and only return these.

9.8.7 Gibbs Sampling

The following implements **Gibbs sampling**, a form of **Markov Chain Monte Carlo MCMC**.

probStochSim.py — (continued)

```

242 #import random
243 #from probGraphicalModels import InferenceMethod
244
245 #from probStochSim import sample_one, SamplingInferenceMethod
246
247 class GibbsSampling(SamplingInferenceMethod):
248     """The class that queries Graphical Models using Gibbs Sampling.
249
250     bn is a graphical model (e.g., a belief network) to query
251     """
252     method_name = "Gibbs sampling"
253
254     def __init__(self, gm=None):
255         SamplingInferenceMethod.__init__(self, gm)
256         self.gm = gm
257
258     def query(self, qvar, obs={}, number_samples=1000, burn_in=100,
259             sample_order=None):
260         """computes P(qvar | obs) where
261         qvar is a variable.
262         obs is a {variable:value} dictionary.
263         sample_order is a list of non-observed variables in order, or
264         if sample_order None, the variables are shuffled at each iteration.
265         """
266         counts = {val:0 for val in qvar.domain}
267         if sample_order is not None:
268             variables = sample_order
269         else:
270             variables = [v for v in self.gm.variables if v not in obs]
271         var_to_factors = {v:set() for v in self.gm.variables}
272         for fac in self.gm.factors:
273             for var in fac.variables:
274                 var_to_factors[var].add(fac)
275         sample = {var:random.choice(var.domain) for var in variables}
276         self.display(2,"Sample:",sample)
277         sample.update(obs)
278         for i in range(burn_in + number_samples):
279             if sample_order == None:
280                 random.shuffle(variables)
281             for var in variables:
282                 # get unnormalized probability distribution of var given its
283                 # neighbours
284                 vardist = {val:1 for val in var.domain}
285                 for val in var.domain:
286                     sample[var] = val

```

```

285         for fac in var_to_factors[var]: # Markov blanket
286             vardist[val] *= fac.get_value(sample)
287             sample[var] = sample_one(vardist)
288             if i >= burn_in:
289                 counts[sample[qvar]] +=1
290             tot = sum(counts.values())
291             # as well as the computed distribution, we also include raw counts
292             dist = {c:v/tot for (c,v) in counts.items()}
293             dist["raw_counts"] = counts
294             return dist
295
296 #from probGraphicalModels import bn_4ch, A,B,C,D
297 bn_4chg = GibbsSampling(bn_4ch)
298 ## InferenceMethod.max_display_level = 2 # detailed tracing for all
299 ## inference methods
300 bn_4chg.query(A,{})
301 ## bn_4chg.query(D,{})
302 ## bn_4chg.query(B,{D:True})
303 ## bn_4chg.query(B,{A:True,C:False})
304
305 from probGraphicalModels import
306     bn_report,Alarm,Fire,Leaving,Report,Smoke,Tamper
307 bn_reportg = GibbsSampling(bn_report)
308 ## bn_reportg.query(Tamper,{Report:True},number_samples=1000)
309
310 if __name__ == "__main__":
311     InferenceMethod.testIM(GibbsSampling, threshold=0.1)

```

Exercise 9.4 Change the code so that it can have multiple query variables. Make the list of query variable be an input to the algorithm, so that the default value is the list of all non-observed variables.

Exercise 9.5 In this algorithm, explain where it computes the probability of a variable given its Markov blanket. Instead of returning the average of the samples for the query variable, it is possible to return the average estimate of the probability of the query variable given its Markov blanket. Does this converge to the same answer as the given code? Does it converge faster, slower, or the same?

9.8.8 Plotting Behaviour of Stochastic Simulators

The stochastic simulation runs can give different answers each time they are run. For the algorithms that give the same answer in the limit as the number of samples approaches infinity (as do all of these algorithms), the algorithms can be compared by comparing the accuracy for multiple runs. Summary statistics like the variance may provide some information, but the assumptions behind the variance being appropriate (namely that the distribution is approximately Gaussian) may not hold for cases where the predictions are bounded and often skewed.

It is more appropriate to plot the distribution of predictions over multiple runs. The `plot_stats` method plots the prediction of a particular variable (or for the partition function) for a number of runs of the same algorithm. On the x -axis, is the prediction of the algorithm. On the y -axis is the number of runs with prediction less than or equal to the x value. Thus this is like a cumulative distribution over the predictions, but with counts on the y -axis.

Note that for runs where there are no samples that are consistent with the observations (as can happen with rejection sampling), the prediction of probability is 1.0 (as a convention for 0/0).

That variable `what` contains the query variable, or `what` is “`prob_ev`”, the probability of evidence.

```
-----probStochSim.py — (continued) -----
311 import matplotlib.pyplot as plt
312
313 def plot_stats(method, qvar, qval, obs, number_runs=1000, **queryargs):
314     """Plots a cumulative distribution of the prediction of the model.
315     method is a InferenceMethod (that implements appropriate query(..))
316     plots P(qvar=qval | obs)
317     qvar is the query variable, qval is corresponding value
318     obs is the {variable:value} dictionary representing the observations
319     number_iterations is the number of runs that are plotted
320     **queryargs is the arguments to query (often number_samples for
321         sampling methods)
322     """
323     plt.ion()
324     plt.xlabel("value")
325     plt.ylabel("Cumulative Number")
326     method.max_display_level, prev_mdl = 0, method.max_display_level #no
327         display
328     answers = [method.query(qvar,obs,**queryargs)
329             for i in range(number_runs)]
330     values = [ans[qval] for ans in answers]
331     label = f'{method.method_name} P({qvar}={qval}|{",".join(f'{var}={val}' for (var,val) in obs.items())})'
332     plt.plot(values,range(number_runs),label=label)
333     plt.legend() #loc="upper left")
334     plt.draw()
335     method.max_display_level = prev_mdl # restore display level
336
337 # Try:
338 #     plot_stats(bn_reportr,Tamper,True,{Report:True,Smoke:True},number_samples=1000,
339 #                 number_runs=1000)
340 #     plot_stats(bn_reportL,Tamper,True,{Report:True,Smoke:True},number_samples=1000,
341 #                 number_runs=1000)
342 #
```

```

340     plot_stats(bn_reportp,Tamper,True,{Report:True,Smoke:True},number_samples=1000,
341     number_runs=1000)
342 #
343     plot_stats(bn_reportr,Tamper,True,{Report:True,Smoke:True},number_samples=100,
344     number_runs=1000)
345 #
346     plot_stats(bn_reportL,Tamper,True,{Report:True,Smoke:True},number_samples=100,
347     number_runs=1000)
348 #
349     plot_stats(bn_reportg,Tamper,True,{Report:True,Smoke:True},number_samples=1000,
350     number_runs=1000)
351
352 def plot_mult(methods, example, qvar, qval, obs, number_samples=1000,
353   number_runs=1000):
354   for method in methods:
355     solver = method(example)
356     if isinstance(method,SamplingInferenceMethod):
357       plot_stats(solver, qvar, qval, obs, number_samples, number_runs)
358     else:
359       plot_stats(solver, qvar, qval, obs, number_runs)
360
361 from probRC import ProbRC
362 # Try following (but it takes a while..)
363 methods =
364   [ProbRC,RejectionSampling,LikelihoodWeighting,ParticleFiltering,GibbsSampling]
365 #plot_mult(methods, bn_report, Tamper, True, {Report:True, Smoke:False}, number_samples=100,
366   number_runs=1000)
367 #
368   plot_mult(methods, bn_report, Tamper, True, {Report:False, Smoke:True}, number_samples=100,
369   number_runs=1000)
370
371 # Sprinkler Example:
372 #
373   plot_stats(bn_sprinklerr, Shoes_wet, True, {Grass_shiny:True,Rained:True}, number_samples=1000)
374 #
375   plot_stats(bn_sprinklerL, Shoes_wet, True, {Grass_shiny:True,Rained:True}, number_samples=1000)

```

9.9 Hidden Markov Models

This code for hidden Markov models is independent of the graphical models code, to keep it simple. Section 9.10 gives code that models hidden Markov models, and more generally, dynamic belief networks, using the graphical models code.

This HMM code assumes there are multiple Boolean observation variables that depend on the current state and are independent of each other given the state.

```

11 import random
12 from probStochSim import sample_one, sample_multiple
13
14 class HMM(object):
15     def __init__(self, states, obsvars, pobs, trans, indist):
16         """A hidden Markov model.
17         states - set of states
18         obsvars - set of observation variables
19         pobs - probability of observations, pobs[i][s] is P(Obs_i=True |
20                 State=s)
21         trans - transition probability - trans[i][j] gives P(State=j |
22                 State=i)
23         indist - initial distribution - indist[s] is P(State_0 = s)
24         """
25         self.states = states
26         self.obsvars = obsvars
27         self.pobs = pobs
28         self.trans = trans
29         self.indist = indist

```

Consider the following example. Suppose you want to unobtrusively keep track of an animal in a triangular enclosure using sound. Suppose you have 3 microphones that provide unreliable (noisy) binary information at each time step. The animal is either close to one of the 3 points of the triangle or in the middle of the triangle.

probHMM.py — (continued)

```

29 # state
30 #      0=middle, 1,2,3 are corners
31 states1 = {'middle', 'c1', 'c2', 'c3'} # states
32 obs1 = {'m1', 'm2', 'm3'} # microphones

```

The observation model is as follows. If the animal is in a corner, it will be detected by the microphone at that corner with probability 0.6, and will be independently detected by each of the other microphones with a probability of 0.1. If the animal is in the middle, it will be detected by each microphone with a probability of 0.4.

probHMM.py — (continued)

```

34 # pobs gives the observation model:
35 #pobs[mi][state] is P(mi=on | state)
36 closeMic=0.6; farMic=0.1; midMic=0.4
37 pobs1 = {'m1': {'middle': midMic, 'c1': closeMic, 'c2': farMic, 'c3': farMic},
38           # mic 1
39           'm2': {'middle': midMic, 'c1': farMic, 'c2': closeMic, 'c3': farMic}, #
39             mic 2
39           'm3': {'middle': midMic, 'c1': farMic, 'c2': farMic, 'c3': closeMic}} #
39             mic 3

```

The transition model is as follows: If the animal is in a corner it stays in the same corner with probability 0.80, goes to the middle with probability 0.1

or goes to one of the other corners with probability 0.05 each. If it is in the middle, it stays in the middle with probability 0.7, otherwise it moves to one of the corners, each with probability 0.1.

probHMM.py — (continued)

```

41 # trans specifies the dynamics
42 # trans[i] is the distribution over states resulting from state i
43 # trans[i][j] gives P(S=j | S=i)
44 sm=0.7; mmc=0.1           # transition probabilities when in middle
45 sc=0.8; mcm=0.1; mcc=0.05 # transition probabilities when in a corner
46 trans1 = {'middle': {'middle':sm, 'c1':mmc, 'c2':mmc, 'c3':mmc}, # was in
47     'c1': {'middle':mcm, 'c1':sc, 'c2':mcc, 'c3':mcc}, # was in corner
48     'c2': {'middle':mcm, 'c1':mcc, 'c2':sc, 'c3':mcc}, # was in corner
49     'c3': {'middle':mcm, 'c1':mcc, 'c2':mcc, 'c3':sc}} # was in corner

```

Initially the animal is in one of the four states, with equal probability.

probHMM.py — (continued)

```

51 # initially we have a uniform distribution over the animal's state
52 indist1 = {st:1.0/len(states1) for st in states1}
53
54 hmm1 = HMM(states1, obs1, pobs1, trans1, indist1)

```

9.9.1 Exact Filtering for HMMs

A *HMMVEfilter* has a current state distribution which can be updated by observing or by advancing to the next time.

probHMM.py — (continued)

```

56 from display import Displayable
57
58 class HMMVEfilter(Displayable):
59     def __init__(self,hmm):
60         self.hmm = hmm
61         self.state_dist = hmm.indist
62
63     def filter(self, obsseq):
64         """updates and returns the state distribution following the
65             sequence of
66             observations in obsseq using variable elimination.
67
68             Note that it first advances time.
69             This is what is required if it is called sequentially.
70             If that is not what is wanted initially, do an observe first.
71             """
72
73         for obs in obsseq:

```

```

72         self.advance()    # advance time
73         self.observe(obs) # observe
74     return self.state_dist
75
76 def observe(self, obs):
77     """updates state conditioned on observations.
78     obs is a list of values for each observation variable"""
79     for i in self.hmm.obsvars:
80         self.state_dist = {st:self.state_dist[st]*(self.hmm.pobs[i][st]
81                             if obs[i] else
82                             (1-self.hmm.pobs[i][st]))
83                     for st in self.hmm.states}
84     norm = sum(self.state_dist.values()) # normalizing constant
85     self.state_dist = {st:self.state_dist[st]/norm for st in
86                         self.hmm.states}
87     self.display(2,"After observing",obs,"state
88                 distribution:",self.state_dist)
89
90 def advance(self):
91     """advance to the next time"""
92     nextstate = {st:0.0 for st in self.hmm.states} # distribution over
93     next states
94     for j in self.hmm.states:      # j ranges over next states
95         for i in self.hmm.states: # i ranges over previous states
96             nextstate[j] += self.hmm.trans[i][j]*self.state_dist[i]
97     self.state_dist = nextstate
98     self.display(2,"After advancing state
99                 distribution:",self.state_dist)

```

The following are some queries for *hmm1*.

```

probHMM.py — (continued)
96 hmm1f1 = HMMVEfilter(hmm1)
97 # hmm1f1.filter([{'m1':0, 'm2':1, 'm3':1}, {'m1':1, 'm2':0, 'm3':1}])
98 ## HMMVEfilter.max_display_level = 2 # show more detail in displaying
99 # hmm1f2 = HMMVEfilter(hmm1)
100 # hmm1f2.filter([{'m1':1, 'm2':0, 'm3':0}, {'m1':0, 'm2':1, 'm3':0},
101 #                 {'m1':1, 'm2':0, 'm3':0},
102 #                 {'m1':0, 'm2':0, 'm3':0}, {'m1':0, 'm2':0, 'm3':0},
103 #                 {'m1':0, 'm2':0, 'm3':0}, {'m1':0, 'm2':0, 'm3':1},
104 #                 {'m1':0, 'm2':0, 'm3':1},
105 #                 {'m1':0, 'm2':0, 'm3':1})
106 # hmm1f3 = HMMVEfilter(hmm1)
107 # hmm1f3.filter([{'m1':1, 'm2':0, 'm3':0}, {'m1':0, 'm2':0, 'm3':0},
108 #                 {'m1':1, 'm2':0, 'm3':0}, {'m1':1, 'm2':0, 'm3':1})
109
110 # How do the following differ in the resulting state distribution?
111 # Note they start the same, but have different initial observations.
112 ## HMMVEfilter.max_display_level = 1 # show less detail in displaying
113 # for i in range(100): hmm1f1.advance()

```

```

111 # hmm1f1.state_dist
112 # for i in range(100): hmm1f3.advance()
113 # hmm1f3.state_dist

```

Exercise 9.6 The representation assumes that there are a list of Boolean observations. Extend the representation so that each observation variable can have multiple discrete values. You need to choose a representation for the model, and change the algorithm.

9.9.2 Localization

The localization example in the book is a controlled HMM, where there is a given action at each time and the transition depends on the action. In this class, the transition is set to None initially, and needs to be provided with an action to determine the transition probability.

```

probLocalization.py — Controlled HMM and Localization example —
1  from probHMM import HMMVEfilter, HMM
2  from display import Displayable
3  import matplotlib.pyplot as plt
4  from matplotlib.widgets import Button, CheckButtons
5
6  class HMM_Controlled(HMM):
7      """A controlled HMM, where the transition probability depends on the
8         action.
9         Instead of the transition probability, it has a function act2trans
10        from action to transition probability.
11        Any algorithms need to select the transition probability according
12        to the action.
13    """
14
15    def __init__(self, states, obsvars, pobs, act2trans, indist):
16        self.act2trans = act2trans
17        HMM.__init__(self, states, obsvars, pobs, None, indist)
18
19
20    local_states = list(range(16))
21    door_positions = {2,4,7,11}
22
23    def prob_door(loc): return 0.8 if loc in door_positions else 0.1
24
25    local_obs = {'door':[prob_door(i) for i in range(16)]}
26
27    act2trans = {'right': [[0.1 if next == current
28                           else 0.8 if next == (current+1)%16
29                           else 0.074 if next == (current+2)%16
30                           else 0.002 for next in range(16)] for
31                           current in range(16)],
32
33    'left': [[0.1 if next == current
34              else 0.8 if next == (current-1)%16
35              else 0.074 if next == (current-2)%16
36              else 0.002 for next in range(16)] for
37              current in range(16)]}
38

```

```
39 |     hmm_16pos = HMM_Controlled(local_states, {'door'}, local_obs, act2trans,
|         [1/16 for i in range(16)])
```

To change the VE localization code to allow for controlled HMMs, notice that the action selects which transition probability to use.

```
probLocalization.py — (continued)
```

```
40 | class HMM_Local(HMMVEfilter):
41 |     """VE filter for controlled HMMs
42 |     """
43 |     def __init__(self, hmm):
44 |         HMMVEfilter.__init__(self, hmm)
45 |
46 |     def go(self, action):
47 |         self.hmm.trans = self.hmm.act2trans[action]
48 |         self.advance()
49 |
50 |     loc_filt = HMM_Local(hmm_16pos)
51 |     # loc_filt.observe({'door':True}); loc_filt.go("right");
52 |     # loc_filt.observe({'door':False}); loc_filt.go("right");
53 |     loc_filt.observe({'door':True})
54 | # loc_filt.state_dist
```

The following lets us interactively move the agent and provide observations. It shows the distribution over locations.

```
probLocalization.py — (continued)
```

```
54 | class Show_Localization(Displayable):
55 |     def __init__(self,hmm):
56 |         self.hmm = hmm
57 |         self.loc_filt = HMM_Local(hmm)
58 |         fig,(self.ax) = plt.subplots()
59 |         plt.subplots_adjust(bottom=0.2)
60 |         left_but = Button(plt.axes([0.05,0.02,0.1,0.05]), "left")
61 |         left_but.on_clicked(self.left)
62 |         right_but = Button(plt.axes([0.25,0.02,0.1,0.05]), "right")
63 |         right_but.on_clicked(self.right)
64 |         door_but = Button(plt.axes([0.45,0.02,0.1,0.05]), "door")
65 |         door_but.on_clicked(self.door)
66 |         nodoor_but = Button(plt.axes([0.65,0.02,0.1,0.05]), "no door")
67 |         nodoor_but.on_clicked(self.nodoor)
68 |         reset_but = Button(plt.axes([0.85,0.02,0.1,0.05]), "reset")
69 |         reset_but.on_clicked(self.reset)
70 |             #this makes sure y-axis goes to 1, graph overwritten in
71 |             draw_dist
72 |             self.draw_dist()
73 |             plt.show()
74 |
75 |     def draw_dist(self):
76 |         self.ax.clear()
77 |         plt.ylim(0,1)
```

```

77     self.ax.set_ylabel("Probability")
78     self.ax.set_xlabel("Location")
79     self.ax.set_title("Location Probability Distribution")
80     self.ax.set_xticks(self.hmm.states)
81     vals = [self.loc_filt.state_dist[i] for i in self.hmm.states]
82     self.bars = self.ax.bar(self.hmm.states, vals, color='black')
83     self.ax.bar_label(self.bars, ["{v:.2f}".format(v=v) for v in vals],
84                       padding = 1)
85     plt.draw()
86
86     def left(self,event):
87         self.loc_filt.go("left")
88         self.draw_dist()
89     def right(self,event):
90         self.loc_filt.go("right")
91         self.draw_dist()
92     def door(self,event):
93         self.loc_filt.observe({'door':True})
94         self.draw_dist()
95     def nodoor(self,event):
96         self.loc_filt.observe({'door':False})
97         self.draw_dist()
98     def reset(self,event):
99         self.loc_filt.state_dist = {i:1/16 for i in range(16)}
100        self.draw_dist()
101
102 # sl = Show_Localization(hmm_16pos)

```

9.9.3 Particle Filtering for HMMs

In this implementation a particle is just a state. If you want to do some form of smoothing, a particle should probably be a history of states. This maintains, *particles*, an array of states, *weights* an array of (non-negative) real numbers, such that *weights*[*i*] is the weight of *particles*[*i*].

probHMM.py — (continued)

```

114 from display import Displayable
115 from probStochSim import resample
116
117 class HMMparticleFilter(Displayable):
118     def __init__(self,hmm,number_particles=1000):
119         self.hmm = hmm
120         self.particles = [sample_one(hmm.indist)
121                           for i in range(number_particles)]
122         self.weights = [1 for i in range(number_particles)]
123
124     def filter(self, obsseq):
125         """returns the state distribution following the sequence of
126         observations in obsseq using particle filtering.

```

```

127
128     Note that it first advances time.
129     This is what is required if it is called after previous filtering.
130     If that is not what is wanted initially, do an observe first.
131     """
132     for obs in obsseq:
133         self.advance()    # advance time
134         self.observe(obs) # observe
135         self.resample_particles()
136         self.display(2,"After observing", str(obs),
137                      "state distribution:",
138                      self.histogram(self.particles))
139         self.display(1,"Final state distribution:",
140                      self.histogram(self.particles))
141     return self.histogram(self.particles)
142
143 def advance(self):
144     """advance to the next time.
145     This assumes that all of the weights are 1."""
146     self.particles = [sample_one(self.hmm.trans[st])
147                       for st in self.particles]
148
149 def observe(self, obs):
150     """reweights the particles to incorporate observations obs"""
151     for i in range(len(self.particles)):
152         for obv in obs:
153             if obs[obv]:
154                 self.weights[i] *= self.hmm.pobs[obv][self.particles[i]]
155             else:
156                 self.weights[i] *=
157                     1-self.hmm.pobs[obv][self.particles[i]]
158
159 def histogram(self, particles):
160     """returns list of the probability of each state as represented by
161     the particles"""
162     tot=0
163     hist = {st: 0.0 for st in self.hmm.states}
164     for (st,wt) in zip(self.particles,self.weights):
165         hist[st]+=wt
166         tot += wt
167     return {st:hist[st]/tot for st in hist}
168
169 def resample_particles(self):
170     """resamples to give a new set of particles."""
171     self.particles = resample(self.particles, self.weights,
172                               len(self.particles))
173     self.weights = [1] * len(self.particles)

```

The following are some queries for *hmm1*.

probHMM.py — (continued)

```

171 hmm1pf1 = HMMparticleFilter(hmm1)
172 # HMMparticleFilter.max_display_level = 2 # show each step
173 # hmm1pf1.filter([{m1':0, 'm2':1, 'm3':1}, {'m1':1, 'm2':0, 'm3':1}])
174 # hmm1pf2 = HMMparticleFilter(hmm1)
175 # hmm1pf2.filter([{m1':1, 'm2':0, 'm3':0}, {'m1':0, 'm2':1, 'm3':0},
176 #                 {'m1':1, 'm2':0, 'm3':0}, {'m1':0, 'm2':0, 'm3':0},
177 #                 {'m1':0, 'm2':0, 'm3':0}, {'m1':0, 'm2':0, 'm3':1},
178 #                 {'m1':0, 'm2':0, 'm3':1}, {'m1':0, 'm2':0, 'm3':1}])
179 # hmm1pf3 = HMMparticleFilter(hmm1)
180 # hmm1pf3.filter([{m1':1, 'm2':0, 'm3':0}, {'m1':0, 'm2':0, 'm3':0},
181 #                 {'m1':1, 'm2':0, 'm3':0}, {'m1':1, 'm2':0, 'm3':1}])

```

Exercise 9.7 A form of importance sampling can be obtained by not resampling. Is it better or worse than particle filtering? Hint: you need to think about how they can be compared. Is the comparison different if there are more states than particles?

Exercise 9.8 Extend the particle filtering code to continuous variables and observations. In particular, suppose the state transition is a linear function with Gaussian noise of the previous state, and the observations are linear functions with Gaussian noise of the state. You may need to research how to sample from a Gaussian distribution.

9.9.4 Generating Examples

The following code is useful for generating examples.

probHMM.py — (continued)

```

182 def simulate(hmm,horizon):
183     """returns a pair of (state sequence, observation sequence) of length
184         horizon.
185     for each time t, the agent is in state_sequence[t] and
186     observes observation_sequence[t]
187     """
188     state = sample_one(hmm.indist)
189     obsseq=[]
190     stateseq=[]
191     for time in range(horizon):
192         stateseq.append(state)
193         newobs =
194             {obs:sample_one({0:1-hmm.pobs[obs][state],1:hmm.pobs[obs][state]})}
195             for obs in hmm.obsvars}
196         obsseq.append(newobs)
197         state = sample_one(hmm.trans[state])
198     return stateseq,obsseq

def simobs(hmm,stateseq):

```

```

199     """returns observation sequence for the state sequence"""
200     obsseq=[]
201     for state in stateseq:
202         newobs =
203             {obs:sample_one({0:1-hmm.pobs[obs][state],1:hmm.pobs[obs][state]})}
204                 for obs in hmm.obsvars}
205         obsseq.append(newobs)
206     return obsseq
207
208 def create_eg(hmm,n):
209     """Create an annotated example for horizon n"""
210     seq,obs = simulate(hmm,n)
211     print("True state sequence:",seq)
212     print("Sequence of observations:\n",obs)
213     hmmfilter = HMMVEfilter(hmm)
214     dist = hmmfilter.filter(obs)
215     print("Resulting distribution over states:\n",dist)

```

9.10 Dynamic Belief Networks

A **dynamic belief network (DBN)** is a belief network that extends in time.

There are a number of ways that reasoning can be carried out in a DBN, including:

- Rolling out the DBN for some time period, and using standard belief network inference. The latest time that needs to be in the rolled out network is the time of the latest observation or the time of a query (whichever is later). This allows us to observe any variables at any time and query any variables at any time. This is covered in Section 9.10.2.
- An unrolled belief network may be very large, and we might only be interested in asking about “now”. In this case we can just representing the variables “now”. In this approach we can observe and query the current variables. We can them move to the next time. This does not allow for arbitrary historical queries (about the past or the future), but can be much simpler. This is covered in Section 9.10.3.

9.10.1 Representing Dynamic Belief Networks

To specify a DBN, think about the distribution *now*. *Now* will be represented as time 1. Each variable will have a corresponding previous variable; these will be created together.

A dynamic belief network consists of:

- A set of features. A variable is a feature-time pair.

- An initial distribution over the features “now” (time 1). This is a belief network with all variables being time 1 variables.
- A specification of the dynamics. We define the how the variables *now* (time 1) depend on variables *now* and the previous time (time 0), in such a way that the graph is acyclic.

```

probDBN.py — Dynamic belief networks

11 from probVariables import Variable
12 from probGraphicalModels import GraphicalModel, BeliefNetwork
13 from probFactors import Prob, Factor, CPD
14 from probVE import VE
15 from display import Displayable
16 from utilities import dict_union
17
18 class DBNvariable(Variable):
19     """A random variable that incorporates the stage (time)
20
21     A variable can have both a name and an index. The index defaults to 1.
22     """
23     def __init__(self, name, domain=[False, True], index=1):
24         Variable.__init__(self, f"{name}_{index}", domain)
25         self.basename = name
26         self.domain = domain
27         self.index = index
28         self.previous = None
29
30     def __lt__(self, other):
31         if self.name != other.name:
32             return self.name < other.name
33         else:
34             return self.index < other.index
35
36     def __gt__(self, other):
37         return other < self
38
39     def variable_pair(name, domain=[False, True]):
40         """returns a variable and its predecessor. This is used to define
41             2-stage DBNs
42
43         If the name is X, it returns the pair of variables X_prev, X_now"""
44         var_now = DBNvariable(name, domain, index='now')
45         var_prev = DBNvariable(name, domain, index='prev')
46         var_now.previous = var_prev
47         return var_prev, var_now

```

A *FactorRename* is a factor that is the result renaming the variables in the factor. It takes a factor, *fac*, and a $\{new : old\}$ dictionary, where *new* is the name of a variable in the resulting factor and *old* is the corresponding name in *fac*. This assumes that the all variables are renamed.

probDBN.py — (continued)

```

48 class FactorRename(Factor):
49     def __init__(self,fac,renaming):
50         """A renamed factor.
51         fac is a factor
52         renaming is a dictionary of the form {new:old} where old and new
53             var variables,
54             where the variables in fac appear exactly once in the renaming
55         """
56         Factor.__init__(self,[n for (n,o) in renaming.items() if o in
57             fac.variables])
58         self.orig_fac = fac
59         self.renaming = renaming
60
61     def get_value(self,assignment):
62         return self.orig_fac.get_value({self.renaming[var]:val
63                                         for (var,val) in assignment.items()
64                                         if var in self.variables})

```

The following class renames the variables of a conditional probability distribution. It is used for template models (e.g., dynamic decision networks or relational models)

probDBN.py — (continued)

```

64 class CPDrename(FactorRename, CPD):
65     def __init__(self, cpd, renaming):
66         renaming_inverse = {old:new for (new,old) in renaming.items()}
67         CPD.__init__(self,renaming_inverse[cpd.child],[renaming_inverse[p]
68                         for p in cpd.parents])
69         self.orig_fac = cpd
70         self.renaming = renaming

```

probDBN.py — (continued)

```

71 class DBN(Displayable):
72     """The class of stationary Dynamic Belief networks.
73     * name is the DBN name
74     * vars_now is a list of current variables (each must have
75       previous variable).
76     * transition_factors is a list of factors for P(X|parents) where X
77       is a current variable and parents is a list of current or previous
78       variables.
79     * init_factors is a list of factors for P(X|parents) where X is a
80       current variable and parents can only include current variables
81       The graph of transition factors + init factors must be acyclic.
82
83     """
84     def __init__(self, title, vars_now, transition_factors=None,
85                 init_factors=None):
86         self.title = title
87         self.vars_now = vars_now

```

```

86     self.vars_prev = [v.previous for v in vars_now]
87     self.transition_factors = transition_factors
88     self.init_factors = init_factors
89     self.var_index = {} # var_index[v] is the index of variable v
90     for i,v in enumerate(vars_now):
91         self.var_index[v]=i

```

Here is a 3 variable DBN:

```

-----probDBN.py — (continued)-----
93 A0,A1 = variable_pair("A", domain=[False,True])
94 B0,B1 = variable_pair("B", domain=[False,True])
95 C0,C1 = variable_pair("C", domain=[False,True])
96
97 # dynamics
98 pc = Prob(C1,[B1,C0], [[[0.03,0.97],[0.38,0.62]],[[0.23,0.77],[0.78,0.22]]])
99 pb = Prob(B1,[A0,A1], [[[0.5,0.5],[0.77,0.23]],[[0.4,0.6],[0.83,0.17]]])
100 pa = Prob(A1,[A0,B0], [[[0.1,0.9],[0.65,0.35]],[[0.3,0.7],[0.8,0.2]]])
101
102 # initial distribution
103 pa0 = Prob(A1,[],[0.9,0.1])
104 pb0 = Prob(B1,[A1], [[0.3,0.7],[0.8,0.2]])
105 pc0 = Prob(C1,[],[0.2,0.8])
106
107 dbn1 = DBN("Simple DBN", [A1,B1,C1], [pa,pb,pc], [pa0,pb0,pc0])

```

Here is the animal example

```

-----probDBN.py — (continued)-----
109 from probHMM import closeMic, farMic, midMic, sm, mmc, sc, mcm, mcc
110
111 Pos_0,Pos_1 = variable_pair("Position",domain=[0,1,2,3])
112 Mic1_0,Mic1_1 = variable_pair("Mic1")
113 Mic2_0,Mic2_1 = variable_pair("Mic2")
114 Mic3_0,Mic3_1 = variable_pair("Mic3")
115
116 # conditional probabilities - see hmm for the values of sm,mmc, etc
117 ppos = Prob(Pos_1, [Pos_0],
118             [[sm, mmc, mmc, mmc], #was in middle
119              [mcm, sc, mcc, mcc], #was in corner 1
120              [mcm, mmc, sc, mmc], #was in corner 2
121              [mcm, mmc, mmc, sc]]) #was in corner 3
122 pm1 = Prob(Mic1_1, [Pos_1], [[1-midMic, midMic], [1-closeMic, closeMic],
123                               [1-farMic, farMic], [1-farMic, farMic]])
124 pm2 = Prob(Mic2_1, [Pos_1], [[1-midMic, midMic], [1-farMic, farMic],
125                               [1-closeMic, closeMic], [1-farMic, farMic]])
126 pm3 = Prob(Mic3_1, [Pos_1], [[1-midMic, midMic], [1-farMic, farMic],
127                               [1-farMic, farMic], [1-closeMic, closeMic]])
128 ipos = Prob(Pos_1,[], [0.25, 0.25, 0.25, 0.25])
129 dbn_an =DBN("Animal DBN", [Pos_1,Mic1_1,Mic2_1,Mic3_1],
130               [ppos, pm1, pm2, pm3],
131               [ipos, pm1, pm2, pm3])

```

9.10.2 Unrolling DBNs

probDBN.py — (continued)

```

133 class BNfromDBN(BeliefNetwork):
134     """Belief Network unrolled from a dynamic belief network
135     """
136
137     def __init__(self, dbn, horizon):
138         """dbn is the dynamic belief network being unrolled
139         horizon>0 is the number of steps (so there will be horizon+1
140             variables for each DBN variable.
141         """
142         self.name2var = {var.basename:
143             [DBNvariable(var.basename, var.domain, index) for index in
144             range(horizon+1)]
145             for var in dbn.vars_now}
146         self.display(1, f"name2var={self.name2var}")
147         variables = {v for vs in self.name2var.values() for v in vs}
148         self.display(1, f"variables={variables}")
149         bnfactors = {CPDrename(fac, {self.name2var[var.basename][0]:var
150             for var in fac.variables})
151             for fac in dbn.init_factors}
152         bnfactors |=
153             {CPDrename(fac, dict_union({self.name2var[var.basename][i]:var
154                 for var in fac.variables if
155                     var.index=='prev'}
156                     , {self.name2var[var.basename][i+1]:var
157                         for var in fac.variables if
158                         var.index=='now'}))
159             for fac in dbn.transition_factors
160                 for i in range(horizon)}
161         self.display(1, f"bnfactors={bnfactors}")
162         BeliefNetwork.__init__(self, dbn.title, variables, bnfactors)

```

Here are two examples. Note that we need to use `bn.name2var['B'][2]` to get the variable B2 (B at time 2).

probDBN.py — (continued)

```

158 # Try
159 #from probRC import ProbRC
160 #bn = BNfromDBN(dbn1,2) # construct belief network
161 #drc = ProbRC(bn)          # initialize recursive conditioning
162 #B2 = bn.name2var['B'][2]
163 #drc.query(B2) #P(B2)
164 #drc.query(bn.name2var['B'][1],{bn.name2var['B'][0]:True, bn.name2var['C'][1]:False})
#P(B1|B0,C1)

```

9.10.3 DBN Filtering

If we only wanted to ask questions about the current state, we can save space by forgetting the history variables.

```

probDBN.py — (continued)

165  class DBNVEfilter(VE):
166      def __init__(self, dbn):
167          self.dbn = dbn
168          self.current_factors = dbn.init_factors
169          self.current_obs = {}
170
171      def observe(self, obs):
172          """updates the current observations with obs.
173          obs is a variable:value dictionary where variable is a current
174          variable.
175          """
176          assert all(self.current_obs[var]==obs[var] for var in obs
177                     if var in self.current_obs), "inconsistent current
178                     observations"
179          self.current_obs.update(obs) # note 'update' is a dict method
180
181      def query(self, var):
182          """returns the posterior probability of current variable var"""
183          return
184              VE(GraphicalModel(self.dbn.title, self.dbn.vars_now, self.current_factors)).query(var, se
185
186      def advance(self):
187          """advance to the next time"""
188          prev_factors = [self.make_previous(fac) for fac in
189                         self.current_factors]
190          prev_obs = {var.previous:val for var,val in
191                      self.current_obs.items()}
192          two_stage_factors = prev_factors + self.dbn.transition_factors
193          self.current_factors =
194              self.elim_vars(two_stage_factors, self.dbn.vars_prev, prev_obs)
195          self.current_obs = {}
196
197      def make_previous(self, fac):
198          """Creates new factor from fac where the current variables in fac
199          are renamed to previous variables.
200          """
201          return FactorRename(fac, {var.previous:var for var in
202                                 fac.variables})
203
204      def elim_vars(self, factors, vars, obs):
205          for var in vars:
206              if var in obs:
207                  factors = [self.project_observations(fac, obs) for fac in
208                             factors]
209              else:
210                  factors = self.eliminate_var(factors, var)
211          return factors

```

Example queries:

```
probDBN.py — (continued)
```

```
206 #df = DBNVEfilter(dbn1)
207 #df.observe({B1:True}); df.advance(); df.observe({C1:False})
208 #df.query(B1) #P(B1|B0,C1)
209 #df.advance(); df.query(B1)
210 #dfa = DBNVEfilter(dbn_an)
211 # dfa.observe({Mic1_1:0, Mic2_1:1, Mic3_1:1})
212 # dfa.advance()
213 # dfa.observe({Mic1_1:1, Mic2_1:0, Mic3_1:1})
214 # dfa.query(Pos_1)
```

Chapter 10

Learning with Uncertainty

10.1 K-means

The k-means learner maintains two lists that suffice as sufficient statistics to classify examples, and to learn the classification:

- *class_counts* is a list such that *class_counts*[*c*] is the number of examples in the training set with *class* = *c*.
- *feature_sum* is a list such that *feature_sum*[*i*][*c*] is sum of the values for the *i*'th feature *i* for members of class *c*. The average value of the *i*th feature in class *i* is

$$\frac{\text{feature_sum}[i][c]}{\text{class_counts}[c]}$$

The class is initialized by randomly assigning examples to classes, and updating the statistics for *class_counts* and *feature_sum*.

```
_____learnKMeans.py — k-means learning_____
11 | from learnProblem import Data_set, Learner, Data_from_file
12 | import random
13 | import matplotlib.pyplot as plt
14 |
15 | class K_means_learner(Learner):
16 |     def __init__(self,dataset, num_classes):
17 |         self.dataset = dataset
18 |         self.num_classes = num_classes
19 |         self.random_initialize()
20 |
21 |     def random_initialize(self):
```

```

22     # class_counts[c] is the number of examples with class=c
23     self.class_counts = [0]*self.num_classes
24     # feature_sum[i][c] is the sum of the values of feature i for class
25     #   c
26     self.feature_sum = [[0]*self.num_classes
27                           for feat in self.dataset.input_features]
28     for eg in self.dataset.train:
29         cl = random.randrange(self.num_classes) # assign eg to random
29         class
30         self.class_counts[cl] += 1
31         for (ind,feat) in enumerate(self.dataset.input_features):
32             self.feature_sum[ind][cl] += feat(eg)
33     self.num_iterations = 0
34     self.display(1,"Initial class counts: ",self.class_counts)

```

The distance from (the mean of) a class to an example is the sum, over all features, of the sum-of-squares differences of the class mean and the example value.

learnKMeans.py — (continued)

```

35 def distance(self,cl,eg):
36     """distance of the eg from the mean of the class"""
37     return sum( (self.class_prediction(ind,cl)-feat(eg))**2
38                 for (ind,feat) in
39                     enumerate(self.dataset.input_features))
40
41 def class_prediction(self,feat_ind,cl):
42     """prediction of the class cl on the feature with index feat_ind"""
43     if self.class_counts[cl] == 0:
44         return 0 # there are no examples so we can choose any value
45     else:
46         return self.feature_sum[feat_ind][cl]/self.class_counts[cl]
47
48 def class_of_eg(self,eg):
49     """class to which eg is assigned"""
50     return (min((self.distance(cl,eg),cl)
51                 for cl in range(self.num_classes)))[1]
52     # second element of tuple, which is a class with minimum
53     # distance

```

One step of k-means updates the *class_counts* and *feature_sum*. It uses the old values to determine the classes, and so the new values for *class_counts* and *feature_sum*. At the end it determines whether the values of these have changed, and then replaces the old ones with the new ones. It returns an indicator of whether the values are stable (have not changed).

learnKMeans.py — (continued)

```

53 def k_means_step(self):
54     """Updates the model with one step of k-means.
55     Returns whether the assignment is stable.
56     """

```

```

57     new_class_counts = [0]*self.num_classes
58     # feature_sum[i][c] is the sum of the values of feature i for class
59     #   c
60     new_feature_sum = [[0]*self.num_classes
61                         for feat in self.dataset.input_features]
62     for eg in self.dataset.train:
63         cl = self.class_of_eg(eg)
64         new_class_counts[cl] += 1
65         for (ind,feat) in enumerate(self.dataset.input_features):
66             new_feature_sum[ind][cl] += feat(eg)
67     stable = (new_class_counts == self.class_counts) and
68             (self.feature_sum == new_feature_sum)
69     self.class_counts = new_class_counts
70     self.feature_sum = new_feature_sum
71     self.num_iterations += 1
72     return stable
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
def learn(self,n=100):
    """do n steps of k-means, or until convergence"""
    i=0
    stable = False
    while i<n and not stable:
        stable = self.k_means_step()
        i += 1
        self.display(1,"Iteration",self.num_iterations,
                    "class counts: ",self.class_counts,
                    "Stable=",stable)
    return stable

def show_classes(self):
    """sorts the data by the class and prints in order.
    For visualizing small data sets
    """
    class_examples = [[] for i in range(self.num_classes)]
    for eg in self.dataset.train:
        class_examples[self.class_of_eg(eg)].append(eg)
    print("Class", "Example", sep='\t')
    for cl in range(self.num_classes):
        for eg in class_examples[cl]:
            print(cl,*eg,sep='\t')

def plot_error(self, maxstep=20):
    """Plots the sum-of-squares error as a function of the number of
    steps"""
    plt.ion()
    plt.xlabel("step")
    plt.ylabel("Ave sum-of-squares error")
    train_errors = []
    if self.dataset.test:

```

```

103     test_errors = []
104     for i in range(maxstep):
105         self.learn(1)
106         train_errors.append( sum(self.distance(self.class_of_eg(eg),eg)
107                               for eg in self.dataset.train)
108                               /len(self.dataset.train))
109         if self.dataset.test:
110             test_errors.append(
111                 sum(self.distance(self.class_of_eg(eg),eg)
112                     for eg in self.dataset.test)
113                     /len(self.dataset.test)))
114         plt.plot(range(1,maxstep+1),train_errors,
115                   label=str(self.num_classes)+" classes. Training set")
116         if self.dataset.test:
117             plt.plot(range(1,maxstep+1),test_errors,
118                   label=str(self.num_classes)+" classes. Test set")
119         plt.legend()
120         plt.draw()
121
122 %data = Data_from_file('data/emdata1.csv', num_train=10,
123                         target_index=2000) % trivial example
124 data = Data_from_file('data/emdata2.csv', num_train=10, target_index=2000)
125 %data = Data_from_file('data/emdata0.csv', num_train=14,
126                         target_index=2000) % example from textbook
127 kml = K_means_learner(data,2)
128 num_iter=4
129 print("Class assignment after",num_iter,"iterations:")
130 kml.learn(num_iter); kml.show_classes()
131
132 # Plot the error
133 # km2=K_means_learner(data,2); km2.plot_error(20) # 2 classes
134 # km3=K_means_learner(data,3); km3.plot_error(20) # 3 classes
135 # km13=K_means_learner(data,13); km13.plot_error(20) # 13 classes
136
137 # data = Data_from_file('data/carbool.csv',
138 #                         target_index=2000,boolean_features=True)
139 # kml = K_means_learner(data,3)
140 # kml.learn(20); kml.show_classes()
141 # km3=K_means_learner(data,3); km3.plot_error(20) # 3 classes
142 # km3=K_means_learner(data,30); km3.plot_error(20) # 30 classes

```

Exercise 10.1 Change `boolean_features = True` flag to allow for numerical features. K-means assumes the features are numerical, so we want to make non-numerical features into numerical features (using characteristic functions) but we probably don't want to change numerical features into Boolean.

Exercise 10.2 If there are many classes, some of the classes can become empty (e.g., try 100 classes with `carbool.csv`). Implement a way to put some examples into a class, if possible. Two ideas are:

- (a) Initialize the classes with actual examples, so that the classes will not start empty. (Do the classes become empty?)
- (b) In *class prediction*, we test whether the code is empty, and make a prediction of 0 for an empty class. It is possible to make a different prediction to “steal” an example (but you should make sure that a class has a consistent value for each feature in a loop).

Make your own suggestions, and compare it with the original, and whichever of these you think may work better.

10.2 EM

In the following definition, a class, c , is an integer in range $[0, num_classes)$. i is an index of a feature, so $feat[i]$ is the i th feature, and a feature is a function from tuples to values. val is a value of a feature.

A model consists of 2 lists, which form the sufficient statistics:

- *class_counts* is a list such that $class_counts[c]$ is the number of tuples with $class = c$, where each tuple is weighted by its probability, i.e.,

$$class_counts[c] = \sum_{t: class(t)=c} P(t)$$

- *feature_counts* is a list such that $feature_counts[i][val][c]$ is the weighted count of the number of tuples t with $feat[i](t) = val$ and $class(t) = c$, each tuple is weighted by its probability, i.e.,

$$feature_counts[i][val][c] = \sum_{t: feat[i](t)=val \text{ and } class(t)=c} P(t)$$

```
learnEM.py — EM Learning
11 | from learnProblem import Data_set, Learner, Data_from_file
12 | import random
13 | import math
14 | import matplotlib.pyplot as plt
15 |
16 | class EM_learner(Learner):
17 |     def __init__(self, dataset, num_classes):
18 |         self.dataset = dataset
19 |         self.num_classes = num_classes
20 |         self.class_counts = None
21 |         self.feature_counts = None
```

The function *em_step* goes through the training examples, and updates these counts. The first time it is run, when there is no model, it uses random distributions.

learnEM.py — (continued)

```

23  def em_step(self, orig_class_counts, orig_feature_counts):
24      """updates the model."""
25      class_counts = [0]*self.num_classes
26      feature_counts = [{val:[0]*self.num_classes
27                          for val in feat.frange}
28                          for feat in self.dataset.input_features]
29      for tple in self.dataset.train:
30          if orig_class_counts: # a model exists
31              tpl_class_dist = self.prob(tple, orig_class_counts,
32                                          orig_feature_counts)
33          else:                # initially, with no model, return a random
34              distribution
35              tpl_class_dist = random_dist(self.num_classes)
36          for cl in range(self.num_classes):
37              class_counts[cl] += tpl_class_dist[cl]
38          for (ind,feat) in enumerate(self.dataset.input_features):
39              feature_counts[ind][feat(tple)][cl] += tpl_class_dist[cl]
40      return class_counts, feature_counts

```

prob computes the probability of a class c for a tuple tpl , given the current statistics.

$$\begin{aligned}
 P(c | tple) &\propto P(c) * \prod_i P(X_i=tple(i) | c) \\
 &= \frac{\text{class_counts}[c]}{\text{len}(\text{self.dataset})} * \prod_i \frac{\text{feature_counts}[i][\text{feat}_i(tple)][c]}{\text{class_counts}[c]} \\
 &\propto \frac{\prod_i \text{feature_counts}[i][\text{feat}_i(tple)][c]}{\text{class_counts}[c]^{\text{feats}-1}}
 \end{aligned}$$

The last step is because $\text{len}(\text{self.dataset})$ is a constant (independent of c). $\text{class_counts}[c]$ can be taken out of the product, but needs to be raised to the power of the number of features, and one of them cancels.

learnEM.py — (continued)

```

40  def prob(self, tple, class_counts, feature_counts):
41      """returns a distribution over the classes for tuple tple in the
42          model defined by the counts
43
44      feats = self.dataset.input_features
45      unnorm = [prod(feature_counts[i][feat(tple)][c]
46                      for (i,feat) in enumerate(feats))
47                      / (class_counts[c]**(len(feats)-1))
48                      for c in range(self.num_classes)]
49      thesum = sum(unnorm)
50      return [un/thesum for un in unnorm]

```

learn does n steps of EM:

```

51     def learn(self,n):
52         """do n steps of em"""
53         for i in range(n):
54             self.class_counts,self.feature_counts =
55                 self.em_step(self.class_counts,
56                             self.feature_counts)

```

The following is for visualizing the classes. It prints the dataset ordered by the probability of class c .

```

-----learnEM.py — (continued) -----
57     def show_class(self,c):
58         """sorts the data by the class and prints in order.
59         For visualizing small data sets
60         """
61         sorted_data =
62             sorted((self.prob(tpl,self.class_counts,self.feature_counts)[c],
63                     ind, # preserve ordering for equal
64                     probabilities
65                     tpl)
66                     for (ind,tpl) in enumerate(self.dataset.train))
67         for cc,r,tpl in sorted_data:
68             print(cc,*tpl,sep='\t')

```

The following are for evaluating the classes.

The probability of a tuple can be evaluated by marginalizing over the classes:

$$\begin{aligned} P(tple) &= \sum_c P(c) * \prod_i P(X_i=tple(i) | c) \\ &= \sum_c \frac{cc[c]}{\text{len}(\text{self.dataset})} * \prod_i \frac{fc[i][feat_i(tple)][c]}{cc[c]} \end{aligned}$$

where cc is the class count and fc is feature count. $\text{len}(\text{self.dataset})$ can be distributed out of the sum, and $cc[c]$ can be taken out of the product:

$$= \frac{1}{\text{len}(\text{self.dataset})} \sum_c \frac{1}{cc[c]^{\#\text{feats}-1}} * \prod_i fc[i][feat_i(tple)][c]$$

Given the probability of each tuple, we can evaluate the logloss, as the negative of the log probability:

```

-----learnEM.py — (continued) -----
68     def logloss(self,tple):
69         """returns the logloss of the prediction on tple, which is
70             -log(P(tple))
71         based on the current class counts and feature counts
72         """
73         feats = self.dataset.input_features
74         res = 0
75         cc = self.class_counts
76         fc = self.feature_counts

```

```

76     for c in range(self.num_classes):
77         res += prod(fc[i][feat(tple)][c]
78                     for (i,feat) in
79                         enumerate(feats))/(cc[c]**(len(feats)-1))
80     if res>0:
81         return -math.log2(res/len(self.dataset.train))
82     else:
83         return float("inf") #infinity
84
85 def plot_error(self, maxstep=20):
86     """Plots the logloss error as a function of the number of steps"""
87     plt.ion()
88     plt.xlabel("step")
89     plt.ylabel("Ave Logloss (bits)")
90     train_errors = []
91     if self.dataset.test:
92         test_errors = []
93     for i in range(maxstep):
94         self.learn(1)
95         train_errors.append( sum(self.logloss(tple) for tple in
96                                 self.dataset.train)
97                             /len(self.dataset.train))
98         if self.dataset.test:
99             test_errors.append( sum(self.logloss(tple) for tple in
100                           self.dataset.test)
101                               /len(self.dataset.test))
102     plt.plot(range(1,maxstep+1),train_errors,
103             label=str(self.num_classes)+" classes. Training set")
104     if self.dataset.test:
105         plt.plot(range(1,maxstep+1),test_errors,
106                 label=str(self.num_classes)+" classes. Test set")
107     plt.legend()
108     plt.draw()
109
110 def prod(L):
111     """returns the product of the elements of L"""
112     res = 1
113     for e in L:
114         res *= e
115     return res
116
117 def random_dist(k):
118     """generate k random numbers that sum to 1"""
119     res = [random.random() for i in range(k)]
120     s = sum(res)
121     return [v/s for v in res]
122
123 data = Data_from_file('data/emdata2.csv', num_train=10, target_index=2000)
124 eml = EM_learner(data,2)
125 num_iter=2

```

```
123 print("Class assignment after",num_iter,"iterations:")
124 eml.learn(num_iter); eml.show_class(0)
125
126 # Plot the error
127 # em2=EM_learner(data,2); em2.plot_error(40) # 2 classes
128 # em3=EM_learner(data,3); em3.plot_error(40) # 3 classes
129 # em13=EM_learner(data,13); em13.plot_error(40) # 13 classes
130
131 # data = Data_from_file('data/carbool.csv',
132 #                         target_index=2000,boolean_features=False)
133 # [f.frange for f in data.input_features]
134 # eml = EM_learner(data,3)
135 # eml.learn(20); eml.show_class(0)
136 # em3=EM_learner(data,3); em3.plot_error(60) # 3 classes
136 # em3=EM_learner(data,30); em3.plot_error(60) # 30 classes
```

Exercise 10.3 For the EM data, where there are naturally 2 classes, 3 classes does better on the training set after a while than 2 classes, but worse on the test set. Explain why. Hint: look what the 3 classes are. Use "em3.show_class(i)" for each of the classes $i \in [0, 3]$.

Exercise 10.4 Write code to plot the logloss as a function of the number of classes (from 1 to say 15) for a fixed number of iterations. (From the experience with the existing code, think about how many iterations is appropriate.)

Chapter 11

Causality

11.1 Do Questions

A causal model can answer “do” questions.

The following adds the queryDo method to the InferenceMethod class, so it can be used with any inference method.

```
probDo.py — Probabilistic inference with the do operator
11 | from probGraphicalModels import InferenceMethod, BeliefNetwork
12 | from probFactors import CPD, ConstantCPD
13 |
14 | def queryDo(self, qvar, obs={}, do={}):
15 |     assert isinstance(self.gm, BeliefNetwork), "Do only applies to belief
16 |         networks"
17 |     if do=={}:
18 |         return self.query(qvar, obs)
19 |     else:
20 |         newfac = ({f for (ch,f) in self.gm.var2cpt.items() if ch not in
21 |             do} |
22 |             {ConstantCPD(v,c) for (v,c) in do.items()})
23 |         self.modBN = BeliefNetwork(self.gm.title+"(mod)",
24 |             self.gm.variables, newfac)
25 |         oldBN, self.gm = self.gm, self.modBN
26 |         result = self.query(qvar, obs)
27 |         self.gm = oldBN # restore original
28 |
29 |         return result
30 |
31 | InferenceMethod.queryDo = queryDo
```

```
probDo.py — (continued)
```

```
29 | from probRC import ProbRC
```

```

30
31 from probGraphicalModels import bn_sprinkler, Season, Sprinkler, Rained,
32     Grass_wet, Grass_shiny, Shoes_wet, bn_sprinkler_soff
33 bn_sprinklerv = ProbRC(bn_sprinkler)
34 ## bn_sprinklerv.queryDo(Shoes_wet)
35 ## bn_sprinklerv.queryDo(Shoes_wet,obs={Sprinkler:"off"})
36 ## bn_sprinklerv.queryDo(Shoes_wet,do={Sprinkler:"off"})
37 ## ProbRC(bn_sprinkler_soff).query(Shoes_wet) # should be same as previous
38     case
39 ## bn_sprinklerv.queryDo(Season, obs={Sprinkler:"off"})
40 ## bn_sprinklerv.queryDo(Season, do={Sprinkler:"off"})

```

—probDo.py — (continued) —————

```

40 from probVariables import Variable
41 from probFactors import Prob
42 from probGraphicalModels import boolean
43
44 Drug_Prone = Variable("Drug_Prone", boolean, position=(0.1,0.5))
45 Takes_Marijuana = Variable("Takes_Marijuana", boolean, position=(0.1,0.5))
46 Side_Effects = Variable("Side_Effects", boolean, position=(0.1,0.5))
47 Takes_Hard_Drugs = Variable("Takes_Hard_Drugs", boolean,
48     position=(0.9,0.5))
49 p_dp = Prob(Drug_Prone, [], [0.8, 0.2])
50 p_tm = Prob(Takes_Marijuana, [Drug_Prone], [[0.98, 0.02], [0.2, 0.8]])
51 p_be = Prob(Side_Effects, [Takes_Marijuana], [[1, 0], [0.4, 0.6]])
52 p_thd = Prob(Takes_Hard_Drugs, [Side_Effects, Drug_Prone],
53     # Drug_Prone=False Drug_Prone=True
54     [[[0.999, 0.001], [0.6, 0.4]], # Side_Effects=False
55     [[0.99999, 0.00001], [0.995, 0.005]]]) # Side_Effects=True
56
57 drugs = BeliefNetwork("Gateway Drugs",
58     [Drug_Prone,Takes_Marijuana,Side_Effects,Takes_Hard_Drugs],
59     [p_dp, p_tm, p_be, p_thd])
60 drugsq = ProbRC(drugs)
61 # drugsq.queryDo(Takes_Hard_Drugs)
62 # drugsq.queryDo(Takes_Hard_Drugs, obs = {Takes_Marijuana: True})
63 # drugsq.queryDo(Takes_Hard_Drugs, obs = {Takes_Marijuana: False})
64 # drugsq.queryDo(Takes_Hard_Drugs, do = {Takes_Marijuana: True})
65 # drugsq.queryDo(Takes_Hard_Drugs, do = {Takes_Marijuana: False})

```

Chapter 12

Planning with Uncertainty

12.1 Decision Networks

The decision network code builds on the representation for belief networks of Chapter 9.

We first allow for factors that define the utility. Here the **utility** is a function of the variables in *vars*. In a **utility table** the utility is defined in terms of a tabular factor – a list that enumerates the values – as in Section 9.3.3.

```
-----decnNetworks.py — Representations for Decision Networks-----
11 | from probGraphicalModels import GraphicalModel, BeliefNetwork
12 | from probFactors import Factor, CPD, TabFactor, factor_times, Prob
13 | from probVariables import Variable
14 | import matplotlib.pyplot as plt
15 |
16 | class Utility(Factor):
17 |     """A factor defining a utility"""
18 |     pass
19 |
20 | class UtilityTable(TabFactor, Utility):
21 |     """A factor defining a utility using a table"""
22 |     def __init__(self, vars, table, position=None):
23 |         """Creates a factor on vars from the table.
24 |         The table is ordered according to vars.
25 |         """
26 |         TabFactor.__init__(self, vars, table)
27 |         self.position = position
```

A **decision variable** is a like a random variable with a string name, and a domain, which is a list of possible values. The decision variable also includes the parents, a list of the variables whose value will be known when the decision is made. It also includes a potion, which is only used for plotting.

 decnNetworks.py — (continued)

```

29 | class DecisionVariable(Variable):
30 |     def __init__(self, name, domain, parents, position=None):
31 |         Variable.__init__(self, name, domain, position)
32 |         self.parents = parents
33 |         self.all_vars = set(parents) | {self}
  
```

A decision network is a graphical model where the variables can be random variables or decision variables. Among the factors we assume there is one utility factor.

 decnNetworks.py — (continued)

```

35 | class DecisionNetwork(BeliefNetwork):
36 |     def __init__(self, title, vars, factors):
37 |         """vars is a list of variables
38 |         factors is a list of factors (instances of CPD and Utility)
39 |         """
40 |         GraphicalModel.__init__(self, title, vars, factors) # don't call
41 |             init for BeliefNetwork
42 |         self.var2parents = ({v : v.parents for v in vars if
43 |             isinstance(v,DecisionVariable)}
44 |                 | {f.child:f.parents for f in factors if
45 |                     isinstance(f,CPD)})
46 |         self.children = {n:[] for n in self.variables}
47 |         for v in self.var2parents:
48 |             for par in self.var2parents[v]:
  
```

The split order ensures that the parents of a decision node are split before the decision node, and no other variables (if that is possible).

 decnNetworks.py — (continued)

```

50 |     def split_order(self):
51 |         so = []
52 |         tops = self.topological_sort()
53 |         for v in tops:
54 |             if isinstance(v,DecisionVariable):
55 |                 so += [p for p in v.parents if p not in so]
56 |                 so.append(v)
57 |             so += [v for v in tops if v not in so]
58 |         return so
  
```

 decnNetworks.py — (continued)

```

60 |     def show(self):
61 |         plt.ion() # interactive
62 |         ax = plt.figure().gca()
63 |         ax.set_axis_off()
64 |         plt.title(self.title)
  
```




Figure 12.1: The umbrella decision network

```

65     for par in self.utility_factor.variables:
66         ax.annotate("Utility", par.position,
67                     xytext=self.utility_factor.position,
68                     arrowprops={'arrowstyle': '<-'}, bbox=dict(boxstyle="sawtooth", pad=1
69         for var in reversed(self.topological_sort()):
70             if isinstance(var, DecisionVariable):
71                 bbox = dict(boxstyle="square", pad=1.0, color="green")
72             else:
73                 bbox = dict(boxstyle="round4", pad=1.0, rounding_size=0.5)
74             if self.var2parents[var]:
75                 for par in self.var2parents[var]:
76                     ax.annotate(var.name, par.position, xytext=var.position,
77                                 arrowprops={'arrowstyle': '<-'}, bbox=bbox,
78                                 ha='center')
79             else:
80                 x, y = var.position
81                 plt.text(x, y, var.name, bbox=bbox, ha='center')
  
```

12.1.1 Example Decision Networks

Umbrella Decision Network

Here is a simple "umbrella" decision network. The output of `umbrella_dn.show()` is shown in Figure 12.1.

decnNetworks.py — (continued)

```

83 Weather = Variable("Weather", ["NoRain", "Rain"], position=(0.5, 0.8))
84 Forecast = Variable("Forecast", ["Sunny", "Cloudy", "Rainy"],
85 # Each variant uses one of the following:
  
```

```

86 Umbrella = DecisionVariable("Umbrella", ["Take", "Leave"], {Forecast},
87     position=(0.5,0))
88 p_weather = Prob(Weather, [], [0.7, 0.3])
89 p_forecast = Prob(Forecast, [Weather], [[0.7, 0.2, 0.1], [0.15, 0.25,
90     0.6]])
90 umb_utility = UtilityTable([Weather, Umbrella], [[20, 100], [70, 0]],
91     position=(1,0.4))
92 umbrella_dn = DecisionNetwork("Umbrella Decision Network",
93         {Weather, Forecast, Umbrella},
94         {p_weather, p_forecast, umb_utility})

```

The following is a variant with the umbrella decision having 2 parents; nothing else has changed. This is interesting because one of the parents is not needed; if the agent knows the weather, it can ignore the forecast.

decnNetworks.py — (continued)

```

96 Umbrella2p = DecisionVariable("Umbrella", ["Take", "Leave"], {Forecast,
97     Weather}, position=(0.5,0))
98 umb_utility2p = UtilityTable([Weather, Umbrella2p], [[20, 100], [70, 0]],
99     position=(1,0.4))
100 umbrella_dn2p = DecisionNetwork("Umbrella Decision Network (extra arc)",
101         {Weather, Forecast, Umbrella2p},
102         {p_weather, p_forecast, umb_utility2p})

```

Fire Decision Network

The fire decision network of Figure 12.2 (showing the result of `fire_dn.show()`) is represented as:

decnNetworks.py — (continued)

```

102 boolean = [False, True]
103 Alarm = Variable("Alarm", boolean, position=(0.25,0.633))
104 Fire = Variable("Fire", boolean, position=(0.5,0.9))
105 Leaving = Variable("Leaving", boolean, position=(0.25,0.366))
106 Report = Variable("Report", boolean, position=(0.25,0.1))
107 Smoke = Variable("Smoke", boolean, position=(0.75,0.633))
108 Tamper = Variable("Tamper", boolean, position=(0,0.9))
109
110 See_Sm = Variable("See_Sm", boolean, position=(0.75,0.366) )
111 Chk_Sm = DecisionVariable("Chk_Sm", boolean, {Report}, position=(0.5,
112     0.366))
113 Call = DecisionVariable("Call", boolean,{See_Sm,Chk_Sm,Report},
114     position=(0.75,0.1))
115 f_ta = Prob(Tamper,[],[0.98,0.02])
116 f_fi = Prob(Fire,[],[0.99,0.01])
117 f_sm = Prob(Smoke,[Fire],[[0.99,0.01],[0.1,0.9]])
118 f_al = Prob(Alarm,[Fire,Tamper],[[[0.9999, 0.0001], [0.15, 0.85]], [[0.01,
119     0.99], [0.5, 0.5]]])

```




Figure 12.2: Fire Decision Network

```

118 f_lv = Prob(Leaving,[Alarm],[[0.999, 0.001], [0.12, 0.88]])
119 f_re = Prob(Report,[Leaving],[[0.99, 0.01], [0.25, 0.75]])
120 f_ss = Prob(See_Sm,[Chk_Sm,Smoke],[[[1,0],[1,0]],[[1,0],[0,1]]])
121
122 ut =
123     UtilityTable([Chk_Sm,Fire,Call],[[[0,-200],[-5000,-200]],[[-20,-220],[-5020,-220]]],
124     position=(1,0.633))
125
126 fire_dn = DecisionNetwork("Fire Decision Network",
127                             {Tamper,Fire,Alarm,Leaving,Smoke,Call,See_Sm,Chk_Sm,Report},
128                             {f_ta,f_fi,f_sm,f_al,f_lv,f_re,f_ss,ut})
  
```

Cheating Decision Network

The following is the representation of the cheating decision of Figure 12.3. Note that we keep the names of the variables short (less than 8 characters) so that the tables look good when printed.

decnNetworks.py — (continued)

```

128 grades = ['A','B','C','F']
129 Watched = Variable("Watched", boolean, position=(0,0.9))
130 Caught1 = Variable("Caught1", boolean, position=(0.2,0.7))
131 Caught2 = Variable("Caught2", boolean, position=(0.6,0.7))
  
```




Figure 12.3: Cheating Decision Network

```

132 Punish = Variable("Punish", ["None", "Suspension", "Recorded"],
133     position=(0.8,0.9))
134 Grade_1 = Variable("Grade_1", grades, position=(0.2,0.3))
135 Grade_2 = Variable("Grade_2", grades, position=(0.6,0.3))
136 Fin_Grd = Variable("Fin_Grd", grades, position=(0.8,0.1))
137 Cheat_1 = DecisionVariable("Cheat_1", boolean, set(), position=(0,0.5))
138     #no parents
139 Cheat_2 = DecisionVariable("Cheat_2", boolean, {Cheat_1,Caught1},
140     position=(0.4,0.5))
141
142 p_wa = Prob(Watched,[],[0.7, 0.3])
143 p_cc1 = Prob(Caught1,[Watched,Cheat_1], [[[1.0, 0.0], [0.9, 0.1]], [[1.0,
144     0.0], [0.5, 0.5]]])
145 p_cc2 = Prob(Caught2,[Watched,Cheat_2], [[[1.0, 0.0], [0.9, 0.1]], [[1.0,
146     0.0], [0.5, 0.5]]])
147 p_pun = Prob(Punish,[Caught1,Caught2], [[[1.0, 0.0, 0.0], [0.5, 0.4, 0.1]],
148     [[0.6, 0.2, 0.2], [0.2, 0.5, 0.3]]])
149 p_gr1 = Prob(Grade_1,[Cheat_1], [{"A":0.2, 'B':0.3, 'C':0.3, 'D': 0.2},
150     {'A':0.5, 'B':0.3, 'C':0.2, 'D':0.0}])
151 p_gr2 = Prob(Grade_2,[Cheat_2], [{"A":0.2, 'B':0.3, 'C':0.3, 'D': 0.2},
152     {'A':0.5, 'B':0.3, 'C':0.2, 'D':0.0}])
153 p_fg = Prob(Fin_Grd,[Grade_1,Grade_2],
154     {'A': {'A':1.0, 'B':0.0, 'C': 0.0, 'D':0.0},
155      'B': {'A':0.5, 'B':0.5, 'C': 0.0, 'D':0.0},
156      'C': {'A':0.0, 'B':0.0, 'C': 1.0, 'D':0.0},
157      'D': {'A':0.0, 'B':0.0, 'C': 0.0, 'D':1.0}})
  
```

```

148     'C': {'A': 0.25, 'B': 0.5, 'C': 0.25, 'D': 0.0},
149     'D': {'A': 0.25, 'B': 0.25, 'C': 0.25, 'D': 0.25}},
150     'B': {'A': {'A': 0.5, 'B': 0.5, 'C': 0.0, 'D': 0.0},
151         'B': {'A': 0.0, 'B': 1, 'C': 0.0, 'D': 0.0},
152         'C': {'A': 0.0, 'B': 0.5, 'C': 0.5, 'D': 0.0},
153         'D': {'A': 0.0, 'B': 0.25, 'C': 0.5, 'D': 0.25}},
154     'C': {'A': {'A': 0.25, 'B': 0.5, 'C': 0.25, 'D': 0.0},
155         'B': {'A': 0.0, 'B': 0.5, 'C': 0.5, 'D': 0.0},
156         'C': {'A': 0.0, 'B': 0.0, 'C': 1, 'D': 0.0},
157         'D': {'A': 0.0, 'B': 0.0, 'C': 0.5, 'D': 0.5}},
158     'D': {'A': {'A': 0.25, 'B': 0.25, 'C': 0.25, 'D': 0.25},
159         'B': {'A': 0.0, 'B': 0.25, 'C': 0.5, 'D': 0.25},
160         'C': {'A': 0.0, 'B': 0.0, 'C': 0.5, 'D': 0.5},
161         'D': {'A': 0.0, 'B': 0.0, 'C': 0, 'D': 1.0}}})
162
163 utc = UtilityTable([Punish, Fin_Grd], {'None': {'A': 100, 'B': 90, 'C': 70,
164     'D': 50},
165         'Suspension': {'A': 40, 'B': 20, 'C': 10,
166             'D': 0},
167         'Recorded': {'A': 70, 'B': 60, 'C': 40,
168             'D': 20}}, position=(1, 0.5))
169
170 cheating_dn = DecisionNetwork("Cheating Decision Network",
171     {Punish, Caught2, Watched, Fin_Grd, Grade_2, Grade_1, Cheat_2, Caught1, Cheat_1},
172     {p_wa, p_cc1, p_cc2, p_pun, p_gr1,
173     p_gr2, p_fg, utc})

```

Chain of 3 decisions

The following example is a finite-stage fully-observable Markov decision process with a single reward (utility) at the end. It is interesting because the parents do not include all predecessors. The methods we use will work without change on this, even though the agent does not condition on all of its previous observations and actions. The output of ch3.show() is shown in Figure 12.4.

decnNetworks.py — (continued)

```

171 S0 = Variable('S0', boolean, position=(0, 0.5))
172 D0 = DecisionVariable('D0', boolean, {S0}, position=(1/7, 0.1))
173 S1 = Variable('S1', boolean, position=(2/7, 0.5))
174 D1 = DecisionVariable('D1', boolean, {S1}, position=(3/7, 0.1))
175 S2 = Variable('S2', boolean, position=(4/7, 0.5))
176 D2 = DecisionVariable('D2', boolean, {S2}, position=(5/7, 0.1))
177 S3 = Variable('S3', boolean, position=(6/7, 0.5))
178
179 p_s0 = Prob(S0, [], [0.5, 0.5])
180 tr = [[[0.1, 0.9], [0.9, 0.1]], [[0.2, 0.8], [0.8, 0.2]]] # 0 is flip, 1
181     is keep value
182 p_s1 = Prob(S1, [D0, S0], tr)
183 p_s2 = Prob(S2, [D1, S1], tr)
184 p_s3 = Prob(S3, [D2, S2], tr)

```




Figure 12.4: A decision network that is a chain of 3 decisions

```

184     ch3U = UtilityTable([S3],[0,1], position=(7/7,0.9))
185
186
187 ch3 = DecisionNetwork("3-chain",
188     {S0,D0,S1,D1,S2,D2,S3},{p_s0,p_s1,p_s2,p_s3,ch3U})
189 #rc3 = RC_DN(ch3)
190 #rc3.optimize()
191 #rc3.opt_policy
  
```

12.1.2 Recursive Conditioning for decision networks

An instance of a `RC_DN` object takes in a decision network. The `query` method uses recursive conditioning to compute the expected utility of the optimal policy. `self.opt_policy` becomes the optimal policy.

decnNetworks.py — (continued)

```

192 import math
193 from probGraphicalModels import GraphicalModel, InferenceMethod
194 from probFactors import Factor
195 from utilities import dict_union
196 from probRC import connected_components
197
198 class RC_DN(InferenceMethod):
199     """The class that queries graphical models using recursive conditioning
  
```

```

200     gm is graphical model to query
201     """
202
203
204     def __init__(self, gm=None):
205         self.gm = gm
206         self.cache = {(frozenset(), frozenset()): 1}
207         ## self.max_display_level = 3
208
209     def optimize(self, split_order=None):
210         """computes expected utility, and creates optimal decision
211             functions, where
212             elim_order is a list of the non-observed non-query variables in gm
213             """
214         if split_order == None:
215             split_order = self.gm.split_order()
216         self.opt_policy = {}
217         return self.rc({}, self.gm.factors, split_order)

```

The following us the simplest search-based algorithm. It is exponential in the number of variables, so is not very useful. However, it is simple, and useful to understand before looking at the more complicated algorithm. Note that the above code does not call `rc0`; you will need to change the `self.rc` to `self.rc0` in above code to use it.

decnNetworks.py — (continued)

```

218     def rc0(self, context, factors, split_order):
219         """simplest search algorithm"""
220         self.display(2, "calling rc0,", (context, factors), "with"
221                     S0", split_order)
222         if not factors:
223             return 1
224         elif to_eval := {fac for fac in factors if
225                         fac.can_evaluate(context)}:
226             self.display(3, "rc0 evaluating factors", to_eval)
227             val = math.prod(fac.get_value(context) for fac in to_eval)
228             return val * self.rc0(context, factors-to_eval, split_order)
229         else:
230             var = split_order[0]
231             self.display(3, "rc0 branching on", var)
232             if isinstance(var, DecisionVariable):
233                 assert set(context) <= set(var.parents), f"cannot optimize
234                                         {var} in context {context}"
235                 maxres = -math.inf
236                 for val in var.domain:
237                     self.display(3, "In rc0, branching on", var, "=", val)
238                     newres = self.rc0(dict_union({var:val}, context),
239                                     factors, split_order[1:])
240                     if newres > maxres:
241                         maxres = newres
242                         theval = val

```

```

239         self.opt_policy[frozenset(context.items())] = (var, theval)
240         return maxres
241     else:
242         total = 0
243         for val in var.domain:
244             total += self.rc0(dict_union({var:val},context),
245                               factors, split_order[1:])
246         self.display(3, "rc0 branching on", var,"returning", total)
247         return total

```

We can combine the optimization for decision networks above, with the improvements of recursive conditioning used for graphical models (Section 9.6, page 190).

decnNetworks.py — (continued)

```

248     def rc(self, context, factors, split_order):
249         """ returns the number \sum_{split_order} \prod_{factors} given
250             assignments in context
251             context is a variable:value dictionary
252             factors is a set of factors
253             split_order is a list of variables in factors that are not in
254                 context
255             """
256         self.display(3,"calling rc,",(context,factors))
257         ce = (frozenset(context.items()), frozenset(factors)) # key for the
258             cache entry
259         if ce in self.cache:
260             self.display(2,"rc cache lookup", (context,factors))
261             return self.cache[ce]
262         # if not factors: # no factors; needed if you don't have forgetting
263         # and caching
264         #     return 1
265         elif vars_not_in_factors := {var for var in context
266                                     if not any(var in fac.variables for
267                                     fac in factors)}:
268             # forget variables not in any factor
269             self.display(3,"rc forgetting variables", vars_not_in_factors)
270             return self.rc({key:val for (key,val) in context.items()
271                             if key not in vars_not_in_factors},
272                           factors, split_order)
273         elif to_eval := {fac for fac in factors if
274                         fac.can_evaluate(context)}:
275             # evaluate factors when all variables are assigned
276             self.display(3,"rc evaluating factors",to_eval)
277             val = math.prod(fac.get_value(context) for fac in to_eval)
278             if val == 0:
279                 return 0
280             else:
281                 return val * self.rc(context, {fac for fac in factors if fac
282                     not in to_eval}, split_order)

```

```

276     elif len(comp := connected_components(context, factors,
277             split_order)) > 1:
278         # there are disconnected components
279         self.display(2, "splitting into connected components", comp)
280         return(math.prod(self.rc(context,f,eo) for (f,eo) in comp))
281     else:
282         assert split_order, f"split_order empty rc({{context},{factors}})"
283         var = split_order[0]
284         self.display(3, "rc branching on", var)
285         if isinstance(var,DecisionVariable):
286             assert set(context) <= set(var.parents), f"cannot optimize
287                 {var} in context {context}"
288             maxres = -math.inf
289             for val in var.domain:
290                 self.display(3, "In rc, branching on", var, "=", val)
291                 newres = self.rc(dict_union({var:val},context), factors,
292                                 split_order[1:])
293                 if newres > maxres:
294                     maxres = newres
295                     theval = val
296                     self.opt_policy[frozenset(context.items())] = (var, theval)
297                     self.cache[ce] = maxres
298                     return maxres
299             else:
300                 total = 0
301                 for val in var.domain:
302                     total += self.rc(dict_union({var:val},context), factors,
303                                     split_order[1:])
304             self.display(3, "rc branching on", var, "returning", total)
305             self.cache[ce] = total
306             return total

```

Here is how to run the optimize the example decision networks:

	decnNetworks.py — (continued)
--	-------------------------------

```

304 # Umbrella decision network
305 #urc = RC_DN(umberella_dn)
306 #urc.optimize()
307 #urc.opt_policy
308
309 #rc_fire = RC_DN(fire_dn)
310 #rc_fire.optimize()
311 #rc_fire.opt_policy
312
313 #rc_cheat = RC_DN(cheating_dn)
314 #rc_cheat.optimize()
315 #rc_cheat.opt_policy
316
317 #rc_ch3 = RC_DN(ch3)
318 #rc_ch3.optimize()
319 #rc_ch3.opt_policy

```

12.1.3 Variable elimination for decision networks

VE_DN is variable elimination for decision networks. The method *optimize* is used to optimize all the decisions. Note that *optimize* requires a legal elimination ordering of the random and decision variables, otherwise it will give an exception. (A decision node can only be maximized if the variables that are not its parents have already been eliminated.)

decnNetworks.py — (continued)

```

321 from probVE import VE
322
323 class VE_DN(VE):
324     """Variable Elimination for Decision Networks"""
325     def __init__(self,dn=None):
326         """dn is a decision network"""
327         VE.__init__(self,dn)
328         self.dn = dn
329
330     def optimize(self,elim_order=None,obs={}):
331         if elim_order == None:
332             elim_order = reversed(self.gm.split_order())
333         policy = []
334         proj_factors = [self.project_observations(fact,obs)
335                         for fact in self.dn.factors]
336         for v in elim_order:
337             if isinstance(v,DecisionVariable):
338                 to_max = [fac for fac in proj_factors
339                           if v in fac.variables and set(fac.variables) <=
340                           v.all_vars]
341             assert len(to_max)==1, "illegal variable order
342                             "+str(elim_order)+" at "+str(v)
343             newFac = FactorMax(v, to_max[0])
344             policy.append(newFac.decision_fun)
345             proj_factors = [fac for fac in proj_factors if fac is not
346                             to_max[0]]+[newFac]
347             self.display(2,"maximizing",v,"resulting
348                         factor",newFac.brief() )
349             self.display(3,newFac)
350         else:
351             proj_factors = self.eliminate_var(proj_factors, v)
352         assert len(proj_factors)==1,"Should there be only one element of
353                                     proj_factors?"
354         value = proj_factors[0].get_value({})
355         return value,policy

```

decnNetworks.py — (continued)

```

352     class FactorMax(Factor):
353         """A factor obtained by maximizing a variable in a factor.
354         Also builds a decision_function. This is based on FactorSum.
355         """

```

```

356
357     def __init__(self, dvar, factor):
358         """dvar is a decision variable.
359         factor is a factor that contains dvar and only parents of dvar
360         """
361         self.dvar = dvar
362         self.factor = factor
363         vars = [v for v in factor.variables if v is not dvar]
364         Factor.__init__(self, vars)
365         self.values = [None]*self.size
366         self.decision_fun = FactorDF(dvar, vars, [None]*self.size)
367
368     def get_value(self, assignment):
369         """lazy implementation: if saved, return saved value, else compute
370         it"""
371         index = self.assignment_to_index(assignment)
372         if self.values[index]:
373             return self.values[index]
374         else:
375             max_val = float("-inf") # -infinity
376             new_asst = assignment.copy()
377             for elt in self.dvar.domain:
378                 new_asst[self.dvar] = elt
379                 fac_val = self.factor.get_value(new_asst)
380                 if fac_val > max_val:
381                     max_val = fac_val
382                     best_elt = elt
383             self.values[index] = max_val
384             self.decision_fun.values[index] = best_elt
385         return max_val

```

A decision function is a stored factor.

```

decnNetworks.py — (continued)

386 class FactorDF(TabFactor):
387     """A decision function"""
388     def __init__(self, dvar, vars, values):
389         TabStored.__init__(self, vars, values)
390         self.dvar = dvar
391         self.name = str(dvar) # Used in printing

```

Here are some example queries:

```

decnNetworks.py — (continued)

393 # Example queries:
394 # v,p = VE_DN(fire_dn).optimize(); print(v)
395 # for df in p: print(df, "\n")
396
397 # VE_DN.max_display_level = 3 # if you want to show lots of detail
398 # v,p = VE_DN(cheating_dn).optimize(); print(v)
399 # for df in p: print(df, "\n") # print decision functions

```

12.2 Markov Decision Processes

We will represent a **Markov decision process (MDP)** directly, rather than using the recursive conditioning or variable elimination code, as we did for decision networks.

```
-----mdpProblem.py — Representations for Markov Decision Processes -----
11 from utilities import argmaxd
12 import random
13 import matplotlib.pyplot as plt
14 from matplotlib.widgets import Button, CheckButtons
15
16 class MDP(object):
17     """A Markov Decision Process. Must define:
18         self.states the set (or list) of states
19         self.actions the set (or list) of actions
20         self.discount a real-valued discount
21     """
22
23     def __init__(self, states, actions, discount, init=0):
24         self.states = states
25         self.actions = actions
26         self.discount = discount
27         self.initv = self.v = {s: init for s in self.states}
28         self.initq = self.q = {s: {a: init for a in self.actions} for s in
29                               self.states}
30
31     def P(self, s, a):
32         """Transition probability function
33             returns a dictionary of {s1:p1} such that P(s1 | s,a)=p1. Other
34             probabilities are zero.
35         """
36         raise NotImplementedError("P") # abstract method
37
38     def R(self, s, a):
39         """Reward function R(s,a)
40             returns the expected reward for doing a in state s.
41         """
42         raise NotImplementedError("R") # abstract method
```

Two state partying example (Example 9.27 in Poole and Mackworth [2017]):

```
-----mdpExamples.py — MDP Examples -----
11 from mdpProblem import MDP, GridMDP
12
13 class party(MDP):
14     """Simple 2-state, 2-Action Partying MDP Example"""
15     def __init__(self, discount=0.9):
16         states = {'healthy', 'sick'}
17         actions = {'relax', 'party'}
18         MDP.__init__(self, states, actions, discount)
```

```

19
20     def R(self,s,a):
21         "R(s,a)"
22         return { 'healthy': {'relax': 7, 'party': 10},
23                  'sick':   {'relax': 0, 'party': 2 }}[s][a]
24
25     def P(self,s,a):
26         "returns a dictionary of {s1:p1} such that P(s1 | s,a)=p1. Other
27             probabilities are zero."
28         phealthy = { # P('healthy' | s, a)
29                      'healthy': {'relax': 0.95, 'party': 0.7},
30                      'sick':    {'relax': 0.5,  'party': 0.1 }}[s][a]
31
32     return {'healthy':phealthy, 'sick':1-phealthy}

```

The next example is the tiny game from Example 12.1 and Figure 12.1 of Poole and Mackworth [2017]. The state is represented as (x,y) where x counts from zero from the left, and y counts from zero upwards, so the state $(0,0)$ is on the bottom-left state. The actions are *upC* for up-careful, and *upR* for up-risky. (Note that GridMDP is just a type of MDP for which we have methods to show; you can assume it is just MDP here).

mdpExamples.py — (continued)

```

33 class MDPtiny(GridMDP):
34     def __init__(self, discount=0.9):
35         actions = ['right', 'upC', 'left', 'upR']
36         self.x_dim = 2 # x-dimension
37         self.y_dim = 3
38         states = [(x,y) for x in range(self.x_dim) for y in
39                    range(self.y_dim)]
40         # for GridMDP
41         self.xoff = {'right':0.25, 'upC':0, 'left':-0.25, 'upR':0}
42         self.yoff = {'right':0, 'upC':-0.25, 'left':0, 'upR':0.25}
43         GridMDP.__init__(self, states, actions, discount)
44
45     def P(self,s,a):
46         """return a dictionary of {s1:p1} if P(s1 | s,a)=p1. Other
47             probabilities are zero.
48         """
49         (x,y) = s
50         if a == 'right':
51             return {(1,y):1}
52         elif a == 'upC':
53             return {(x,min(y+1,2)):1}
54         elif a == 'left':
55             if (x,y) == (0,2): return {(0,0):1}
56             else: return {(0,y): 1}
57         elif a == 'upR':
58             if x==0:
59                 if y<2: return {(x,y):0.1, (x+1,y):0.1, (x,y+1):0.8}

```

```

60         elif y < 2: # x==1
61             return {(0,y):0.1, (1,y):0.1, (1,y+1):0.8}
62     else: # at (1,2)
63         return {(0,2):0.1, (1,2): 0.9}
64
65 def R(self,s,a):
66     (x,y) = s
67     if a == 'right':
68         return [0,-1][x]
69     elif a == 'upC':
70         return [-1,-1,-2][y]
71     elif a == 'left':
72         if x==0:
73             return [-1, -100, 10][y]
74         else: return 0
75     elif a == 'upR':
76         return [[-0.1, -10, 0.2],[-0.1, -0.1, -0.9]][x][y]
77         # at (0,2) reward is 0.1*10+0.8*-1=0.2

```

Here is the domain of Example 9.28 of Poole and Mackworth [2017]. Here the state is represented as (x,y) where x counts from zero from the left, and y counts from zero upwards, so the state $(0,0)$ is on the bottom-left state.

— mdpExamples.py — (continued)

```

79 class grid(GridMDP):
80     """ x_dim * y_dim grid with rewarding states"""
81     def __init__(self, discount= 0.9, x_dim=10, y_dim=10):
82         self.x_dim = x_dim # size in x-direction
83         self.y_dim = y_dim # size in y-direction
84         actions = ['up', 'down', 'right', 'left']
85         states = [(x,y) for x in range(y_dim) for y in range(y_dim)]
86         self.rewarding_states = {(3,2):-10, (3,5):-5, (8,2):10, (7,7):3}
87         self.fling_states = {(8,2), (7,7)}
88         self.xoff = {'right':0.25, 'up':0, 'left':-0.25, 'down':0}
89         self.yoff = {'right':0, 'up':0.25, 'left':0, 'down':-0.25}
90         GridMDP.__init__(self, states, actions, discount)
91
92     def intended_next(self,s,a):
93         """returns the next state in the direction a.
94         This is where the agent will end up if it goes in its
95             intended_direction
96             (which it does with probability 0.7).
97 """
98         (x,y) = s
99         if a=='up':
100             return (x, y+1 if y+1 < self.y_dim else y)
101         if a=='down':
102             return (x, y-1 if y > 0 else y)
103         if a=='right':
104             return (x+1 if x+1 < self.x_dim else x,y)
105         if a=='left':

```

```

105     return (x-1 if x > 0 else x,y)
106
107 def P(self,s,a):
108     """return a dictionary of {s1:p1} if P(s1 | s,a)=p1. Other
109     probabilities are zero.
110     Corners are tricky because different actions result in same state.
111     """
112     if s in self.flng_states:
113         return {(0,0): 0.25, (self.x_dim-1,0):0.25,
114                 (0,self.y_dim-1):0.25, (self.x_dim-1,self.y_dim-1):0.25}
115     res = dict()
116     for ai in self.actions:
117         s1 = self.intended_next(s,ai)
118         ps1 = 0.7 if ai==a else 0.1
119         if s1 in res: # occurs in corners
120             res[s1] += ps1
121         else:
122             res[s1] = ps1
123     return res
124
125 def R(self,s,a):
126     if s in self.rewarding_states:
127         return self.rewarding_states[s]
128     else:
129         (x,y) = s
130         rew = 0
131         # rewards from crashing:
132         if y==0: ## on bottom.
133             rew += -0.7 if a == 'down' else -0.1
134         if y==self.y_dim-1: ## on top.
135             rew += -0.7 if a == 'up' else -0.1
136         if x==0: ## on left
137             rew += -0.7 if a == 'left' else -0.1
138         if x==self.x_dim-1: ## on right.
139             rew += -0.7 if a == 'right' else -0.1
140     return rew

```

12.2.1 Value Iteration

This implements value iteration.

This uses indexes of the states and actions (not the names). The value function is represented so $v[s]$ is the value of state with index s . A Q function is represented so $q[s][a]$ is the value for doing action with index a state with index s . Similarly a policy π is represented as a list where $\pi[s]$, where s is the index of a state, returns the index of the action.

mdpProblem.py — (continued)

42 | def vi(self, n):

```

43     """carries out n iterations of value iteration, updating value
44         function self.v
45     Returns a Q-function, value function, policy
46     """
47     print("calling vi")
48     assert n>0,"You must carry out at least one iteration of vi.
49         n="+str(n)
50     #v = v0 if v0 is not None else {s:0 for s in self.states}
51     for i in range(n):
52         self.q = {s: {a: self.R(s,a)+self.discount*sum(p1*self.v[s1]
53                         for (s1,p1) in
54                         self.P(s,a).items())
55                         for a in self.actions}
56                         for s in self.states}
57         self.v = {s: max(self.q[s][a] for a in self.actions)
58                         for s in self.states}
59         self.pi = {s: argmaxd(self.q[s])
60                         for s in self.states}
61     return self.q, self.v, self.pi

```

The following shows how this can be used.

```

mdpExamples.py — (continued)

140 ## Testing value iteration
141 # Try the following:
142 # pt = party(discount=0.9)
143 # pt.vi(1)
144 # pt.vi(100)
145 # party(discount=0.99).vi(100)
146 # party(discount=0.4).vi(100)
147
148 # gr = grid()
149 # gr.show()
150 # q,v,pi = gr.vi(100)
151 # q[(7, 2)]

```

12.2.2 Showing Grid MDPs

A GridMDP is a type of MDP where we the states are (x,y) positions. It is a special sort of MDP only because we have methods to show it.

```

mdpProblem.py — (continued)

60 class GridMDP(MDP):
61     def __init__(self, states, actions, discount):
62         MDP.__init__(self, states, actions, discount)
63
64     def show(self):
65         #plt.ion() # interactive
66         fig,(self.ax) = plt.subplots()
67         plt.subplots_adjust(bottom=0.2)

```

```

68     stepB = Button(plt.axes([0.8,0.05,0.1,0.075]), "step")
69     stepB.on_clicked(self.on_step)
70     resetB = Button(plt.axes([0.6,0.05,0.1,0.075]), "reset")
71     resetB.on_clicked(self.on_reset)
72     self.qcheck = CheckButtons(plt.axes([0.2,0.05,0.35,0.075]),
73                               ["show q-values","show policy"])
74     self.qcheck.on_clicked(self.show_vals)
75     self.show_vals(None)
76     plt.show()
77
78 def show_vals(self,event):
79     self.ax.cla()
80     array = [[self.v[(x,y)] for x in range(self.x_dim)]
81              for y in range(self.y_dim)]
82     self.ax.pcolormesh([x-0.5 for x in range(self.x_dim+1)],
83                        [x-0.5 for x in range(self.y_dim+1)],
84                        array, edgecolors='black',cmap='summer')
85     # for cmap see
86     # https://matplotlib.org/stable/tutorials/colors/colormaps.html
87     if self.qcheck.get_status()[1]: # "show policy"
88         for (x,y) in self.q:
89             maxv = max(self.q[(x,y)][a] for a in self.actions)
90             for a in self.actions:
91                 if self.q[(x,y)][a] == maxv:
92                     # draw arrow in appropriate direction
93                     self.ax.arrow(x,y,self.xoff[a]*2,self.yoff[a]*2,
94                                   color='red',width=0.05, head_width=0.2,
95                                   length_includes_head=True)
96     if self.qcheck.get_status()[0]: # "show q-values"
97         self.show_q(event)
98     else:
99         self.show_v(event)
100     self.ax.set_xticks(range(self.x_dim))
101     self.ax.set_xticklabels(range(self.x_dim))
102     self.ax.set_yticks(range(self.y_dim))
103     self.ax.set_yticklabels(range(self.y_dim))
104     plt.draw()
105
106 def on_step(self,event):
107     self.vi(1)
108     self.show_vals(event)
109
110 def show_v(self,event):
111     """show values"""
112     for (x,y) in self.v:
113         self.ax.text(x,y,"{val:.2f}".format(val=self.v[(x,y)]),ha='center')
114
115 def show_q(self,event):
116     """show q-values"""
117     for (x,y) in self.q:

```




Figure 12.5: Interface for tiny example, after a number of steps. Each rectangle represents a state. In each rectangle are the 4 Q-values for the state. The leftmost number is for the left action; the rightmost number is for the right action; the upper most is for the *upR* (up-risky) action and the lowest number is for the *upC* action. The arrow points to the action(s) with the maximum Q-value.

```

116     for a in self.actions:
117         self.ax.text(x+self.xoff[a],y+self.yoff[a],
118                     "{val:.2f}".format(val=self.q[(x,y)][a]),ha='center')
119
120     def on_reset(self,event):
121         self.v = self.initv
122         self.q = self.initq
123         self.show_vals(event)

```

Figure 12.5 shows the user interface, which can be obtained using `tiny().show()`, resizing it, checking “show q-values” and “show policy”, and clicking “step” a few times.

Figure 12.6 shows the user interface, which can be obtained using `grid().show()`,

resizing it, checking “show q-values” and “show policy”, and clicking “step” a few times.

Exercise 12.1 Computing q before v may seem like a waste of space because we don’t need to store q in order to compute value function or the policy. Change the algorithm so that it loops through the states and actions once per iteration, and only stores the value function and the policy. Note that to get the same results as before, you would need to make sure that you use the previous value of v in the computation not the current value of v . Does using the current value of v hurt the algorithm or make it better (in approaching the actual value function)?

12.2.3 Asynchronous Value Iteration

This implements asynchronous value iteration, storing Q .

A Q function is represented so $q[s][a]$ is the value for doing action with index a state with index s .

mdpProblem.py — (continued)

```

125     def avi(self,n):
126         states = list(self.states)
127         actions = list(self.actions)
128         for i in range(n):
129             s = random.choice(states)
130             a = random.choice(actions)
131             self.q[s][a] = (self.R(s,a) + self.discount *
132                             sum(p1 * max(self.q[s1][a1]
133                                         for a1 in self.actions)
134                                         for (s1,p1) in self.P(s,a).items()))
135
136     return Q

```

The following shows how `avi` can be used.

mdpExamples.py — (continued)

```

154 ## Testing asynchronous value iteration
155 # Try the following:
156 # pt = party(discount=0.9)
157 # pt.avi(10)
158 # pt.vi(1000)
159
160 # gr = grid()
161 # q = gr.avi(100000)
162 # q[(7,2)]

```

Exercise 12.2 Implement value iteration that stores the V -values rather than the Q -values. Does it work better than storing Q ? (What might better mean?)

Exercise 12.3 In asynchronous value iteration, try a number of different ways to choose the states and actions to update (e.g., sweeping through the state-action pairs, choosing them at random). Note that the best way may be to determine



Figure 12.6: Interface for grid example, after a number of steps. Each rectangle represents a state. In each rectangle are the 4 Q-values for the state. The leftmost number is for the left action; the rightmost number is for the right action; the upper most is for the up action and the lowest number is for the down action. The arrow points to the action(s) with the maximum Q-value.

which states have had their Q-values change the most, and then update the previous ones, but that is not so straightforward to implement, because you need to find those previous states.

Chapter 13

Reinforcement Learning

13.1 Representing Agents and Environments

When the learning agent does an action in the environment, it observes a $(state, reward)$ pair from the environment. The *state* is the world state; this is the fully observable assumption.

An RL environment implements a *do(action)* method that returns a $(state, reward)$ pair.

```
-----rlProblem.py — Representations for Reinforcement Learning -----
11 import random
12 from display import Displayable
13 from utilities import flip
14
15 class RL_env(Displayable):
16     def __init__(self, actions, state):
17         self.actions = actions # set of actions
18         self.state = state    # initial state
19
20     def do(self, action):
21         """do action
22         returns state,reward
23         """
24     raise NotImplementedError("RL_env.do") # abstract method
```

Here is the definition of the simple 2-state, 2-action party/relax decision.

```
-----rlProblem.py — (continued) -----
26 class Healthy_env(RL_env):
27     def __init__(self):
28         RL_env.__init__(self, ["party", "relax"], "healthy")
29
```

```

30     def do(self, action):
31         """updates the state based on the agent doing action.
32         returns state,reward
33         """
34
35         if self.state=="healthy":
36             if action=="party":
37                 self.state = "healthy" if flip(0.7) else "sick"
38                 reward = 10
39             else: # action=="relax"
40                 self.state = "healthy" if flip(0.95) else "sick"
41                 reward = 7
42         else: # self.state=="sick"
43             if action=="party":
44                 self.state = "healthy" if flip(0.1) else "sick"
45                 reward = 2
46             else:
47                 self.state = "healthy" if flip(0.5) else "sick"
48                 reward = 0
49
50     return self.state,reward

```

13.1.1 Simulating an environment from an MDP

Given the definition for an MDP (page 250), *Env_from_MDP* takes in an MDP and simulates the environment with those dynamics.

Note that the MDP does not contain enough information to simulate a system, because it loses any dependency between the rewards and the resulting state; here we assume the agent always received the average reward for the state and action.

rlProblem.py — (continued)

```

50 class Env_from_MDP(RL_env):
51     def __init__(self, mdp):
52         initial_state = mdp.states[0]
53         RL_env.__init__(self, mdp.actions, initial_state)
54         self.mdp = mdp
55         self.action_index = {action:index for (index,action) in
56                             enumerate(mdp.actions)}
57         self.state_index = {state:index for (index,state) in
58                             enumerate(mdp.states)}
59
59     def do(self, action):
60         """updates the state based on the agent doing action.
61         returns state,reward
62         """
63         action_ind = self.action_index[action]
64         state_ind = self.state_index[self.state]
65         self.state = pick_from_dist(self.mdp.trans[state_ind][action_ind],
66                                     self.mdp.states)
66         reward = self.mdp.reward[state_ind][action_ind]

```




Figure 13.1: Monster game

```

66     return self.state, reward
67
68 def pick_from_dist(dist,values):
69     """
70         e.g. pick_from_dist([0.3,0.5,0.2],['a','b','c']) should pick 'a' with
71             probability 0.3, etc.
72     """
73     ran = random.random()
74     i=0
75     while ran>dist[i]:
76         ran -= dist[i]
77         i += 1
78     return values[i]
```

13.1.2 Monster Game

This is for the game depicted in Figure 13.1.

rlMonsterEnv.py — Monster game

```

11 import random
12 from utilities import flip
13 from rlProblem import RL_env
14
15 class Monster_game_env(RL_env):
16     xdim = 5
17     ydim = 5
18
19     vwalls = [(0,3), (0,4), (1,4)] # vertical walls right of these locations
20     hwalls = [] # not implemented
21     crashed_reward = -1
```

```

22
23     prize_locs = [(0,0), (0,4), (4,0), (4,4)]
24     prize_appears_prob = 0.3
25     prize_reward = 10
26
27     monster_locs = [(0,1), (1,1), (2,3), (3,1), (4,2)]
28     monster_appears_prob = 0.4
29     monster_reward_when_damaged = -10
30     repair_stations = [(1,4)]
31
32     actions = ["up","down","left","right"]
33
34     def __init__(self):
35         # State:
36         self.x = 2
37         self.y = 2
38         self.damaged = False
39         self.prize = None
40         # Statistics
41         self.number_steps = 0
42         self.total_reward = 0
43         self.min_reward = 0
44         self.min_step = 0
45         self.zero_crossing = 0
46         RL_env.__init__(self, Monster_game_env.actions,
47                         (self.x, self.y, self.damaged, self.prize))
48         self.display(2,"","Step","Tot Rew","Ave Rew",sep="\t")
49
50     def do(self,action):
51         """updates the state based on the agent doing action.
52         returns state,reward
53         """
54
55         reward = 0.0
56         # A prize can appear:
57         if self.prize is None and flip(self.prize_appears_prob):
58             self.prize = random.choice(self.prize_locs)
59         # Actions can be noisy
60         if flip(0.4):
61             actual_direction = random.choice(self.actions)
62         else:
63             actual_direction = action
64         # Modeling the actions given the actual direction
65         if actual_direction == "right":
66             if self.x==self.xdim-1 or (self.x,self.y) in self.vwalls:
67                 reward += self.crashed_reward
68             else:
69                 self.x += 1
70         elif actual_direction == "left":
71             if self.x==0 or (self.x-1,self.y) in self.vwalls:
72                 reward += self.crashed_reward

```

```

72     else:
73         self.x += -1
74     elif actual_direction == "up":
75         if self.y==self.ydim-1:
76             reward += self.crashed_reward
77         else:
78             self.y += 1
79     elif actual_direction == "down":
80         if self.y==0:
81             reward += self.crashed_reward
82         else:
83             self.y += -1
84     else:
85         raise RuntimeError("unknown_direction "+str(direction))
86
87     # Monsters
88     if (self.x,self.y) in self.monster_locs and
89         flip(self.monster_appears_prob):
90         if self.damaged:
91             reward += self.monster_reward_when_damaged
92         else:
93             self.damaged = True
94     if (self.x,self.y) in self.repair_stations:
95         self.damaged = False
96
97     # Prizes
98     if (self.x,self.y) == self.prize:
99         reward += self.prize_reward
100        self.prize = None
101
102     # Statistics
103     self.number_steps += 1
104     self.total_reward += reward
105     if self.total_reward < self.min_reward:
106         self.min_reward = self.total_reward
107         self.min_step = self.number_steps
108     if self.total_reward>0 and reward>self.total_reward:
109         self.zero_crossing = self.number_steps
110         self.display(2,"",self.number_steps,self.total_reward,
111                     self.total_reward/self.number_steps,sep="\t")
112
113     return (self.x, self.y, self.damaged, self.prize), reward

```

13.1.3 Evaluation and Plotting

```

11 | _____rlPlot.py — RL Plotter _____
12 | import matplotlib.pyplot as plt
13 | def plot_rl(ag, label=None, yplot='Total', step_size=None,
```

```

14         steps_explore=1000, steps_exploit=1000, xscale='linear'):
15     """
16     plots the agent ag
17     label is the label for the plot
18     yplot is 'Average' or 'Total'
19     step_size is the number of steps between each point plotted
20     steps_explore is the number of steps the agent spends exploring
21     steps_exploit is the number of steps the agent spends exploiting
22     xscale is 'log' or 'linear'
23
24     returns total reward when exploring, total reward when exploiting
25     """
26     assert yplot in ['Average','Total']
27     if step_size is None:
28         step_size = max(1,(steps_explore+steps_exploit)//500)
29     if label is None:
30         label = ag.label
31     ag.max_display_level,old_mdl = 1,ag.max_display_level
32     plt.ion()
33     plt.xscale(xscale)
34     plt.xlabel("step")
35     plt.ylabel(yplot+" reward")
36     steps = []      # steps
37     rewards = []    # return
38     ag.restart()
39     step = 0
40     while step < steps_explore:
41         ag.do(step_size)
42         step += step_size
43         steps.append(step)
44         if yplot == "Average":
45             rewards.append(ag.acc_rewards/step)
46         else:
47             rewards.append(ag.acc_rewards)
48     acc_rewards_exploring = ag.acc_rewards
49     ag.explore,explore_save = 0,ag.explore
50     while step < steps_explore+steps_exploit:
51         ag.do(step_size)
52         step += step_size
53         steps.append(step)
54         if yplot == "Average":
55             rewards.append(ag.acc_rewards/step)
56         else:
57             rewards.append(ag.acc_rewards)
58     plt.plot(steps,rewards,label=label)
59     plt.legend(loc="upper left")
60     plt.draw()
61     ag.max_display_level = old_mdl
62     ag.explore=explore_save
63     return acc_rewards_exploring, ag.acc_rewards-acc_rewards_exploring

```

13.2 Q Learning

To run the Q-learning demo, in folder “aipython”, load “rlQTest.py”, and copy and paste the example queries at the bottom of that file. This assumes Python 3.

```

11 import random
12 from display import Displayable
13 from utilities import argmaxe, flip
14
15 class RL_agent(Displayable):
16     """An RL-Agent
17     has percepts (s, r) for some state s and real reward r
18     """

```

```

20 class Q_learner(RL_agent):
21     """A Q-learning agent has
22     belief-state consisting of
23         state is the previous state
24         q is a {(state,action):value} dict
25         visits is a {(state,action):n} dict. n is how many times action was
26             done in state
27         acc_rewards is the accumulated reward
28
29     it observes (s, r) for some world-state s and real reward r
30     """

```

```

31 def __init__(self, env, discount, explore=0.1, fixed_alpha=True,
32             alpha=0.2,
33             alpha_fun=lambda k:1/k,
34             qinit=0, label="Q_learner"):
35     """env is the environment to interact with.
36     discount is the discount factor
37     explore is the proportion of time the agent will explore
38     fixed_alpha specifies whether alpha is fixed or varies with the
39         number of visits
40     alpha is the weight of new experiences compared to old experiences
41     alpha_fun is a function that computes alpha from the number of
42         visits
43     qinit is the initial value of the Q's
44     label is the label for plotting
45     """
46     RL_agent.__init__(self)
47     self.env = env
48     self.actions = env.actions

```

```

46     self.discount = discount
47     self.explore = explore
48     self.fixed_alpha = fixed_alpha
49     self.alpha = alpha
50     self.alpha_fun = alpha_fun
51     self.qinit = qinit
52     self.label = label
53     self.restart()

```

`restart` is used to make the learner relearn everything. This is used by the plotter to create new plots.

```

----- rQLearner.py — (continued) -----
55 def restart(self):
56     """make the agent relearn, and reset the accumulated rewards
57     """
58     self.acc_rewards = 0
59     self.state = self.env.state
60     self.q = {}
61     self.visits = {}

```

`do` takes in the number of steps.

```

----- rQLearner.py — (continued) -----
63 def do(self, num_steps=100):
64     """do num_steps of interaction with the environment"""
65     self.display(2, "s\ta\tr\ts'\tQ")
66     alpha = self.alpha
67     for i in range(num_steps):
68         action = self.select_action(self.state)
69         next_state, reward = self.env.do(action)
70         if not self.fixed_alpha:
71             k = self.visits[(self.state, action)] =
72                 self.visits.get((self.state, action), 0)+1
73             alpha = self.alpha_fun(k)
74             self.q[(self.state, action)] = (
75                 (1-alpha) * self.q.get((self.state, action), self.qinit)
76                 + alpha * (reward + self.discount
77                             * max(self.q.get((next_state,
78                                         next_act), self.qinit)
79                                         for next_act in self.actions)))
80             self.display(2, self.state, action, reward, next_state,
81                         self.q[(self.state, action)], sep='\t')
82             self.state = next_state
83             self.acc_rewards += reward

```

`select_action` us used to select the next action to perform. This can be reimplemented to give a different exploration strategy.

```

----- rQLearner.py — (continued) -----
83 def select_action(self, state):
84     """returns an action to carry out for the current agent

```

```

85     given the state, and the q-function
86     """
87     if flip(self.explore):
88         return random.choice(self.actions)
89     else:
90         return argmax((next_act, self.q.get((state,
91                                         next_act),self.qinit))
91                                         for next_act in self.actions)

```

Exercise 13.1 Implement a soft-max action selection. Choose a temperature that works well for the domain. Explain how you picked this temperature. Compare the epsilon-greedy, soft-max and optimism in the face of uncertainty.

Exercise 13.2 Implement SARSA. Hint: it does not do a *max* in *do*. Instead it needs to choose *next_act* before it does the update.

13.2.1 Testing Q-learning

The first tests are for the 2-action 2-state

```

rlQTest.py — RL Q Tester ——————
11 from rlProblem import Healthy_env
12 from rlQLearner import Q_learner
13 from rlPlot import plot_rl
14
15 env = Healthy_env()
16 ag = Q_learner(env, 0.7)
17 ag_opt = Q_learner(env, 0.7, qinit=100, label="optimistic" ) # optimistic
18     agent
19 ag_exp_l = Q_learner(env, 0.7, explore=0.01, label="less explore")
20 ag_exp_m = Q_learner(env, 0.7, explore=0.5, label="more explore")
21 ag_disc = Q_learner(env, 0.9, qinit=100, label="disc 0.9")
22 ag_va = Q_learner(env, 0.7, qinit=100,fixed_alpha=False,alpha_fun=lambda
23     k:10/(9+k),label="alpha=10/(9+k)")
24
25 # ag.max_display_level = 2
26 # ag.do(20)
27 # ag.q    # get the learned q-values
28 # ag.max_display_level = 1
29 # ag.do(1000)
30 # ag.q    # get the learned q-values
31 # plot_rl(ag,yplot="Average")
32 # plot_rl(ag_opt,yplot="Average")
33 # plot_rl(ag_exp_l,yplot="Average")
34 # plot_rl(ag_exp_m,yplot="Average")
35 # plot_rl(ag_disc,yplot="Average")
36 # plot_rl(ag_va,yplot="Average")
37
38 from mdpExamples import MDPtiny
39 from rlProblem import Env_from_MDP
40 envt = Env_from_MDP(MDPtiny())

```

```

39 agt = Q_learner(envt, 0.8)
40 # agt.do(20)
41
42 from rlMonsterEnv import Monster_game_env
43 senv = Monster_game_env()
44 sag1 = Q_learner(senv, 0.9, explore=0.2, fixed_alpha=True, alpha=0.1)
45 #
46     plot_rl(sag1, steps_explore=100000, steps_exploit=100000, label="alpha="+str(sag1.alpha))
47 sag2 = Q_learner(senv, 0.9, explore=0.2, fixed_alpha=False)
48 # plot_rl(sag2, steps_explore=100000, steps_exploit=100000, label="alpha=1/k")
49 sag3 = Q_learner(senv, 0.9, explore=0.2, fixed_alpha=False, alpha_fun=lambda
50     k:10/(9+k))
51 #
52     plot_rl(sag3, steps_explore=100000, steps_exploit=100000, label="alpha=10/(9+k)")
```

13.3 Q-leaning with Experience Replay

Warning: not properly debugged

```

-----rlQExperienceReplay.py — Linear Reinforcement Learner with Experience Replay -----
11 from rlQLearner import Q_learner
12 from utilities import flip
13 import random
14
15 class BoundedBuffer(object):
16     def __init__(self, buffer_size=1000):
17         self.buffer_size = buffer_size
18         self.buffer = [0]*buffer_size
19         self.number_added = 0
20
21     def add(self, experience):
22         if self.number_added < self.buffer_size:
23             self.buffer[self.number_added] = experience
24         else:
25             if flip(self.buffer_size/self.number_added):
26                 position = random.randrange(self.buffer_size)
27                 self.buffer[position] = experience
28             self.number_added += 1
29
30     def get(self):
31         return self.buffer[random.randrange(min(self.number_added,
32                                         self.buffer_size))]
33
34 class Q_AR_learner(Q_learner):
35     def __init__(self, env, discount, explore=0.1, fixed_alpha=True,
36                  alpha=0.2,
37                  alpha_fun=lambda k:1/k, qinit=0, label="Q_AR_learner",
38                  max_buffer_size=5000,
39                  num_updates_per_action=5, burn_in=1000):
```

```

37     Q_learner.__init__(self, env, discount, explore, fixed_alpha, alpha,
38                         alpha_fun, qinit, label)
39     self.experience_buffer = BoundedBuffer(max_buffer_size)
40     self.num_updates_per_action = num_updates_per_action
41     self.burn_in = burn_in
42
43
44     def do(self, num_steps=100):
45         """do num_steps of interaction with the environment"""
46         self.display(2, "s\ta\tr\ts'\tQ")
47         alpha = self.alpha
48         for i in range(num_steps):
49             action = self.select_action(self.state)
50             next_state, reward = self.env.do(action)
51             self.experience_buffer.add((self.state, action, reward, next_state))
52                 #remember experience
53             if not self.fixed_alpha:
54                 k = self.visits[(self.state, action)] =
55                     self.visits.get((self.state, action), 0)+1
56                 alpha = self.alpha_fun(k)
57                 self.q[(self.state, action)] = (
58                     (1-alpha) * self.q.get((self.state, action), self.qinit)
59                     + alpha * (reward + self.discount
60                         * max(self.q.get((next_state,
61                             next_act), self.qinit)
62                             for next_act in self.actions)))
63             self.display(2, self.state, action, reward, next_state,
64                         self.q[(self.state, action)], sep='\t')
65             self.state = next_state
66             self.acc_rewards += reward
67             # do some updates from experince buffer
68             if self.experience_buffer.number_added > self.burn_in:
69                 for i in range(self.num_updates_per_action):
70                     (s,a,r,ns) = self.experience_buffer.get()
71                     if not self.fixed_alpha:
72                         k = self.visits[(s,a)]
73                         alpha = self.alpha_fun(k)
74                         self.q[(s,a)] = (
75                             (1-alpha) * self.q[(s,a)]
76                             + alpha * (reward + self.discount
77                                 * max(self.q.get((ns,na), self.qinit)
78                                     for na in self.actions)))

```

rlQExperienceReplay.py — (continued)

```

77     from rlMonsterEnv import Monster_game_env
78     from rlQTest import sag1, sag2, sag3
79     from rlPlot import plot_rl
80
81     senv = Monster_game_env()
82     sag1ar = Q_AR_learner(senv, 0.9, explore=0.2, fixed_alpha=True, alpha=0.1)

```

```

83 # plot_rl(sag1ar,steps_explore=100000,steps_exploit=100000,label="AR
     alpha="+str(sag1ar.alpha))
84 sag2ar = Q_AR_learner(senv,0.9,explore=0.2,fixed_alpha=False)
85 # plot_rl(sag2ar,steps_explore=100000,steps_exploit=100000,label="AR
     alpha=1/k")
86 sag3ar =
     Q_AR_learner(senv,0.9,explore=0.2,fixed_alpha=False,alpha_fun=lambda
     k:10/(9+k))
87 # plot_rl(sag3ar,steps_explore=100000,steps_exploit=100000,label="AR
     alpha=10/(9+k)")

```

13.4 Model-based Reinforcement Learner

To run the demo, in folder “aipython”, load “rlModelLearner.py”, and copy and paste the example queries at the bottom of that file. This assumes Python 3.

A model-based reinforcement learner builds a Markov decision process model of the domain, simultaneously learns the model and plans with that model.

The model-based reinforcement learner used the following data structures:

- $q[s, a]$ is dictionary that, given a (s, a) pair returns the Q -value, the estimate of the future (discounted) value of being in state s and doing action a .
- $r[s, a]$ is dictionary that, given a (s, a) pair returns the average reward from doing a in state s .
- $t[s, a, s']$ is dictionary that, given a (s, a, s') tuple returns the number of times a was done in state s , with the result being state s' .
- $visits[s, a]$ is dictionary that, given a (s, a) pair returns the number of times action a was carried out in state s .
- $res_states[s, a]$ is dictionary that, given a (s, a) pair returns the list of resulting states that have occurred when action a was carried out in state s . This is used in the asynchronous value iteration to determine the s' states to sum over.
- $visits_list$ is a list of (s, a) pair that have been carried out. This is used to ensure there is no divide-by zero in the asynchronous value iteration. Note that this could be constructed from r , $visits$ or res_states by enumerating the keys, but needs to be a list for $random.choice$, and we don’t want to keep recreating it.

```
-----rlModelLearner.py — Model-based Reinforcement Learner -----
11 import random
12 from rlQLearner import RL_agent
13 from display import Displayable
14 from utilities import argmaxe, flip
15
16 class Model_based_reinforcement_learner(RL_agent):
17     """A Model-based reinforcement learner
18     """
19
20     def __init__(self, env, discount, explore=0.1, qinit=0,
21                  updates_per_step=10, label="MBR_learner"):
22         """env is the environment to interact with.
23         discount is the discount factor
24         explore is the proportion of time the agent will explore
25         qinit is the initial value of the Q's
26         updates_per_step is the number of AVI updates per action
27         label is the label for plotting
28         """
29         RL_agent.__init__(self)
30         self.env = env
31         self.actions = env.actions
32         self.discount = discount
33         self.explore = explore
34         self.qinit = qinit
35         self.updates_per_step = updates_per_step
36         self.label = label
37         self.restart()
```

```
-----rlModelLearner.py — (continued) -----
39 def restart(self):
40     """make the agent relearn, and reset the accumulated rewards
41     """
42     self.acc_rewards = 0
43     self.state = self.env.state
44     self.q = {}          # {(st,action):q_value} map
45     self.r = {}          # {(st,action):reward} map
46     self.t = {}          # {(st,action,st_next):count} map
47     self.visits = {}     # {(st,action):count} map
48     self.res_states = {} # {(st,action):set_of_states} map
49     self.visits_list = [] # list of (st,action)
50     self.previous_action = None
```

```
-----rlModelLearner.py — (continued) -----
52 def do(self,num_steps=100):
53     """do num_steps of interaction with the environment
54     for each action, do updates_per_step iterations of asynchronous
55         value iteration
56     """
57     for step in range(num_steps):
```

```

57         pst = self.state # previous state
58         action = self.select_action(pst)
59         self.state,reward = self.env.do(action)
60         self.acc_rewards += reward
61         self.t[(pst,action,self.state)] = self.t.get((pst,
62             action,self.state),0)+1
62         if (pst,action) in self.visits:
63             self.visits[(pst,action)] += 1
64             self.r[(pst,action)] +=
65                 (reward-self.r[(pst,action)]) / self.visits[(pst,action)]
66             self.res_states[(pst,action)].add(self.state)
67         else:
68             self.visits[(pst,action)] = 1
69             self.r[(pst,action)] = reward
70             self.res_states[(pst,action)] = {self.state}
71             self.visits_list.append((pst,action))
72             st,act = pst,action #initial state-action pair for AVI
73             for update in range(self.updates_per_step):
74                 self.q[(st,act)] = self.r[(st,act)]+self.discount*(
75                     sum(self.t[st,act,rst]/self.visits[st,act]*
76                         max(self.q.get((rst,nact),self.qinit) for nact in
77                             self.actions)
78                         for rst in self.res_states[(st,act)]))
79             st,act = random.choice(self.visits_list)

```

 rlModelLearner.py — (continued)

```

79     def select_action(self, state):
80         """returns an action to carry out for the current agent
81         given the state, and the q-function
82         """
83         if flip(self.explore):
84             return random.choice(self.actions)
85         else:
86             return argmaxe((next_act, self.q.get((state,
87                 next_act),self.qinit))
88                             for next_act in self.actions)

```

 rlModelLearner.py — (continued)

```

89 from rlQTest import senv # monster game environment
90 mbl1 = Model_based_reinforcement_learner(senv,0.9,updates_per_step=10)
91 #
92     plot_rl(mbl1,steps_explore=100000,steps_exploit=100000,label="model-based(10)")
93 mbl2 = Model_based_reinforcement_learner(senv,0.9,updates_per_step=1)
94 #
95     plot_rl(mbl2,steps_explore=100000,steps_exploit=100000,label="model-based(1)")

```

Exercise 13.3 If there was only one update per step, the algorithm can be made simpler and use less space. Explain how. Does it make it more efficient? Is it worthwhile having more than one update per step for the games implemented here?

Exercise 13.4 It is possible to implement the model-based reinforcement learner by replacing q , r , $visits$, res_states with a single dictionary that returns a tuple (q, r, v, tm) where q , r and v are numbers, and tm is a map from resulting states into counts. Does this make the algorithm easier to understand? Does this make the algorithm more efficient?

Exercise 13.5 If the states and the actions were mapped into integers, the dictionaries could be implemented more efficiently as arrays. This entails an extra step in specifying problems. Implement this for the monster game. Is it more efficient?

13.5 Reinforcement Learning with Features

To run the demo, in folder “aipython”, load “rlFeatures.py”, and copy and paste the example queries at the bottom of that file. This assumes Python 3.

13.5.1 Representing Features

A feature is a function from state and action. To construct the features for a domain, we construct a function that takes a state and an action and returns the list of all feature values for that state and action. This feature set is redesigned for each problem.

`get_features(state,action)` returns the feature values appropriate for the monster game.

```
-----rlMonsterGameFeatures.py — Feature-based Reinforcement Learner -----
11 from rlMonsterEnv import Monster_game_env
12 from rlProblem import RL_env
13
14 def get_features(state,action):
15     """returns the list of feature values for the state-action pair
16     """
17     assert action in Monster_game_env.actions
18     (x,y,d,p) = state
19     # f1: would go to a monster
20     f1 = monster_ahead(x,y,action)
21     # f2: would crash into wall
22     f2 = wall_ahead(x,y,action)
23     # f3: action is towards a prize
24     f3 = towards_prize(x,y,action,p)
25     # f4: damaged and action is toward repair station
26     f4 = towards_repair(x,y,action) if d else 0
27     # f5: damaged and towards monster
28     f5 = 1 if d and f1 else 0
29     # f6: damaged
30     f6 = 1 if d else 0
31     # f7: not damaged
```

```

32     f7 = 1-f6
33     # f8: damaged and prize ahead
34     f8 = 1 if d and f3 else 0
35     # f9: not damaged and prize ahead
36     f9 = 1 if not d and f3 else 0
37     features = [1,f1,f2,f3,f4,f5,f6,f7,f8,f9]
38     # the next 20 features are for 5 prize locations
39     # and 4 distances from outside in all directions
40     for pr in Monster_game_env.prize_locs+[None]:
41         if p==pr:
42             features += [x, 4-x, y, 4-y]
43         else:
44             features += [0, 0, 0, 0]
45         # fp04 feature for y when prize is at 0,4
46         # this knows about the wall to the right of the prize
47         if p==(0,4):
48             if x==0:
49                 fp04 = y
50             elif y<3:
51                 fp04 = y
52             else:
53                 fp04 = 4-y
54         else:
55             fp04 = 0
56         features.append(fp04)
57     return features
58
59 def monster_ahead(x,y,action):
60     """returns 1 if the location expected to get to by doing
61     action from (x,y) can contain a monster.
62     """
63     if action == "right" and (x+1,y) in Monster_game_env.monster_locs:
64         return 1
65     elif action == "left" and (x-1,y) in Monster_game_env.monster_locs:
66         return 1
67     elif action == "up" and (x,y+1) in Monster_game_env.monster_locs:
68         return 1
69     elif action == "down" and (x,y-1) in Monster_game_env.monster_locs:
70         return 1
71     else:
72         return 0
73
74 def wall_ahead(x,y,action):
75     """returns 1 if there is a wall in the direction of action from (x,y).
76     This is complicated by the internal walls.
77     """
78     if action == "right" and (x==Monster_game_env.xdim-1 or (x,y) in
79         Monster_game_env.vwalls):
80         return 1
81     elif action == "left" and (x==0 or (x-1,y) in Monster_game_env.vwalls):

```

```

81     return 1
82 elif action == "up" and y==Monster_game_env.ydim-1:
83     return 1
84 elif action == "down" and y==0:
85     return 1
86 else:
87     return 0
88
89 def towards_prize(x,y,action,p):
90     """action goes in the direction of the prize from (x,y)"""
91     if p is None:
92         return 0
93     elif p==(0,4): # take into account the wall near the top-left prize
94         if action == "left" and (x>1 or x==1 and y<3):
95             return 1
96         elif action == "down" and (x>0 and y>2):
97             return 1
98         elif action == "up" and (x==0 or y<2):
99             return 1
100        else:
101            return 0
102    else:
103        px,py = p
104        if p==(4,4) and x==0:
105            if (action=="right" and y<3) or (action=="down" and y>2) or
106                (action=="up" and y<2):
107                    return 1
108            else:
109                return 0
110        if (action == "up" and y<py) or (action == "down" and py<y):
111            return 1
112        elif (action == "left" and px<x) or (action == "right" and x<px):
113            return 1
114        else:
115            return 0
116
117 def towards_repair(x,y,action):
118     """returns 1 if action is towards the repair station.
119     """
120     if action == "up" and (x>0 and y<4 or x==0 and y<2):
121         return 1
122     elif action == "left" and x>1:
123         return 1
124     elif action == "right" and x==0 and y<3:
125         return 1
126     elif action == "down" and x==0 and y>2:
127         return 1
128     else:
129         return 0

```

```

130 | def simp_features(state,action):
131 |     """returns a list of feature values for the state-action pair
132 |     """
133 |     assert action in Monster_game_env.actions
134 |     (x,y,d,p) = state
135 |     # f1: would go to a monster
136 |     f1 = monster_ahead(x,y,action)
137 |     # f2: would crash into wall
138 |     f2 = wall_ahead(x,y,action)
139 |     # f3: action is towards a prize
140 |     f3 = towards_prize(x,y,action,p)
141 |     return [1,f1,f2,f3]

```

13.5.2 Feature-based RL learner

This learns a linear function approximation of the Q-values. It requires the function *get_features* that given a state and an action returns a list of values for all of the features. Each environment requires this function to be provided.

rlFeatures.py — Feature-based Reinforcement Learner

```

11 | import random
12 | from rlQLearner import RL_agent
13 | from display import Displayable
14 | from utilities import argmaxe, flip
15 |
16 | class SARSA_LFA_learner(RL_agent):
17 |     """A SARSA_LFA learning agent has
18 |     belief-state consisting of
19 |         state is the previous state
20 |         q is a {(state,action):value} dict
21 |         visits is a {(state,action):n} dict. n is how many times action was
22 |             done in state
23 |         acc_rewards is the accumulated reward
24 |
25 |     it observes (s, r) for some world-state s and real reward r
26 |     """
27 |     def __init__(self, env, get_features, discount, explore=0.2,
28 |                  step_size=0.01,
29 |                  winit=0, label="SARSA_LFA"):
30 |         """env is the feature environment to interact with
31 |         get_features is a function get_features(state,action) that returns
32 |             the list of feature values
33 |         discount is the discount factor
34 |         explore is the proportion of time the agent will explore
35 |         step_size is gradient descent step size
36 |         winit is the initial value of the weights
37 |         label is the label for plotting
38 |
39 |         RL_agent.__init__(self)
40 |         self.env = env

```

```

38     self.get_features = get_features
39     self.actions = env.actions
40     self.discount = discount
41     self.explore = explore
42     self.step_size = step_size
43     self.winit = winit
44     self.label = label
45     self.restart()

```

`restart()` is used to make the learner relearn everything. This is used by the plotter to create new plots.

 rlFeatures.py — (continued)

```

47 def restart(self):
48     """make the agent relearn, and reset the accumulated rewards
49     """
50     self.acc_rewards = 0
51     self.state = self.env.state
52     self.features = self.get_features(self.state,
53         list(self.env.actions)[0])
54     self.weights = [self.winit for f in self.features]
55     self.action = self.select_action(self.state)

```

`do` takes in the number of steps.

 rlFeatures.py — (continued)

```

56 def do(self, num_steps=100):
57     """do num_steps of interaction with the environment"""
58     self.display(2, "s\ta\tr\ts'\tQ\tdelta")
59     for i in range(num_steps):
60         next_state, reward = self.env.do(self.action)
61         self.acc_rewards += reward
62         next_action = self.select_action(next_state)
63         feature_values = self.get_features(self.state, self.action)
64         oldQ = dot_product(self.weights, feature_values)
65         nextQ = dot_product(self.weights,
66             self.get_features(next_state, next_action))
67         delta = reward + self.discount * nextQ - oldQ
68         for i in range(len(self.weights)):
69             self.weights[i] += self.step_size * delta * feature_values[i]
70             self.display(2, self.state, self.action, reward, next_state,
71                         dot_product(self.weights, feature_values), delta,
72                         sep='\t')
73         self.state = next_state
74         self.action = next_action
75
76     def select_action(self, state):
77         """returns an action to carry out for the current agent
78         given the state, and the q-function.
79         This implements an epsilon-greedy approach
80         where self.explore is the probability of exploring.
81         """

```

```

80     if flip(self.explore):
81         return random.choice(self.actions)
82     else:
83         return argmaxe((next_act, dot_product(self.weights,
84                                         self.get_features(state,next_act)))
85                                         for next_act in self.actions)
86
87     def show_actions(self,state=None):
88         """prints the value for each action in a state.
89         This may be useful for debugging.
90         """
91         if state is None:
92             state = self.state
93         for next_act in self.actions:
94             print(next_act,dot_product(self.weights,
95                                         self.get_features(state,next_act)))
96
97     def dot_product(l1,l2):
98         return sum(e1*e2 for (e1,e2) in zip(l1,l2))

```

Test code:

```

----- rIFeatures.py — (continued) -----
100 from rlQTest import senv # monster game environment
101 from rlMonsterGameFeatures import get_features, simp_features
102 from rlPlot import plot_rl
103
104 fa1 = SARSA_LFA_learner(senv, get_features, 0.9, step_size=0.01)
105 #fa1.max_display_level = 2
106 #fa1.do(20)
107 #plot_rl(fa1,steps_explore=10000,steps_exploit=10000,label="SARSA_LFA(0.01)")
108 fas1 = SARSA_LFA_learner(senv, simp_features, 0.9, step_size=0.01)
109 #plot_rl(fas1,steps_explore=10000,steps_exploit=10000,label="SARSA_LFA(simp)")
```

Exercise 13.6 How does the step-size affect performance? Try different step sizes (e.g., 0.1, 0.001, other sizes in between). Explain the behaviour you observe. Which step size works best for this example. Explain what evidence you are basing your prediction on.

Exercise 13.7 Does having extra features always help? Does it sometime help? Does whether it helps depend on the step size? Give evidence for your claims.

Exercise 13.8 For each of the following first predict, then plot, then explain the behaviour you observed:

- (a) SARSA_LFA, Model-based learning (with 1 update per step) and Q-learning for 10,000 steps 20% exploring followed by 10,000 steps 100% exploiting
- (b) SARSA_LFA, model-based learning and Q-learning for
 - i) 100,000 steps 20% exploring followed by 100,000 steps 100% exploit
 - ii) 10,000 steps 20% exploring followed by 190,000 steps 100% exploit

- (c) Suppose your goal was to have the best accumulated reward after 200,000 steps. You are allowed to change the exploration rate at a fixed number of steps. For each of the methods, which is the best position to start exploiting more? Which method is better? What if you wanted to have the best reward after 10,000 or 1,000 steps?

Based on this evidence, explain when it is preferable to use SARSA_LFA, Model-based learner, or Q-learning.

Important: you need to run each algorithm more than once. Your explanation should include the variability as well as the typical behavior.

13.5.3 Experience Replay

Here we consider experience replay with a bounded replay buffer for SARSA_LFA. Warning: does not work properly yet.

Should self.env return (reward,state) to be consistent with (S,A,R,S)?

```
_____rlLinExperienceReplay.py — Linear Reinforcement Learner with Experience Replay _____
11  from rlFeatures import SARSA_LFA_learner, dot_product
12  from utilities import flip
13  import random
14
15 class SARSA_LFA_AR_learner(SARSA_LFA_learner):
16
17     def __init__(self, env, get_features, discount, explore=0.2,
18                  step_size=0.01,
19                  winit=0, label="SARSA_LFA-AR", max_buffer_size=500,
20                  num_updates_per_action=5, burn_in=100 ):
21         SARSA_LFA_learner.__init__(self, env, get_features, discount,
22                                   explore, step_size,
23                                   winit, label)
24         self.max_buffer_size = max_buffer_size
25         self.action_buffer = [0]*max_buffer_size
26         self.number_added = 0
27         self.num_updates_per_action = num_updates_per_action
28         self.burn_in = burn_in
29
30     def add_to_buffer(self,experience):
31         if self.number_added < self.max_buffer_size:
32             self.action_buffer[self.number_added] = experience
33         else:
34             if flip(self.max_buffer_size/self.number_added):
35                 position = random.randrange(self.max_buffer_size)
36                 self.action_buffer[position] = experience
37         self.number_added += 1
38
39     def do(self,num_steps=100):
40         """do num_steps of interaction with the environment"""
41         self.display(2,"s\ta\tr\ts'\tQ\tdelta")
42         for i in range(num_steps):
```

```

41         next_state,reward = self.env.do(self.action)
42         self.add_to_buffer((self.state,self.action,reward,next_state))
43             #remember experience
44         self.acc_rewards += reward
45         next_action = self.select_action(next_state)
46         feature_values = self.get_features(self.state,self.action)
47         oldQ = dot_product(self.weights, feature_values)
48         nextQ = dot_product(self.weights,
49             self.get_features(next_state,next_action))
50         delta = reward + self.discount * nextQ - oldQ
51         for i in range(len(self.weights)):
52             self.weights[i] += self.step_size * delta * feature_values[i]
53         self.display(2,self.state, self.action, reward, next_state,
54             dot_product(self.weights, feature_values), delta,
55             sep='\t')
56         self.state = next_state
57         self.action = next_action
58         if self.number_added > self.burn_in:
59             for i in range(self.num_updates_per_action):
60                 (s,a,r,ns) =
61                     self.action_buffer[random.randrange(min(self.number_added,
62                                         self.max_buffer_size))]
63                 na = self.select_action(ns)
64                 feature_values = self.get_features(s,a)
65                 oldQ = dot_product(self.weights, feature_values)
66                 nextQ = dot_product(self.weights, self.get_features(ns,na))
67                 delta = reward + self.discount * nextQ - oldQ
68                 for i in range(len(self.weights)):
69                     self.weights[i] += self.step_size * delta *
70                         feature_values[i]
```

Test code:

```

-----rlLinExperienceReplay.py — (continued) -----
67 from rlQTest import senv # monster game environment
68 from rlMonsterGameFeatures import get_features, simp_features
69 from rlPlot import plot_rl
70
71 fa1 = SARSA_LFA_AR_learner(senv, get_features, 0.9, step_size=0.01)
72 #fa1.max_display_level = 2
73 #fa1.do(20)
74 #plot_rl(fa1,steps_explore=10000,steps_exploit=10000,label="SARSA_LFA_AR(0.01)")
75 fas1 = SARSA_LFA_AR_learner(senv, simp_features, 0.9, step_size=0.01)
76 #plot_rl(fas1,steps_explore=10000,steps_exploit=10000,label="SARSA_LFA_AR(simp)")
```

Chapter 14

Multiagent Systems

14.1 Minimax

Here we consider two-player zero-sum games. Here a player only wins when another player loses. This can be modeled as where there is a single utility which one agent (the maximizing agent) is trying minimize and the other agent (the minimizing agent) is trying to minimize.

14.1.1 Creating a two-player game

```
masProblem.py — A Multiagent Problem
11  from display import Displayable
12
13  class Node(Displayable):
14      """A node in a search tree. It has a
15         name a string
16         isMax is True if it is a maximizing node, otherwise it is minimizing
17             node
18         children is the list of children
19         value is what it evaluates to if it is a leaf.
20     """
21
22     def __init__(self, name, isMax, value, children):
23         self.name = name
24         self.isMax = isMax
25         self.value = value
26         self.allchildren = children
27
28     def isLeaf(self):
29         """returns true of this is a leaf node"""
30         return self.allchildren is None
```

```

29
30     def children(self):
31         """returns the list of all children."""
32         return self.allchildren
33
34     def evaluate(self):
35         """returns the evaluation for this node if it is a leaf"""
36         return self.value

```

The following gives the tree from Figure 11.5 of the book. Note how 888 is used as a value here, but never appears in the trace.

```

masProblem.py — (continued)
38 fig10_5 = Node("a",True,None, [
39     Node("b",False,None, [
40         Node("d",True,None, [
41             Node("h",False,None, [
42                 Node("h1",True,7,None),
43                 Node("h2",True,9,None)]),
44             Node("i",False,None, [
45                 Node("i1",True,6,None),
46                 Node("i2",True,888,None)]])],
47         Node("e",True,None, [
48             Node("j",False,None, [
49                 Node("j1",True,11,None),
50                 Node("j2",True,12,None)]),
51             Node("k",False,None, [
52                 Node("k1",True,888,None),
53                 Node("k2",True,888,None)]])]),
54     Node("c",False,None, [
55         Node("f",True,None, [
56             Node("l",False,None, [
57                 Node("l1",True,5,None),
58                 Node("l2",True,888,None)]),
59             Node("m",False,None, [
60                 Node("m1",True,4,None),
61                 Node("m2",True,888,None)]])],
62         Node("g",True,None, [
63             Node("n",False,None, [
64                 Node("n1",True,888,None),
65                 Node("n2",True,888,None)]),
66             Node("o",False,None, [
67                 Node("o1",True,888,None),
68                 Node("o2",True,888,None)]])])])

```

The following is a representation of a **magic-sum game**, where players take turns picking a number in the range [1,9], and the first player to have 3 numbers that sum to 15 wins. Note that this is a syntactic variant of **tic-tac-toe** or **naughts and crosses**. To see this, consider the numbers on a **magic square** (Figure 14.1); 3 numbers that add to 15 correspond exactly to the winning positions

6	1	8
7	5	3
2	9	4

Figure 14.1: Magic Square

of tic-tac-toe played on the magic square.

Note that we do not remove symmetries. (What are the symmetries? How do the symmetries of tic-tac-toe translate here?)

```
masProblem.py — (continued)
```

```

70
71 class Magic_sum(Node):
72     def __init__(self, xmove=True, last_move=None,
73                  available=[1,2,3,4,5,6,7,8,9], x=[], o=[]):
74         """This is a node in the search for the magic-sum game.
75         xmove is True if the next move belongs to X.
76         last_move is the number selected in the last move
77         available is the list of numbers that are available to be chosen
78         x is the list of numbers already chosen by x
79         o is the list of numbers already chosen by o
80         """
81         self.isMax = self.xmove = xmove
82         self.last_move = last_move
83         self.available = available
84         self.x = x
85         self.o = o
86         self.allchildren = None #computed on demand
87         lm = str(last_move)
88         self.name = "start" if not last_move else "o="+lm if xmove else
89             "x="+lm
90
91     def children(self):
92         if self.allchildren is None:
93             if self.xmove:
94                 self.allchildren = [
95                     Magic_sum(xmove = not self.xmove,
96                                last_move = sel,
97                                available = [e for e in self.available if e is
98                                            not sel],
99                                x = self.x+[sel],
100                               o = self.o)
101                               for sel in self.available]
102             else:
103                 self.allchildren = [
104                     Magic_sum(xmove = not self.xmove,
105                                last_move = sel,
106                                available = [e for e in self.available if e is
107                                            not sel],
```

```

105             x = self.x,
106             o = self.o+[sel])
107                 for sel in self.available]
108             return self.allchildren
109
110     def isLeaf(self):
111         """A leaf has no numbers available or is a win for one of the
112             players.
113             We only need to check for a win for o if it is currently x's turn,
114             and only check for a win for x if it is o's turn (otherwise it would
115             have been a win earlier).
116             """
117             return (self.available == [] or
118                 (sum_to_15(self.last_move,self.o)
119                  if self.xmove
120                  else sum_to_15(self.last_move,self.x)))
121
122     def evaluate(self):
123         if self.xmove and sum_to_15(self.last_move,self.o):
124             return -1
125         elif not self.xmove and sum_to_15(self.last_move,self.x):
126             return 1
127         else:
128             return 0
129
130     def sum_to_15(last,selected):
131         """is true if last, together with two other elements of selected sum
132             to 15.
133             """
134             return any(last+a+b == 15
135                     for a in selected if a != last
136                     for b in selected if b != last and b != a)

```

14.1.2 Minimax and α - β Pruning

This is a naive depth-first **minimax algorithm**:

```

masMinimax.py — Minimax search with alpha-beta pruning
_____
11     def minimax(node,depth):
12         """returns the value of node, and a best path for the agents
13         """
14         if node.isLeaf():
15             return node.evaluate(),None
16         elif node.isMax:
17             max_score = float("-inf")
18             max_path = None
19             for C in node.children():
20                 score,path = minimax(C,depth+1)
21                 if score > max_score:
22                     max_score = score
23                     max_path = C.name,path

```

```

24     return max_score,max_path
25 else:
26     min_score = float("inf")
27     min_path = None
28     for C in node.children():
29         score,path = minimax(C,depth+1)
30         if score < min_score:
31             min_score = score
32             min_path = C.name,path
33     return min_score,min_path

```

The following is a depth-first minimax with α - β pruning. It returns the value for a node as well as a best path for the agents.

```

masMiniMax.py — (continued)

35 def minimax_alpha_beta(node,alpha,beta,depth=0):
36     """node is a Node, alpha and beta are cutoffs, depth is the depth
37     returns value, path
38     where path is a sequence of nodes that results in the value
39     """
40     node.display(2," "*depth,"minimax_alpha_beta(",node.name,", ",alpha, ",
41                 ", beta,")")
42     best=None      # only used if it will be pruned
43     if node.isLeaf():
44         node.display(2," "*depth,"returning leaf value",node.evaluate())
45         return node.evaluate(),None
46     elif node.isMax:
47         for C in node.children():
48             score,path = minimax_alpha_beta(C,alpha,beta,depth+1)
49             if score >= beta: # beta pruning
50                 node.display(2," "*depth,"pruned due to
51                             beta=",beta,"C=",C.name)
52                 return score, None
53             if score > alpha:
54                 alpha = score
55                 best = C.name, path
56             node.display(2," "*depth,"returning max alpha",alpha,"best",best)
57             return alpha,best
58     else:
59         for C in node.children():
60             score,path = minimax_alpha_beta(C,alpha,beta,depth+1)
61             if score <= alpha: # alpha pruning
62                 node.display(2," "*depth,"pruned due to
63                             alpha=",alpha,"C=",C.name)
64                 return score, None
65             if score < beta:
66                 beta=score
67                 best = C.name,path
68             node.display(2," "*depth,"returning min beta",beta,"best=",best)
69             return beta,best

```

Testing:

```
masMiniMax.py — (continued)
```

```

68 from masProblem import fig10_5, Magic_sum, Node
69
70 # Node.max_display_level=2 # print detailed trace
71 # minimax_alpha_beta(fig10_5, -9999, 9999,0)
72 # minimax_alpha_beta(Magic_sum(), -9999, 9999,0)
73
74 #To see how much time alpha-beta pruning can save over minimax, uncomment
    # the following:
75 ## import timeit
76 ## timeit.Timer("minimax(Magic_sum(),0)",setup="from __main__ import
        # minimax, Magic_sum"
77 ##             ).timeit(number=1)
78 ## trace=False
79 ## timeit.Timer("minimax_alpha_beta(Magic_sum(), -9999, 9999,0)",
80 ##                 setup="from __main__ import minimax_alpha_beta, Magic_sum"
81 ##                     ).timeit(number=1)

```

14.2 Multiagent Learning

The next code is for multiple agents that learn when interacting with other agents. This code is designed to be extended, and as such is restricted to being two agents, a single state, and the only observation is the reward. Coordinating agents can't easily implement that agent architecture. However, in that architecture, an agent calls the environment. That architecture was chosen because it was simple. However, it does not really work when there are multiple agents, instead we have a controller that tells the agents the percepts (here the percepts are just the reward).

```
masLearn.py — Simulations of agents learning
```

```

11 from display import Displayable
12 import utilities # argmaxall for (element,value) pairs
13 import matplotlib.pyplot as plt
14 import random
15
16 class GameAgent(Displayable):
17     next_id=0
18     def __init__(self, actions):
19         """
20             Actions is the set of actions the agent can do. It needs to be told
21             that!
22         """
23         self.actions = actions
24         self.id = GameAgent.next_id
25         GameAgent.next_id += 1
26         self.display(2,f"Agent {self.id} has actions {actions}")
27         self.total_score = 0
28         self.dist = {act:1 for act in actions} # unnormalized distribution

```

```

28
29     def init_action(self):
30         """ The initial action.
31         Act randomly initially
32         Could be overridden (but I'm not sure why you would).
33         """
34         self.act = random.choice(self.actions)
35         self.dist[self.act] += 1
36         return self.act
37
38     def select_action(self, reward):
39         """
40             Select the action given the reward.
41             This implements "Act randomly" and should be overridden!
42         """
43         self.total_score += reward
44         self.act = random.choice(self.actions)
45         self.dist[self.act] += 1
46         return self.act

```

masLearn.py — (continued)

```

48 class SimpleQAgent(GameAgent):
49     """This agent just counts the number of times (it thinks) it has won
50         and does the
51         actions it thinks is most likely to win.
52     """
53
54     def __init__(self, actions, alpha=0.1, q_init=1, explore=0.01):
55         """
56             Actions is the set of actions the agent can do.
57             alpha is the Q step size
58             q_init is the initial q-values
59             explore is the probability of an exploratory (random) action
60         """
61
62         GameAgent.__init__(self, actions)
63         self.Q = {a:q_init for a in self.actions}
64         self.dist = {act:1 for act in actions} # unnormalized distribution
65         self.num_steps = 0
66         self.alpha = alpha
67         self.explore = explore
68
69     def select_action(self, reward):
70         self.total_score += reward
71         self.num_steps += 1
72         self.display(2,f"The reward for agent {self.id} was {reward}")
73         self.Q[self.act] += self.alpha*(reward-self.Q[self.act])
74         if random.random() < self.explore:
75             self.act = random.choice(self.actions) # act randomly
76         else:
77             self.act = utilities.argmaxd(self.Q)
78         self.dist[self.act] += 1

```

```

76     self.display(2,f"Agent {self.id} did {self.act}")
77     return self.act

```

masLearn.py — (continued)

```

79 class StochasticQAgent(GameAgent):
80     """This agent maintains the Q-function for each state.
81     (Or just the average reward as the future state is all the same).
82     Chooses the best action using
83     """
84     def __init__(self, actions, alpha=0.1, q_init=10, p_init=5):
85         """
86         Actions is the set of actions the agent can do.
87         alpha is the Q step size
88         q_init is the initial q-values
89         p_init is the initial counts for q
90         """
91         GameAgent.__init__(self, actions)
92         self.Q = {a:q_init for a in self.actions}
93         self.dist = {a:p_init for a in self.actions} # start with random
94             dist
95         self.alpha = alpha
96         self.num_steps = 0
97
98     def select_action(self, reward):
99         self.total_score += reward
100        self.display(2,f"The reward for agent {self.id} was {reward}")
101        self.Q[self.act] += self.alpha*(reward-self.Q[self.act])
102        a_best = utilities.argmaxall(self.Q.items())
103        for a in a_best:
104            self.dist[a] += 1
105        self.display(2,f"Distribution for agent {self.id} is {self.dist}")
106        self.act = select_from_dist(self.dist)
107        self.display(2,f"Agent {self.id} did {self.act}")
108        return self.act
109
110    def normalize(dist):
111        """unnorm dict is a {value:number} dictionary, where the numbers are
112            all non-negative
113            returns dict where the numbers sum to one
114        """
115        tot = sum(dist.values())
116        return {var:val/tot for (var,val) in dist.items()}
117
118    def select_from_dist(dist):
119        rand = random.random()
120        for (act,prob) in normalize(dist).items():
121            rand -= prob
122            if rand < 0:
123                return act

```

The simulator takes a game and simulates the game:

```
masLearn.py — (continued)
```

```

123 | class SimulateGame(Displayable):
124 |     def __init__(self, game, agents):
125 |         self.game = game
126 |         self.agents = agents # list of agents
127 |         self.action_history = []
128 |         self.reward_history = []
129 |         self.dist_history = []
130 |         self.actions = tuple(ag.init_action() for ag in self.agents)
131 |         self.num_steps = 0
132 |
133 |     def go(self, steps):
134 |         for i in range(steps):
135 |             self.num_steps += 1
136 |             self.rewards = self.game.play(self.actions)
137 |             self.reward_history.append(self.rewards)
138 |             self.actions =
139 |                 tuple(self.agents[i].select_action(self.rewards[i])
140 |                         for i in range(self.game.num_agents))
141 |             self.action_history.append(self.actions)
142 |             self.dist_history.append([normalize(ag.dist) for ag in
143 |                     self.agents])
144 |             print("Scores:", ' '.join(f"Agent {ag.id} average
145 |             reward={ag.total_score/self.num_steps}" for ag in self.agents))
146 |             #return self.reward_history, self.action_history
147 |
148 |     def action_dist(self, which_actions=[1,1]):
149 |         """ which actions is [a0,a1]
150 |             returns the empirical distribution of actions for agents,
151 |                 where ai specifies the index of the actions for agent i
152 |         """
153 |         return [sum(1 for a in sim.action_history
154 |                         if
155 |                             a[i]==gm.actions[i][which_actions[i]])/len(sim.action_history)
156 |                             for i in range(2)]

```

```
masLearn.py — (continued)
```

```

154 |
155 |     def plot_dynamics(self, x_action=0, y_action=0):
156 |         #plt.ion() # make it interactive
157 |         agents = self.agents
158 |         x_act = self.game.actions[0][x_action]
159 |         y_act = self.game.actions[1][y_action]
160 |         plt.xlabel(f"Probability {self.game.players[0]}\n{self.agents[0].actions[x_action]}")
161 |         plt.ylabel(f"Probability {self.game.players[1]}\n{self.agents[1].actions[y_action]}")
162 |         plt.plot([self.dist_history[t][0][x_act] for t in
163 |                     range(len(self.dist_history))],
164 |                     [self.dist_history[t][1][y_act] for t in

```

```

164         range(len(self.dist_history))],
165         color='k')
166     #plt.legend()
167     plt.savefig('soccerplot.pdf')
168     plt.show()

```

The following are some games from Poole and Mackworth [2017].

```

masLearn.py — (continued)

169 class ShoppingGame(Displayable):
170     def __init__(self):
171         self.num_agents = 2
172         self.actions = [['shopping', 'football']] * 2
173         self.players = ['football preferer goes to', 'shopping preferer
174             goes to']
175
176     def play(self, actions):
177         return {('football', 'football'): (2, 1),
178                 ('football', 'shopping'): (0, 0),
179                 ('shopping', 'football'): (0, 0),
180                 ('shopping', 'shopping'): (1, 2)}[actions]
181
182 class SoccerGame(Displayable):
183     def __init__(self):
184         self.num_agents = 2
185         self.actions = [['right', 'left']] * 2
186         self.players = ['goalkeeper jumps', 'kicker kicks']
187
188     def play(self, actions):
189         return {('left', 'left'): (0.6, 0.4),
190                 ('left', 'right'): (0.3, 0.7),
191                 ('right', 'left'): (0.2, 0.8),
192                 ('right', 'right'): (0.9, 0.1)
193             }[actions]
194
195 class GameShow(Displayable):
196     def __init__(self):
197         self.num_agents = 2
198         self.actions = [['takes', 'gives']] * 2
199         self.players = ['Agent 1', 'Agent 2']
200
201     def play(self, actions):
202         return {('takes', 'takes'): (1, 1),
203                 ('takes', 'gives'): (11, 0),
204                 ('gives', 'takes'): (0, 11),
205                 ('gives', 'gives'): (10, 10)
206             }[actions]
207
208
209 class UniqueNEGGameExample(Displayable):

```

```

210     def __init__(self):
211         self.num_agents = 2
212         self.actions = [['a1', 'b1', 'c1'], ['d2', 'e2', 'f2']]
213         self.players = ['agent 1 does', 'agent 2 does']
214
215     def play(self, actions):
216         return {('a1', 'd2'): (3, 5),
217                 ('a1', 'e2'): (5, 1),
218                 ('a1', 'f2'): (1, 2),
219                 ('b1', 'd2'): (1, 1),
220                 ('b1', 'e2'): (2, 9),
221                 ('b1', 'f2'): (6, 4),
222                 ('c1', 'd2'): (2, 6),
223                 ('c1', 'e2'): (4, 7),
224                 ('c1', 'f2'): (0, 8)
225             }[actions]
226
227     # Choose one:
228     # gm = ShoppingGame()
229     # gm = SoccerGame()
230     # gm = GameShow()
231     # gm = UniqueNEGameExample()
232
233     # Choose one of the combinations of learners:
234     # sim=SimulateGame(gm,[StochasticQAgent(gm.actions[0]),
235     #                     StochasticQAgent(gm.actions[1])]); sim.go(10000)
235     # sim= SimulateGame(gm,[SimpleQAgent(gm.actions[0]),
236     #                     SimpleQAgent(gm.actions[1])]); sim.go(10000)
236     #
237     # sim=SimulateGame(gm,[SimpleQAgent(gm.actions[0]),StochasticQAgent(gm.actions[1])]);
238     # sim.go(10000)
239     #
240     # sim.plot_dynamics()
241
242     # empirical proportion that agents did their action at index 1:
243     # sim.action_dist([1,1])
244
245     # (unnormalized) emprirical distribution for agent 0
246     # sim.agents[0].dist

```

masLearn.py — (continued)

```

247 # solution to Exercise 14.8 (i) of Poole & Mackworth 2023
248 class StochasticQAgent_i(GameAgent):
249     """This agent maintains the Q-function for each state.
250     (Or just the average reward as the future state is all the same).
251     Chooses the best action using

```

```

252     """
253     def __init__(self, actions, alpha=0.1, q_init=10, p_init=50,
254                  beta=0.001):
255         """
256         Actions is the set of actions the agent can do.
257         alpha is the Q step size
258         q_init is the initial q-values
259         p_init is the initial counts for q
260         beta is the discount for older probabilities
261         """
262         GameAgent.__init__(self, actions)
263         self.Q = {a:q_init for a in self.actions}
264         self.dist = {a:p_init for a in self.actions} # start with random
265             dist
266         self.alpha = alpha
267         self.beta = beta
268         self.num_steps = 0
269
270     def select_action(self, reward):
271         self.total_score += reward
272         self.display(2,f"The reward for agent {self.id} was {reward}")
273         self.Q[self.act] += self.alpha*(reward-self.Q[self.act])
274         a_best = utilities.argmaxall(self.Q.items())
275         for a in self.Q.keys():
276             self.dist[a] *= (1-self.beta)
277         for a in a_best:
278             self.dist[a] += 1
279         self.display(2,f"Distribution for agent {self.id} is {self.dist}")
280         self.act = select_from_dist(self.dist)
281         self.display(2,f"Agent {self.id} did {self.act}")
282         return self.act

```

Chapter 15

Relational Learning

15.1 Collaborative Filtering

Based on gradient descent algorithm of Koren, Y., Bell, R. and Volinsky, C., Matrix Factorization Techniques for Recommender Systems, IEEE Computer 2009.

This assumes the form of the dataset from movielens (<http://grouplens.org/datasets/movielens/>). The rating are a set of $(user, item, rating, timestamp)$ tuples.

```
_____relnCollFilt.py — Latent Property-based Collaborative Filtering_____
11 import random
12 import matplotlib.pyplot as plt
13 import urllib.request
14 from learnProblem import Learner
15 from display import Displayable
16
17 class CF_learner(Learner):
18     def __init__(self,
19                  rating_set,          # a Rating_set object
20                  rating_subset = None, # subset of ratings to be used as
21                                  # training ratings
22                  test_subset = None, # subset of ratings to be used as test
23                                  # ratings
24                  step_size = 0.01,    # gradient descent step size
25                  regLz = 1.0,         # the weight for the regularization
26                                  # terms
27                  num_properties = 10, # number of hidden properties
28                  property_range = 0.02 # properties are initialized to be
29                                  # between
30                                  # -property_range and property_range
```

```

27     ):
28     self.rating_set = rating_set
29     self.ratings = rating_subset or rating_set.training_ratings #
30     whichever is not empty
31     if test_subset is None:
32         self.test_ratings = self.rating_set.test_ratings
33     else:
34         self.test_ratings = test_subset
35     self.step_size = step_size
36     self.reglz = reglz
37     self.num_properties = num_properties
38     self.num_ratings = len(self.ratings)
39     self.ave_rating = (sum(r for (u,i,r,t) in self.ratings)
40                         /self.num_ratings)
41     self.users = {u for (u,i,r,t) in self.ratings}
42     self.items = {i for (u,i,r,t) in self.ratings}
43     self.user_bias = {u:0 for u in self.users}
44     self.item_bias = {i:0 for i in self.items}
45     self.user_prop = {u:[random.uniform(-property_range,property_range)
46                         for p in range(num_properties)]
47                         for u in self.users}
48     self.item_prop = {i:[random.uniform(-property_range,property_range)
49                         for p in range(num_properties)]
50                         for i in self.items}
51     self.zeros = [0 for p in range(num_properties)]
52     self.iter=0
53
54     def stats(self):
55         self.display(1,"ave sumsq error of mean for training=",
56                     sum((self.ave_rating-rating)**2 for
57                         (user,item, rating, timestamp)
58                         in self.ratings)/len(self.ratings))
59         self.display(1,"ave sumsq error of mean for test=",
60                     sum((self.ave_rating-rating)**2 for
61                         (user,item, rating, timestamp)
62                         in self.test_ratings)/len(self.test_ratings))
63         self.display(1,"error on training set",
64                     self.evaluate(self.ratings))
65         self.display(1,"error on test set",
66                     self.evaluate(self.test_ratings))

```

learn carries out *num_iter* steps of gradient descent.

relCollFilt.py — (continued)

```

65     def prediction(self,user,item):
66         """Returns prediction for this user on this item.
67         The use of .get() is to handle users or items not in the training
68         set.
69         """
70         return (self.ave_rating
71                 + self.user_bias.get(user,0) #self.user_bias[user]

```

```

71         + self.item_bias.get(item,0) #self.item_bias[item]
72         +
73             sum([self.user_prop.get(user,self.zeros)[p]*self.item_prop.get(item,self.zeros)
74                  for p in range(self.num_properties)]))
75
76     def learn(self, num_iter = 50):
77         """ do num_iter iterations of gradient descent."""
78         for i in range(num_iter):
79             self.iter += 1
80             abs_error=0
81             sumsq_error=0
82             for (user,item,rating,timestamp) in
83                 random.sample(self.ratings,len(self.ratings)):
84                 error = self.prediction(user,item) - rating
85                 abs_error += abs(error)
86                 sumsq_error += error * error
87                 self.user_bias[user] -= self.step_size*error
88                 self.item_bias[item] -= self.step_size*error
89                 for p in range(self.num_properties):
90                     self.user_prop[user][p] -=
91                         self.step_size*error*self.item_prop[item][p]
92                     self.item_prop[item][p] ==
93                         self.step_size*error*self.user_prop[user][p]
94             for user in self.users:
95                 self.user_bias[user] -= self.step_size*self.reglz*
96                                 self.user_bias[user]
97                 for p in range(self.num_properties):
98                     self.user_prop[user][p] ==
99                         self.step_size*self.reglz*self.user_prop[user][p]
100            for item in self.items:
101                self.item_bias[item] ==
102                    self.step_size*self.reglz*self.item_bias[item]
103                for p in range(self.num_properties):
104                    self.item_prop[item][p] ==
105                        self.step_size*self.reglz*self.item_prop[item][p]
106            self.display(1,"Iteration",self.iter,
107                         "(Ave Abs,AveSumSq) training
108                         =",self.evaluate(self.ratings),
109                         "test =",self.evaluate(self.test_ratings))

```

evaluate evaluates current predictions on the rating set:

relnCollFilt.py — (continued)

```

102     def evaluate(self,ratings):
103         """returns (average_absolute_error, average_sum_squares_error) for
104             ratings
105             """
106             abs_error = 0
107             sumsq_error = 0
108             if not ratings: return (0,0)
109             for (user,item,rating,timestamp) in ratings:

```

```

109         error = self.prediction(user,item) - rating
110         abs_error += abs(error)
111         sumsq_error += error * error
112     return abs_error/len(ratings), sumsq_error/len(ratings)

```

15.1.1 Alternative Formulation

An alternative formulation is to regularize after each update.

15.1.2 Plotting

```

relnCollFilt.py — (continued)

114 def plot_predictions(self, examples="test"):
115     """
116     examples is either "test" or "training" or the actual examples
117     """
118     if examples == "test":
119         examples = self.test_ratings
120     elif examples == "training":
121         examples = self.ratings
122     plt.ion()
123     plt.xlabel("prediction")
124     plt.ylabel("cumulative proportion")
125     self.actuals = [[] for r in range(0,6)]
126     for (user,item,rating,timestamp) in examples:
127         self.actuals[rating].append(self.prediction(user,item))
128     for rating in range(1,6):
129         self.actuals[rating].sort()
130         numrat=len(self.actuals[rating])
131         yvals = [i/numrat for i in range(numrat)]
132         plt.plot(self.actuals[rating], yvals,
133                 label="rating="+str(rating))
134     plt.legend()
135     plt.draw()

```

This plots a single property. Each $(user, item, rating)$ is plotted where the x-value is the value of the property for the user, the y-value is the value of the property for the item, and the rating is plotted at this (x, y) position. That is, $rating$ is plotted at the (x, y) position $(p(user), p(item))$.

```

relnCollFilt.py — (continued)

136 def plot_property(self,
137                   p,                      # property
138                   plot_all=False, # true if all points should be plotted
139                   num_points=200 # number of random points plotted if not
140                   all
141                   ):
142     """plot some of the user-movie ratings,

```

```

142     if plot_all is true
143         num_points is the number of points selected at random plotted.
144
145         the plot has the users on the x-axis sorted by their value on
146             property p and
147             with the items on the y-axis sorted by their value on property p and
148             the ratings plotted at the corresponding x-y position.
149             """
150             plt.ion()
151             plt.xlabel("users")
152             plt.ylabel("items")
153             user_vals = [self.user_prop[u][p]
154                         for u in self.users]
155             item_vals = [self.item_prop[i][p]
156                         for i in self.items]
157             plt.axis([min(user_vals)-0.02,
158                     max(user_vals)+0.05,
159                     min(item_vals)-0.02,
160                     max(item_vals)+0.05])
161             if plot_all:
162                 for (u,i,r,t) in self.ratings:
163                     plt.text(self.user_prop[u][p],
164                             self.item_prop[i][p],
165                             str(r))
166             else:
167                 for i in range(num_points):
168                     (u,i,r,t) = random.choice(self.ratings)
169                     plt.text(self.user_prop[u][p],
170                             self.item_prop[i][p],
171                             str(r))
172             plt.show()

```

15.1.3 Creating Rating Sets

A rating set can be read from the Internet or read from a local file. The default is to read the MovieLens 100K dataset from the Internet. It would be more efficient to save the dataset as a local file, and then set *local_file* = *True*, as then it will not need to download the dataset every time the program is run.

reInCollFilt.py — (continued)

```

173 class Rating_set(Displayable):
174     def __init__(self,
175                  date_split=892000000,
176                  local_file=False,
177                  url="http://files.grouplens.org/datasets/movielens/ml-100k/u.data",
178                  file_name="u.data"):
179         self.display(1,"reading...")
180         if local_file:
181             lines = open(file_name,'r')
182         else:

```

```

183     lines = (line.decode('utf-8') for line in
184         urllib.request.urlopen(url))
185     all_ratings = (tuple(int(e) for e in line.strip().split('\t'))
186                     for line in lines)
187     self.training_ratings = []
188     self.training_stats = {1:0, 2:0, 3:0, 4:0 ,5:0}
189     self.test_ratings = []
190     self.test_stats = {1:0, 2:0, 3:0, 4:0 ,5:0}
191     for rate in all_ratings:
192         if rate[3] < date_split: # rate[3] is timestamp
193             self.training_ratings.append(rate)
194             self.training_stats[rate[2]] += 1
195         else:
196             self.test_ratings.append(rate)
197             self.test_stats[rate[2]] += 1
198     self.display(1,"...read:", len(self.training_ratings),"training
199     ratings and",
200             len(self.test_ratings),"test ratings")
201     tr_users = {user for (user,item,rating,timestamp) in
202                 self.training_ratings}
203     test_users = {user for (user,item,rating,timestamp) in
204                 self.test_ratings}
205     self.display(1,"users:",len(tr_users),"training,",len(test_users),"test",
206                 ",len(tr_users & test_users),"in common")
207     tr_items = {item for (user,item,rating,timestamp) in
208                 self.training_ratings}
209     test_items = {item for (user,item,rating,timestamp) in
210                 self.test_ratings}
211     self.display(1,"items:",len(tr_items),"training,",len(test_items),"test",
212                 ",len(tr_items & test_items),"in common")
213     self.display(1,"Rating statistics for training set:
214                 ",self.training_stats)
215     self.display(1,"Rating statistics for test set: ",self.test_stats)

```

Sometimes it is useful to plot a property for all $(user, item, rating)$ triples. There are too many such triples in the data set. The method *create_top_subset* creates a much smaller dataset where this makes sense. It picks the most rated items, then picks the users who have the most ratings on these items. It is designed for depicting the meaning of properties, and may not be useful for other purposes.

relCollFit.py — (continued)

```

210     def create_top_subset(self, num_items = 30, num_users = 30):
211         """Returns a subset of the ratings by picking the most rated items,
212         and then the users that have most ratings on these, and then all of
213         the
214         ratings that involve these users and items.
215         """
216         items = {item for (user,item,rating,timestamp) in
217                 self.training_ratings}

```

```
217     item_counts = {i:0 for i in items}
218     for (user,item,rating,timestamp) in self.training_ratings:
219         item_counts[item] += 1
220
221     items_sorted = sorted((item_counts[i],i) for i in items)
222     top_items = items_sorted[-num_items:]
223     set_top_items = set(item for (count, item) in top_items)
224
225     users = {user for (user,item,rating,timestamp) in
226               self.training_ratings}
227     user_counts = {u:0 for u in users}
228     for (user,item,rating,timestamp) in self.training_ratings:
229         if item in set_top_items:
230             user_counts[user] += 1
231
232     users_sorted = sorted((user_counts[u],u)
233                           for u in users)
234     top_users = users_sorted[-num_users:]
235     set_top_users = set(user for (count, user) in top_users)
236     used_ratings = [ (user,item,rating,timestamp)
237                      for (user,item,rating,timestamp) in
238                      self.training_ratings
239                      if user in set_top_users and item in set_top_items]
240
241     return used_ratings
242
243 movielens = Rating_set()
244 learner1 = CF_learner(movielens, num_properties = 1)
245 #learner1.learn(50)
246 # learner1.plot_predictions(examples = "training")
247 # learner1.plot_predictions(examples = "test")
248 #learner1.plot_property(0)
249 #movielens_subset = movielens.create_top_subset(num_items = 20, num_users
# = 20)
250 #learner_s = CF_learner(movielens, rating_subset=movielens_subset,
# test_subset=[], num_properties=1)
251 #learner_s.learn(1000)
252 #learner_s.plot_property(0,plot_all=True)
```


Chapter 16

Version History

- 2022-08-13 Version 0.9.5 major revisions including extra code for causality and deep learning
- 2021-07-08 Version 0.9.1 updated the CSP code to have the same representation of variables as used by the probability code
- 2021-05-13 Version 0.9.0 Major revisions to chapters 8 and 9. Introduced recursive conditioning, simplified much code. New section on multiagent reinforcement learning.
- 2020-11-04 Version 0.8.6 simplified value iteration for MDPs.
- 2020-10-20 Version 0.8.4 planning simplified, and gives error if goal not part of state (by design). Fixed arc costs.
- 2020-07-21 Version 0.8.2 added positions and string to constraints
- 2019-09-17 Version 0.8.0 rerepresented blocks world (Section 6.1.2) due to bug found by Donato Meoli.

Bibliography

- Chen, T. and Guestrin, C. (2016), Xgboost: A scalable tree boosting system. In *KDD '16: Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, pages 785–794, URL <https://doi.org/10.1145/2939672.2939785>. 160
- Chollet, F. (2021), *Deep Learning with Python*. Manning. 163
- Dua, D. and Graff, C. (2017), UCI machine learning repository. URL <http://archive.ics.uci.edu/ml>. 125
- Glorot, X. and Bengio, Y. (2010), Understanding the difficulty of training deep feedforward neural networks. In *Proc. Thirteenth International Conference on Artificial Intelligence and Statistics*, pages 249–256, Italy, URL <https://proceedings.mlr.press/v9/glorot10a.html>. 164
- Lichman, M. (2013), UCI machine learning repository. URL <http://archive.ics.uci.edu/ml>. 125
- Poole, D. L. and Mackworth, A. K. (2017), *Artificial Intelligence: foundations of computational agents*. Cambridge University Press, 2nd edition, URL <https://artint.info>. 185

Index

- α - β pruning, 287
- A* search, 41
- A** Search, 44
- action, 101
- agent, 21, 261
- argmax, 18
- assignment, 52, 178
- assumable, 97
- asynchronous value iteration, 257
- augmented feature, 136
- batched stochastic gradient descent, 156
- Bayesian network, 183
- belief network, 183
- blocks world, 104
- Boolean feature, 126
- bottom-up proof, 90
- branch-and-bound search, 47
- class
 - Action_instance*, 118
 - Agent*, 21
 - Arc*, 34
 - Askable*, 87
 - Assumable*, 97
- BNfromDBN*, 222
- BeliefNetwork*, 183
- Boosted_dataset*, 157
- Boosting_learner*, 158
- Branch_and_bound*, 84
- CF_learner*, 295
- CPDrename*, 220
- CSP*, 53
- CSP_from_STRIPS*, 114
- Clause*, 87
- Con_solver*, 67
- Constraint*, 52
- DBN*, 220
- DBNVEfilter*, 222
- DBNvariable*, 219
- DF_Branch_and_bound*, 47
- DT_learner*, 143
- Data_from_file*, 133
- Data_from_files*, 135
- Data_set*, 127
- Data_set_augmented*, 136
- DecisionNetwork*, 238
- DecisionVariable*, 237
- Displayable*, 17
- Dropout_layer*, 170
- EM_learner*, 229

Env_from_MDP, 262
Environment, 22
Evaluate, 132
FactorDF, 249
FactorMax, 248
FactorObserved, 196
FactorRename, 219
FactorSum, 196
Forward_STRIPS, 107
FrontierPQ, 43
GTB_learner, 160
GibbsSampling, 206
GraphicalModel, 182
GridMDP, 251, 254
HMM, 209
HMMVEfilter, 211
HMM_Controlled, 213
HMM_Local, 214
HMMparticleFilter, 215
Healthy_{env}, 261
InferenceMethod, 189, 235
KB, 88
KBA, 97
K_fold_dataset, 148
K_means_learner, 225
Layer, 163
Learner, 138
LikelihoodWeighting, 202
Linear_complete_layer, 164
Linear_complete_layer_RMS_Prop, 169
Linear_complete_layer_momentum, 168
Linear_learner, 150
Linear_learner_bsgd, 156
MDP, 250
Magic_sum, 285
Model_based_reinforcement_learner, 272
Monster_game_env, 263
NN, 166
Node, 283
POP_node, 118
POP_search_from_STRIPS, 119
ParticleFiltering, 203
Path, 36
Planning_problem, 102
Plot_env, 30
Plot_prices, 25
Predict, 139
Prob, 182
Q_learner, 267
RC, 190
RC_DN, 244
RL_agent, 267
RL_env, 261
Rating_set, 299
ReLU_layer, 165
Regression_STRIPS, 111
RejectionSampling, 201
Rob_body, 26
Rob_env, 25
Rob_middle_layer, 28
Rob_top_layer, 29
Runtime_distribution, 81
SARSA_LFA_learner, 278
SLSearcher, 74
STRIPS_domain, 102
SamplingInferenceMethod, 200
Search_from_CSP, 64, 65
Search_problem, 33
Search_problem_from_explicit_graph, 35
Search_with_AC_from_CSP, 72
Searcher, 41
SearcherMPP, 45
Show_Localization, 214
Sigmoid_layer, 166
SoftConstraint, 82
State, 107
Strips, 101
Subgoal, 111
TP_agent, 24
TP_env, 22
TabFactor, 181
Updatable_priority_queue, 79
Utility, 237
UtilityTable, 237
VE, 195
VE_DN, 248

- Variable*, 51, 177
clause, 87
collaborative filtering, 295
condition, 52
conditional probability distribution (CPD), 179
consistency algorithms, 67
constraint, 52
constraint satisfaction problem, 51
copy_with_assign, 71
CPD (conditional probability distribution), 179
cross validation, 147
CSP, 51
 consistency, 67
 domain splitting, 70, 72
 search, 65
 stochastic local search, 73
currying, 55
data set, 126
DBN
 filtering, 222
 unrolling, 222
DBN (dynamic belief network), 218
debugging, 93
decision network, 237
decision tree learning, 143
decision variable, 237
deep learning, 163
dict_union, 19
display, 17
Displayable, 17
domain splitting, 70, 72
Dropout, 170
dynamic belief network (DBN), 218
 representation, 218
EM, 229
environment, 21, 22, 261
error, 131
example, 126
explanation, 93
explicit graph, 34
factor, 178, 181
factor_times, 197
feature, 126, 128
feature engineering, 125
file
 agentEnv.py, 25
 agentMiddle.py, 28
 agentTop.py, 29
 agents.py, 21
 cspConsistency.py, 67
 cspDFS.py, 64
 cspExamples.py, 55
 cspProblem.py, 51
 cspSLS.py, 74
 cspSearch.py, 65
 cspSoft.py, 82
 decnNetworks.py, 237
 display.py, 17
 learnBoosting.py, 157
 learnCrossValidation.py, 148
 learnDT.py, 143
 learnEM.py, 229
 learnKMeans.py, 225
 learnLinear.py, 150
 learnLinearBSGD.py, 156
 learnNN.py, 163
 learnNoInputs.py, 139
 learnProblem.py, 126
 logicAssumables.py, 97
 logicBottomUp.py, 90
 logicExplain.py, 93
 logicProblem.py, 87
 logicTopDown.py, 92
 masLearn.py, 288
 masMiniMax.py, 286
 masProblem.py, 283
 mdpExamples.py, 250
 mdpProblem.py, 250
 probDBN.py, 219
 probDo.py, 235
 probFactors.py, 178
 probGraphicalModels.py, 182
 probHMM.py, 209
 probLocalization.py, 213
 probRC.py, 190
 probStochSim.py, 199

probVE.py, 195
probVariables.py, 177
pythonDemo.py, 13
relnCollFilt.py, 295
rlFeatures.py, 278
rlLinExperienceReplay.py, 281
rlModelLearner.py, 272
rlMonsterEnv.py, 263
rlMonsterGameFeatures.py, 275
rlPlot.py, 265
rlProblem.py, 261
rlQExperienceReplay.py, 270
rlQLearner.py, 267
rlQTest.py, 269
searchBranchAndBound.py, 47
searchGeneric.py, 41
searchMPP.py, 45
searchProblem.py, 33
searchTest.py, 48
stripsCSPPlanner.py, 114
stripsForwardPlanner.py, 107
stripsHeuristic.py, 109
stripsPOP.py, 118
stripsProblem.py, 101
stripsRegressionPlanner.py, 111
utilities.py, 18
filtering, 211, 215
 DBN, 222
flip, 19
forward planning, 106
frange, 128
ftype, 128
game, 283
Gibbs sampling, 206
graphical model, 182
heuristic planning, 109, 113
hidden Markov model, 209
hierarchical controller, 25
HMM
 exact filtering, 211
 particle filtering, 215
HMM (hidden Markov models), 209
importance sampling, 203
interact
 proofs, 94
ipython, 10
k-means, 225
kernel, 136
knowledge base, 88
learner, 138
learning, 125–161, 163–175, 225–233,
 261–282, 295–301
 batched stochastic gradient de-
 scent, 156
 cross validation, 147
 decision tree, 143
 deep, 163–175
 deep learning, 163
 EM, 229
 k-means, 225
 linear regression, 150
 linear classification, 150
 neural network, 163
 no inputs, 139
 reinforcement, 261–282
 relational, 295
 supervised, 125–161
 with uncertainty, 225–233
likelihood weighting, 202
linear regression, 150
linear classification, 150
localization, 213
logistic regression, 180
logit, 152
loss, 131
magic square, 284
magic-sum game, 284
Markov Chain Monte Carlo, 206
Markov decision process, 250
max_display_level, 17
MCMC, 206
MDP, 250, 262
method
 consistent, 54
 holds, 53
 maxh, 109

- zero*, 107
- minimax, 283
- minimax algorithm, 286
- minsets, 98
- model-based reinforcement learner, 272
- multiagent system, 283
- multiple path pruning, 45
- n-queens problem, 62
- naughts and crosses, 284
- neural network, 163
- noisy-or, 181
- NotImplementedError, 21
- partial-order planner, 117
- particle filtering, 203
 - HMMs, 215
- planning, 101–123, 237–259
 - CSP, 114
 - decision network, 237
 - forward, 106
 - MDP, 250
 - partial order, 117
 - regression, 111
 - with certainty, 101–123
 - with learning, 272
 - with uncertainty, 237–259
- plotting
 - agents in time, 25
 - reinforcement learning, 265
 - robot environment, 30
 - runtime distribution, 81
 - stochastic simulation, 207
- predictor, 131
- Prob, 182
- probabilistic inference methods, 189
- probability, 177
- proof
 - bottom-up, 90
 - explanation, 93
 - top-down, 92
- proposition, 87
- Python, 9
- Q learning, 267
- query, 189
- queryD0, 235
- RC, 190, 244
- recursive conditioning, 191
- recursive conditioning (RC), 190
- recursive conditioning for decision networks, 244
- regression planning, 111
- reinforcement learning, 261–282
 - environment, 261
 - feature-based, 275
 - model-based, 272
 - Q-learning, 267
- rejection sampling, 201
- relational learning, 295
- ReLU, 165
- resampling, 204
- robot
 - body, 26
 - environment, 25
 - middle layer, 28
 - plotting, 30
 - top layer, 29
- robot delivery domain, 102
- runtime, 15
- runtime distribution, 81
- sampling, 199
 - importance sampling, 203
 - belief networks, 200
 - likelihood weighting, 202
 - particle filtering, 203
 - rejection, 201
- scope, 52
- search, 33
 - A*, 41
 - branch-and-bound, 47
 - multiple path pruning, 45
- search_with_any_conflict, 76
- search_with_var_pq, 77
- show, 54, 184
- sigmoid, 152
- softmax, 152
- stochastic local search, 73

any-conflict, 76
two-stage choice, 77
stochastic simulation, 199

tabular factor, 181
test
 SLS, 81
tic-tac-toe, 284
top-down proof, 92

uncertainty, 177
unit test, 19, 44, 63, 91, 92, 94
unrolling
 DBN, 222
updatable priority queue, 79
utility, 237
utility table, 237

value iteration, 253
variable, 51, 177
variable elimination (VE), 195
variable elimination for decision networks, 248
VE, 195
visualize, 18

XGBoost, 160

yield, 14